

**Related documents to AO No. 2007 – 0025:
MINIMUM PEME TEST REQUIREMENTS**

**ADMINISTRATIVE ORDER
No. 2007 – 0025**

**SUBJECT: Revised Guidelines for Conducting Medical Fitness
Examinations for Seafarers**

<i>PEME “A” – For New Candidates:</i>	
1)	Audiometry
2)	Chest X-ray (At least 11 x 14 plate size)
3)	Color Perception Test (Ishihara)
4)	Complete Blood Count and Blood Typing
5)	Complete Physical Examination and Medical History
6)	Dental Examination
7)	ECG
8)	Hepatitis B Screening
9)	HIV (optional)
10)	Psychometric examinations – the medical clinic shall conduct tests that satisfy the prescribed BHFS psychological evaluation format under Bureau Circular No. 9 s. 1991
11)	Routine Stool
12)	Routine Urinalysis
13)	RPR
14)	Visual Acuity (Far and Near Vision)


<i>PEME “B” – For Serving Seafarers (below 40 years old):</i>	
1)	Audiometry
2)	Chest X-ray (At least 11 x 14 plate size)
3)	Color Perception Test (Ishihara)
4)	Complete Blood Count and Blood Typing
5)	Complete Physical Examination and Medical History
6)	Dental Examination
7)	Hepatitis B Screening
8)	HIV (optional)
9)	Psychometric examinations – the medical clinic shall conduct tests that satisfy the prescribed BHFS psychological evaluation format under Bureau Circular No. 9 s. 1991
10)	Routine Stool
11)	Routine Urinalysis
12)	RPR
13)	Visual Acuity (Far and Near Vision)

**Related documents to AO No. 2007 – 0025:
MINIMUM PEME TEST REQUIREMENTS**

<i>PEME “C” – For Serving Seafarers (40 years old and above):</i>	
1)	Audiometry
2)	Blood Uric Acid
3)	Chest X-ray (At least 11 x 14 plate size)
4)	Color Perception Test (Ishihara)
5)	Complete Blood Count
6)	Complete Physical Examination and Medical History
7)	Creatinine
8)	Dental Examination
9)	ECG
10)	Fasting Blood Sugar
11)	Hepatitis B Screening
12)	HIV (optional)
13)	Psychometric examinations – the medical clinic shall conduct tests that satisfy the prescribed BHFS psychological evaluation format under Bureau Circular No. 9 s. 1991
14)	Routine Stool
15)	Routine Urinalysis
16)	RPR
17)	Total Cholesterol
18)	Triglyceride
19)	Visual Acuity (Far and Near Vision)

<i>PEME “D” – For Food Handlers:</i>	
1)	PEME “A”, “B”, or “C”, as appropriate
2)	Stool Culture (optional)

Related Documents to AO No. 2007 – 0025:
FORMAT OF THE PEME CERTIFICATION FOR SEAFARERS



**Related Documents to AO No. 2007 – 0025:
INSTRUCTIONS TO ACCREDITED MEDICAL CLINICS**

A. Checklist for the Medical Examiner

1. Check the identity of the person to be examined, note his valid Identification Card (e.g. Seaman's Book, NBI Clearance, SSS ID, Company ID, Driver's ID, PRC ID, Voter's ID, Passport), and record accurately the number on his PEME form.
2. Check the examinee's previous medical records (if available and necessary).
3. Collect information on previous medical history. Ask point-by-point for details of diseases or injuries, tick the respective boxes on the form, and add further details if the examinee reports diseases or injuries. Note tobacco use and the number of cigarettes smoked per day. Note alcohol intake. After collecting these data, the examinee signs the form certifying it is a true statement.
4. Measure and record the weight, pulse rate and blood pressure. Perform the physical examination and record the results. Check the results of laboratory, ECG, chest x-ray and other examination if necessary. Record the results on the form.
5. Check hearing, eyesight and color vision. Record the results on the form.
6. Evaluate the results of the examination. Assess the fitness of the seafarer for sea duty and for the specified job on board.
7. If the examinee is found fit for sea duty, issue the Fit PEME Certificate.
8. If the examinee is found temporarily unfit for sea duty, explain to him the reasons during follow-up visit. Advise him to undergo additional test/s, refer him appropriately to an accredited specialist or to undergo the necessary treatment as may be necessary within thirty (30) days from date of initial PEME.
9. After checking the vaccination record of the examinee, advise on obligatory and voluntary immunization that will protect him from infectious diseases (e.g. hepatitis, poliomyelitis, tetanus).
10. If necessary and time permits, encourage the examinee to modify his lifestyle (e.g. limit alcohol intake, stop smoking, lose weight).

B. Important Information

1. Printed health education materials (e.g. information booklets on HIV/ AIDS prevention, smoking cessation) may be distributed to seafarers in accredited medical clinics.
2. For seafarers employed on chemical bulk carrier, additional blood tests shall be required as part of the PEME test requirements.
3. Audiometric test shall form part of the PEME test requirements for all seafarers.
4. ECG shall be done before sea duty and shall form part of the periodic PEME for seafarers aged 40 years old and above.
5. In the fitness assessment for a specific job, the medical examiner shall make use of the job description in the Seafarers' Training, Certification and Watchkeeping Code and the Mandatory Standards and Recommendation Guidance of the Maritime Safety Committee.
6. Full clinical notes and results of PEME shall be kept in the record section of the clinic following a minimum record retention of three (3) years.
7. The cadet seafarer may request a copy of his Fit PEME Certificate from his agency.
8. The PEME of seafarers are conducted in accordance with internationally ratified conventions. The Fit PEME Certificate shall certify that the hearing,

**Related Documents to AO No. 2007 – 0025:
INSTRUCTIONS TO ACCREDITED MEDICAL CLINICS**

sight and color vision of the seafarer are satisfactory, and that he is not suffering from any disease likely to be aggravated by or render him unfit for sea duty, or to endanger the health of the crew and passengers.

9. If the validity period of the Fit PEME Certificate expires during the course of a voyage, the certificate shall continue to be valid until the end of that voyage.
10. The Fit and Temporarily Unfit PEME Certificate shall be issued to the manning agency. All pending for both completion of PEME and completion of prescribed additional tests shall be reported properly to the manning agency. After the specified period lapses, the Pending PEME Certificate shall be stamped 'Unfinished' and delivered to the manning agency with the billing statement.
11. No 'Light Duty' is available.

C. Minimum In-Service Eyesight Standards:

Category of Seafarer	Distant Vision		Near Immediate Vision	Color Vision	Visual Field	Night Blindness	Diplopia (Double Vision)
	One Eye	Other Eye	Both Eyes Aided or Unaided				
New Candidates Cadets (Deck and Engine)			Vision required for ship's navigation (e.g. chart and nautical publication reference, use of bridge equipment, identification of aids to navigation)	Normal (Ishihara)	Normal	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
Aided	20/20 (1.0)	20/20 (1.0)					
Unaided	20/30 (0.66)	20/30 (0.66)					
Deck Officers/ Ratings Performing Deck Watchkeeping Duties			Vision required for ship's navigation (e.g. chart and nautical publication reference, use of bridge equipment, identification of aids to navigation)	Normal (Ishihara)	Normal	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
Aided	20/20 (1.0)	20/40 (0.5)					
Unaided	20/100 (0.2)	20/100 (0.2)					

**Related Documents to AO No. 2007 – 0025:
INSTRUCTIONS TO ACCREDITED MEDICAL CLINICS**

Category of Seafarer	Distant Vision		Near Immediate Vision	Color Vision	Visual Field	Night Blindness	Diplopia (Double Vision)
	One Eye	Other Eye	Both Eyes Aided or Unaided				
Engine Officers/ Ratings Performing Engine Watchkeeping Duties			Vision required reading instrument in close proximity to operate equipment and identify systems/ components as necessary.	Able to distinguish the colors red, yellow and green	Sufficient	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
Aided	20/30 (0.66)	20/50 (0.4)					
Unaided	20/100 (0.2)	20/100 (0.2)					
Service Providers (Housekeeping Managers, Supervisors, Bartenders, Entertainers, Waiters/ Waitresses, Cabin Attendants, etc.)			Sufficient	Sufficient	Sufficient	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
Aided	20/30 (0.66)	20/70 (0.28)					
Unaided	20/200 (0.1)	20/200 (0.1)					

**Related Documents to AO No. 2007 – 0025:
JOB REQUIREMENTS AND FITNESS STANDARDS**

Assessment of a seafarer’s fitness shall be of most use when the medical examiner knows as much about the job on board the ship as about the individual being assessed. The physical demands of a job are defined in the following terms: strength, climb and balance, stoop, kneel, crouch and crawl, reach, handle, touch and feel, talk and hear, and visual acuity (distant vision, near vision, color vision, visual field).

In the fitness assessment for a specific job, the medical examiner shall make use of the job description in the Seafarers’ Training, Certification and Watchkeeping Code and the Mandatory Standards and Recommendation Guidance of the Maritime Safety Committee, and the physical capabilities based on shipboard tasks, functions, events or conditions.

Guidance on Assessment of Minimum Entry-Level and In-Service Physical Abilities for Seafarers

Shipboard Task, Function, Event or Condition	Related Physical Ability	The Medical Examiner Should Ensure that the Candidate
Routine movement on slippery, uneven and unstable surfaces Risk of injury	Maintain balance/ equilibrium	Has no disturbance in sense of balance
Routine access between levels Emergency response procedures	Climb up and down vertical/ inclined ladders and stairways	Is able without assistance to climb up and down vertical/ inclined ladders and stairways
Routine movement between spaces and compartments Emergency response procedures	Step over coamings e.g. up to 60 cm in height	Is able to grasp, lift and manipulate various common shipboard tools; move hands/ arms to open and close valve wheels in vertical and horizontal directions; rotate wrists to turn handles
Open and close watertight doors Hand cranking systems Open and close valve wheels Handle lines Use hand tools e.g. spanners, fire axes, valve wrenches, hammers, screwdrivers, pliers	Manipulate mechanical devices (manual and digital dexterity and strength)	Is able to grasp, lift and manipulate various common shipboard tools; move hands/ arms to open and close valve wheels in vertical and horizontal directions; rotate wrists to turn handles Required range of motion is 90 degrees
Access throughout ship Use tools and equipment Emergency response procedures e.g. donning of life jacket or response suit	Move with agility	Does not have any impairment or disease that can prevent normal movement and physical activity
Handle ship’s store room Use tools and equipment Handle lines Emergency response procedures	Lift, pull and carry load	Does not have any impairment or disease that can prevent normal movement and physical activity
Overhead storage Open and close valve wheels	Reach above shoulder height	Does not have any impairment or disease that can prevent normal movement and physical activity

**Related Documents to AO No. 2007 – 0025:
JOB REQUIREMENTS AND FITNESS STANDARDS**

Shipboard Task, Function, Event or Condition	Related Physical Ability	The Medical Examiner Should Ensure that the Candidate
General ship maintenance Emergency response procedures e.g. damage control	Crouch (lowering height by bending knees) Kneel (placing knees on ground) Stoop (lowering height by bending at the waist)	Does not have any impairment or disease that can prevent normal movement and physical activity
Emergency response procedures e.g. escaping from smoke-filled spaces	Crawl (ability to move the body with hands and knees) Feel (ability to handle or touch in order to examine or determine differences in temperature)	Does not have any impairment or disease that can prevent normal movement and physical activity
Stand watch for a minimum of 4 hours	Stand and walk for extended period	Is able to stand and walk for extended period
Access between spaces Emergency response procedures	Work in constricted spaces and move through restricted openings e.g. 60 cm by 60 cm	Does not have any impairment or disease that can prevent normal movement and physical activity
React to visual alarms, warnings and instructions Emergency response procedures	Distinguish an object or shape at a certain distance	Fulfills the eyesight standards
React to audible alarms, warnings and instructions Emergency response procedures	Hear a specified dB sound at a certain distance	Fulfills the eyesight standards
Make verbal reports Call attention to suspicious or emergency conditions	Describe immediate surroundings and activities; pronounce words clearly	Is capable of normal conversation

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

These medical guidelines are intended to allow the maximum flexibility in interpretation that is compatible with the paramount aim in maintaining the safety of seafarers at sea in the performance of their duties and, at the same time, protecting their health, the health of their fellow crew members and passengers on board.

The list of medical conditions cited below per System Classification are mere examples which may render a seafarer unfit. These can also be used to justify restrictions on time, position, trade area or type of vessels. It can only provide guidance for all examining physicians and shall never replace a sound medical judgment. Also, it may be used with other endorsed medical-related standards set by Trade Associations, Maritime Directorates, P and I Club or Principals/ Employers.

A. INFECTIOUS DISEASES

There shall be no active infectious disease. Any infectious disease in its communicable or carrier state shall not present as a health hazard to other crew members by casual contact. It shall not pose as a medical risk in the development of a debilitating condition while seafarer is serving his contract term. Post-treatment evaluation of infectious disease as well as periodic monitoring of carrier state may be necessary to check if condition shall be medically upgraded or downgraded following complete assessment of its clinical significance by an accredited Infectious Disease Specialist.

- Acquired Immune Deficiency Syndrome (AIDS)
- Enteritis
- Hepatitis
- Lice
- Malaria
- Scabies
- Schistosomiasis, unless cleared by a specialist
- Sexually Transmitted Disease
- Tinea, active
- Tuberculosis ¹
 - Newly diagnosed cases until full treatment course is done, or clearance by an accredited chest specialist or infectious disease specialist is granted
 - Radiological findings of PTB, less than one (1) year stability for newly diagnosed cases with recent record of treatment (within one year). Temporary unfitness of disclosed cases may be upgraded when the examining physician is satisfied on the advice of an accredited Chest Specialist that the PTB lesion is fully healed, stable, and inactive as evidenced by satisfactory comparative chest x-ray review/s and negative AFB smears, including record of completed full treatment course.
 - Cases where either one or both lungs are infected i.e. moderately advanced to far advanced PTB
 - Extra-pulmonary tuberculosis, which include Miliary TB, Scrofula and Renal TB
- Typhoid carrier within a year from infection is not acceptable for food handlers, unless cleared by a specialist.

¹ Clearance may depend upon host country guidelines

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

B. MALIGNANT NEOPLASM

There shall be neither finding nor suspected finding of neoplasm at the time of pre-employment medical examination. Significant history of any type of malignancy for new candidates is medically disqualifying. Exception may be appropriate for serving crew members after complete course of treatment. Final evaluation before any fitness recommendation shall consider prognosis of the disease, rate of recurrence, effect of the disease on job performance and the need for subsequent monitoring.

C. ENDOCRINE, NUTRITIONAL AND METABOLIC CONDITIONS AND IMMUNITY DISORDERS

There shall be no endocrine, nutritional, metabolic and immunity disorders present in all candidates. When these disorders are present in serving seafarers, further investigation and complete assessment shall be done before any recommendation is made.

- Acromegaly
- Acute Gouty Arthritis and Hyperuricemia
- Adrenal Insufficiency, uncontrolled
- BMI of less than 18
- Cases undergoing Immunosuppressive Therapy
- Diabetes Mellitus, requiring insulin
- Hyperthyroidism, Toxic Diffuse Goiter, Toxic Nodular Goiter, Thyrotoxicosis, Thyroiditis
- Obesity, incapacitating or Body Mass Index of 34 and above with or without co-morbid pre-existing conditions
- Osteoporosis
- Pheochromocytoma
- Uncontrolled cases of Diabetes Mellitus Type II
- Persistent abnormal liver or kidney test results

D. DISEASES OF THE BLOOD AND BLOOD FORMING ORGANS

There shall be no significant hematological condition that requires treatment where medication causes immunosuppression, work interruption, and periodic monitoring to ensure continuing fitness in the work place.

- Any abnormal condition requiring treatment that will inhibit or increase blood coagulation
- Bleeding and Clotting Disorders
- Malignancies of the blood and blood forming organs
- Myelodysplasia
- Persistent asymptomatic or unexplained anemia, where hemoglobin level is below 10 g/dl among females and below 12 g/dl among males, until satisfactory investigation or treatment is done
- Polycythemia
- Splenomegaly

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

E. MENTAL DISORDERS

There shall be no manifestation of any anxiety, depressive, psychotic, personality and psychological disorders identified and observed during the conduct of PEME and psychological testing. Appropriate psychologist's or psychiatrist's evaluation shall be sought to determine if condition renders a seafarer permanently unsuitable for seafaring duties.

- Active alcohol or drug dependence as evidenced by diagnostic test result/s and confirmatory drug test result including physical finding or identified related behavioral disorder
- Acute Psychosis, whether organic, schizophrenic or any other listed in the International Classification of Diseases
- Dementia/ Senility
- Depression, active requiring medication
- History of documented mental disorder (psychosis)
- Identified "phobias" which will not fit into the job requirement
- Observation of Acute Manifestation of a Psychiatric Disorder that indicates a need for psychiatric evaluation
- Personality Disorder
- Psychoneurosis, Major Depression or Mania

F. CONDITIONS OF THE NERVOUS SYSTEM AND SENSE ORGANS

There shall be no existing manifestation of an acute or chronic neurological or sensory disorder. Any significant past history of such condition/s that may recur or limit functional capacity to perform sea duties and require medical care or periodic monitoring such as but not limited to the following should be carefully assessed.

Conditions of the Nervous System:

- Ataxia, active (unsteadiness of Gait)
- Impairment of the Central Nervous System Function resulting from secondary or active medical disorders e.g. Diabetes, Toxic Reaction, and Thyroid Disorder
- Migraine, frequent attacks causing incapacity
- Narcolepsy or Sleep Disorders resulting to unpredictable drowsiness when individual is awake
- Post -Concussion Syndrome, Active
- Seizure Disorder Secondary to structural abnormality, epilepsy, alcohol or drug withdrawal or metabolic disorder
- Stroke
- Syncope and other disturbances of consciousness
- Tremors, active, interfering with the fine motor functions
- Vertigo, central or peripheral in origin

Conditions of the Sense Organs:

- Cholesteatoma until successful surgical intervention
- Chronic Mastoiditis of both ears
- Chronic Otitis Media
- Chronic Sinusitis until successful surgical intervention
- Frequent Epistaxis

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

- Hearing Loss, sudden or progressive, sufficient to interfere with communication and or affecting work function (For catering positions, use of hearing aid may be allowed)
- Hypertrophied Tonsils or Laryngeal Cyst causing obstruction and or requiring surgery
- Laryngeal Cyst causing obstruction
- Laryngeal Tumor
- Meniere's Disease
- Nasal Polyp/s
- Otosclerosis with moderate hearing impairment (for positions with critical watchkeeping functions)

G. CONDITIONS OF THE CARDIOVASCULAR SYSTEM

There shall be no acute or chronic cardiovascular condition limiting physical activity required for sea duties, requiring more than two (2) maintenance oral medicines and close monitoring, or causing significant disability.

- Abnormal TST result or terminated Treadmill Stress Test, the reason for such termination is clinically significant
- All Rheumatic Heart Conditions
- Angina Pectoris, current
- Aortic Aneurysm, current
- Arrhythmia, significant unless granted cardiac clearance
- Claudication, current
- Conditions requiring anticoagulant maintenance medications
- Congenital Heart Disease (ASD, VSD and PDA) unless with history of complete surgical correction and recent clearance from an accredited cardiologist
- Congestive Heart Failure
- Coronary Artery Disease (CAD)
- Coronary Angioplasty (within six months), with history of AMI, left ventricular systolic dysfunction, uncontrolled Diabetes Mellitus, Hypertension and Dyslipidemia
- Coronary By Pass (within six months), with co-morbid illness such as left ventricular systolic dysfunction, AMI, uncontrolled DM, Hypertension and Dyslipidemia (re-evaluation and clearance from an accredited cardiologist before any possible medical upgrade to fitness)
- ECG finding of Complete BBB and WPW unless cleared by an accredited cardiologist
- ECG finding of old MI, 2nd and 3rd degree AV Block
- Hypertension – Uncontrolled Hypertension, 140/90 and above
 - Hypertension requiring three (3) or more drugs
- Hypertension with associated clinical conditions such as but not limited to:
 - Cerebrovascular Disease (Stroke, TIA)
 - Heart Disease (LVH, Ischemic Heart Disease, prior MI, prior revascularization)
 - Non-Essential Hypertension to include renal or Hypertensive Nephrosclerosis or any Secondary Hypertension
 - Obesity and Metabolic Syndrome
 - Poorly controlled Diabetes Mellitus or complicated Diabetes Mellitus

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

- Renal Disease (persistent hematuria, proteinuria, and elevated creatinine)
- Ischemic Heart Disease
- Miscellaneous Heart Disease (MVP, Bicuspid Aortic Valve)
- Recent history (within 3 months) of Thrombophlebitis or Phlebothrombosis
- Syncope of Cardiac Etiology
- Valvular Heart Disease with Stenotic physiology accompanied by Chamber Enlargement or Hypertrophy (Mitral Stenosis, Aortic Stenosis, Pulmonic Valve Stenosis)
- Varicose Veins, moderate to severe or with signs of stasis, ulcers or other complications

H. CONDITIONS OF THE RESPIRATORY SYSTEM

There shall be no acute, chronic, pre-existing (per disclosed medical history), recurrent condition needing further investigation and full assessment, limiting work performance on board/ workplace or causing significant disability.

- Abnormal radiological finding such as Residual Fibrosis, Calcifications suggestive of PTB until satisfactory pulmonary clearance of an accredited chest specialist
- Atelectasis where FEV1/FVC is less than 60% (moderately impaired lung function) or FEV1 is less than 60% predicted value
- Bronchial Asthma², with physical finding at time of examination or measured as moderate Obstructive Lung Disease per Spirometry where FEV1/FVC is less than 70% with FEV1 less than 80% of predicted value or where condition requires systemic oral corticosteroid, continuing monitoring, observation, and has the likelihood for recurrence per accredited chest specialist's evaluation
- Chronic Bronchitis or Emphysema
- History of Pulmonary Embolism
- Moderate COPD where FEV1/FVC is less than 70% with FEV1 less than 80% of the predicted value
- Other Lung Conditions such as finding of bullae, pneumothorax and the like which precludes air travel or that which could be seriously affected by it or conditions that predispose to barotraumas
- Pneumothorax, spontaneous (secondary type)
- Tumors

I. ORAL HEALTH

There shall be no mouth disease, gum infections and dental defects.

J. CONDITIONS OF THE DIGESTIVE SYSTEM

There shall be no acute, chronic, or recurrent gastrointestinal disturbance affecting seafarer's function, requiring medication, and causing significant disability.

- Abscess, abdominal or peri-rectal
- Appendicitis
- Bleeding, rectal

² Condition disqualifies new candidates

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

- Cholangitis
- Cholecystitis
- Cholelithiasis until successful surgery
- Chronic Active Hepatitis
- Diarrhea, active
- Esophageal Varices
- Gallbladder polyps (multiple)
- Gallbladder polyp, single, of significant size (1.8 cm), warranting surgical removal
- Gastric or Intestinal Ulceration
- Hemorrhoids with surgical indication for surgery
- Hepatic Nodule
- Hepatitis
- Hepatomegaly, significant and with concomitant liver enzyme elevation
- History of hematemesis within three months
- Liver Cirrhosis
- Multiple Liver Cysts of Unknown etiology
- Peptic ulcer in new candidates. In the case of serving seafarers, those with proven ulceration shall not return to sea duty until free of symptoms. There shall be proof of healing as evidenced by negative gastroscopy or endoscopy finding and the seafarers shall be on ordinary diet for at least three (3) months. Those with history of gastrointestinal bleeding, perforation, recurrent peptic ulceration (despite treatment). or complications after surgery shall remain unfit for sea duty.
- Peri-anal fistula and fissures
- Schistosomiasis

K. CONDITIONS OF THE GENITO-URINARY SYSTEM

There shall be no genito-urinary condition that would require periodic monitoring, surgical interventions, and prolonged treatment. Infectious conditions shall be fully treated or controlled before resumption to sea duty.

- Active Venereal Disease
- BPH symptomatic, with moderate urinary retention and with positive PSA
- Gynecological Conditions, acute or chronic which among others include abnormal uterine bleeding, PID, vaginal discharge suspected to be infectious in origin, pelvic mass by physical examination and vaginal warts
- Hernias unless successful surgical intervention and or surgical clearance
- Hydrocoele, large and recurrent until clearance from an accredited urologist
- Incontinence of urine, if irremediable
- Nephritis, acute, sub-acute, or chronic
- Persistent proteinuria, glucosuria and other urinary abnormalities
- Polycystic Kidneys
- Prostatism with retention
- Recurrent UTI
- Removal of one kidney secondary to a pathological condition (congenital absence may be considered after clearance from an accredited Kidney Specialist)
- Renal Calculus until successful surgery or lithotripsy
- Renal Cyst(s) depending on the specialist's discretion (nephrologist/ urologist)
- Symptomatic undescended testis with or without accompanying hernia

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

- Urethral Discharge, active
- Urinary Obstructions, if not remediable
- Varicocele, moderate

L. PREGNANCY

Pregnancy shall disqualify all candidates for seafaring duties.

M. CONDITIONS OF THE MUSCULOSKELETAL SYSTEM

There shall be no musculoskeletal defect that could interfere with discharge of seafarer's duties such as decrease in muscular power, loss of balance, mobility and lack of coordination. Limb prosthesis shall not be acceptable.

- Acute and chronic osteoarthritis, gouty arthritis with the following additional risk factors:
 - Previous history of disability, repatriation reasonably affecting musculoskeletal function
 - Presence of bone spurs and other related conditions that will limit work function
 - Slipped disk, status post-laminectomy and other conditions requiring weight carrying restrictions as a risk to safety
- Any radiologic or orthopedic specialist's finding of moderate to severe Scoliosis (for serving crew members, careful re-evaluation shall be made in relation to job functions)
- History of receiving disability recommendation for a significant medical condition or work-related injury
- Limb atrophy secondary to Poliomyelitis
- Muscular Atrophies, Dystrophies and related disorders
- Slipped disk by MRI if symptomatic
- Status Post-Laminectomy within one year
- Radiologic finding of Lumbar Instability until full accredited orthopedic surgeon's evaluation and clearance

N. CONDITIONS OF THE SKIN

There shall be no active communicable skin disease or recurrent skin disease refractory to medical management that poses a threat to seafarer's health, health of other crew members on board or ship's passengers. Also, careful assessment of exposure to substances which may act as irritants including job functions shall be taken into account in determining if seafarer is fit to resume sea duties.

- Acute and recurrent Eczema, Atopic Dermatitis and related conditions
- Acute skin infection until satisfactory treatment
- Folliculitis, carbuncles, abscesses until I and D and antibiotic therapy
- Generalized Tinea, active
- Leprosy
- Multiple Viral Warts until successful cautery and/ or management
- Persistent Contact and Irritant Dermatitis
- Severe Pustular Cystic Acne

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

- Skin cancer such as malignant Melanoma as documented histologically
- Skin manifestation of a Systemic Disease (e.g. Lupus and other Autoimmune Diseases)
- Stasis Dermatitis
- Widespread Psoriasis uncontrolled and resistant to treatment

O. HEARING

For new candidates, unaided average threshold shall not be higher than 30db in better ear and 40db in other ear at 500, 1000, 2000, 3000, 4000 and 6000 Hz and/ or functional speech discrimination (unaided SRT) shall not be less than 90% at 55 db in both ears.

For serving seafarers, unaided average threshold shall not be higher than 50db in both ears at 500, 1000, 2000, 3000, 4000 and 6000 Hz and/ or functional speech discrimination (unaided SRT) shall not be less than 90% at 55 db in both ears.

P. SEVERE SPEECH IMPEDIMENT

There shall be no existing significant speech impediment or hearing acuity problem that interferes with communication especially for deck officers and crew members with special communication functions.

Q. EYESIGHT

There shall be no acute or chronic eye condition or history of eye disease that may result to unsatisfactory work performance, pose a threat to working safely at sea, require medical care due to progressive nature, provide high medical risk, and may recur or aggravate during the contract term of sea duty.

- Amblyopia where vision does not meet minimum sight standard for seafarer's position
- Chronic Uveitis
- Conjunctivitis
- Dacrocystitis
- Glaucoma
- Hordeolum
- Mature cataract
- Moderate to Severe Pterygium
- Night blindness

Binocular Vision is necessary.

The following minimum eyesight standards shall apply as follows:

- New candidates (deck and engine cadets) shall have at least unaided vision of 0.66 (20/30) in each eye and this shall be properly corrected to 1.0 (20/20).
- For serving seafarers:
 - Deck officers shall have (either with or without glasses) at least 1.0 (20/20) vision in one eye and at least 0.5 (20/40) in the other. If the applicant wears

**Related Documents to AO No. 2007 – 0025:
MEDICAL STANDARDS IN THE CONDUCT OF PEME FOR SEAFARERS**

glasses, he shall have an unaided vision of 0.2 (20/100) on each eye. Deck officers and crew members with lookout functions shall have normal color perception test result.

- Engineer and radio officers/ engine crew members shall have at least 0.5 (20/100) unaided vision in each eye. This shall be corrected to at least 0.66 (20/30) vision in one eye and at least 0.4 (20/50) in the other eye.
- Engineers, engine crew members and radio officers must be able to distinguish colors red, yellow and green.
- Food handlers and other non-deck, non-engine staff (those without safety/ critical functions) shall have an unaided vision of at least 0.1 (20/200) for each eye. This shall be corrected to at least 0.66 (20/ 30) in one eye and at least 0.285 (20/70) in the other eye.
- When visual aids (spectacles or contact lens) are required for the efficient performance of duties, a spare pair shall be carried by the seafarer. When separate visual aids for both far and near vision are necessary, a spare pair for each kind shall be complied with.
- For seafarer students, apprentices, and pre-licensure examinees, the minimum requirements for deck crew members shall apply appropriately.