

Library Reference for LOGISTIC MANAGEMENT INFORMATION SYSTEM (LMIS)

As of: March 27, 2007

3:09 PM

TableName: hproduct

Code	Description
1	0.9% SODIUM CHLORIDE, 1 L bottle (IV Infusion) , Inj.
2	0.9% SODIUM CHLORIDE, 10 mL ampul , Inj.
3	0.9% SODIUM CHLORIDE, 100 mL bottle (IV Infusion) , Inj.
4	0.9% SODIUM CHLORIDE, 2 mL ampul , Inj.
5	0.9% SODIUM CHLORIDE, 2.5 mL ampul , Inj.
6	0.9% SODIUM CHLORIDE, 20 mL ampul , Inj.
7	0.9% SODIUM CHLORIDE, 200 mL bottle (IV Infusion) , Inj.
8	0.9% SODIUM CHLORIDE, 250 mL bottle (IV Infusion) , Inj.
9	0.9% SODIUM CHLORIDE, 5 mL ampul , Inj.
10	0.9% SODIUM CHLORIDE, 50 mL bottle (IV Infusion) , Inj.
11	0.9% SODIUM CHLORIDE, 500 mL bottle (IV Infusion) , Inj.
12	10% DEXTROSE IN WATER, 1 L bottle (IV Infusion) , Inj.
13	10% DEXTROSE IN WATER, 250 mL bottle (IV Infusion) , Inj.
14	10% DEXTROSE IN WATER, 3 mL ampul (as solvent) , Inj.
15	10% DEXTROSE IN WATER, 500 mL bottle (IV Infusion) , Inj.
16	5% DEXTROSE IN 0.3% SODIUM CHLORIDE, 1 L bottle (IV Infusion) , Inj.
17	5% DEXTROSE IN 0.3% SODIUM CHLORIDE, 250 mL bottle (IV Infusion) , Inj.
18	5% DEXTROSE IN 0.3% SODIUM CHLORIDE, 500 mL bottle (IV Infusion) , Inj.
19	5% DEXTROSE IN 0.45% SODIUM CHLORIDE, 1 L bottle (IV Infusion) , Inj.
20	5% DEXTROSE IN 0.45% SODIUM CHLORIDE, 250 mL bottle (IV Infusion) , Inj.
21	5% DEXTROSE IN 0.45% SODIUM CHLORIDE, 500 mL bottle (IV Infusion) , Inj.
22	5% DEXTROSE IN 0.9% SODIUM CHLORIDE, 1 L bottle (IV Infusion) , Inj.
23	5% DEXTROSE IN 0.9% SODIUM CHLORIDE, 250 mL bottle (IV Infusion) , Inj.
24	5% DEXTROSE IN 0.9% SODIUM CHLORIDE, 500 mL bottle (IV Infusion) , Inj.
25	5% DEXTROSE IN LACTATED RINGER'S, 1 L bottle (IV Infusion) , Inj.
26	5% DEXTROSE IN LACTATED RINGER'S, 250 mL bottle (IV Infusion) , Inj.
27	5% DEXTROSE IN LACTATED RINGER'S, 500 mL bottle (IV Infusion) , Inj.
28	5% DEXTROSE IN WATER, 1 L bottle (IV Infusion and as vehicle for IV medications) , Inj.
29	5% DEXTROSE IN WATER, 250 mL bottle (IV Infusion and as vehicle for IV medications) , Inj.
30	5% DEXTROSE IN WATER, 500 mL bottle (IV Infusion and as vehicle for IV medications) , Inj.
31	ACARBOSE, 100 mg tablet , Oral

32 ACARBOSE, 50 mg tablet , Oral
 33 ACETATE-BASED CONTAINING, POTASSIUM-FREE DIALYSATE,
 Sodium:135 - 145 mEq/L Potassium:0, Calcium:2.5 - 3.8 mEq/L,
 Dextrose:10 - 15 mEq/L, Bicarbonate:0, Acetate:30 - 40 mEq/L, % daily
 utilization by dialysis unit: 10%, ,
 34 ACETATED RINGER'S SOLUTION, 1 L bottle (IV Infusion), Inj.
 35 ACETATED RINGER'S SOLUTION, 500 mL bottle (IV Infusion), Inj.
 36 ACETAZOLAMIDE, 250 mg tablet, Oral
 39 ACETYLCYSTEINE, 100 mg sachet, Oral
 40 ACETYLCYSTEINE, 100 mg/5 mL granules for suspension, 150 mL, Oral

 41 ACETYLCYSTEINE, 200 mg sachet, Oral
 37 ACETYLCYSTEINE, 200 mg/mL, 10 mL ampul (IV Infusion), Inj.
 38 ACETYLCYSTEINE, 200 mg/mL, 25 mL bottle (IV Infusion), Inj.
 42 ACETYLCYSTEINE, 600 mg effervescent tablet, Oral
 85 ACETYLCYSTEINE, 100 mg, Oral
 45 ACICLOVIR, 200 mg tablet , Oral
 46 ACICLOVIR, 200 mg/5 mL suspension, 120 mL, Oral
 47 ACICLOVIR, 200 mg/5 mL suspension, 60 mL , Oral
 44 ACICLOVIR, 25 mg/mL, 10 mL vial (IV Infusion), Inj.
 43 ACICLOVIR, 3%, 4.5 g tube, Eye Ointment
 48 ACICLOVIR, 400 mg tablet , Oral
 49 ACICLOVIR, 800 mg tablet , Oral
 50 ACTIVATED CHARCOAL, USP, powder, USP grade given as slurry, Oral

 51 ADENOSINE (1, 2), 3 mg/mL, 2 mL vial (IV) (For SVT), Inj.
 52 AKAPULKO [Cassia alata Linn. (Fam. Leguminosae)], 50%, 60 mL bottle,
 Lotion
 53 ALBENDAZOLE, 200 mg/5 mL suspension, 10 mL, Oral
 54 ALBENDAZOLE, 200 mg/5 mL suspension, 15 mL, Oral
 55 ALBENDAZOLE, 200 mg/5 mL suspension, 30 mL , Oral
 56 ALBENDAZOLE, 200 mg/5 mL suspension, 60 mL, Oral
 57 ALBENDAZOLE, 400 mg chewable tablet, Oral
 58 ALBUMIN, HUMAN (1, 2), 20%, 100 mL bottle (IV, IV Infusion), Inj.
 59 ALBUMIN, HUMAN (1, 2), 20%, 50 mL bottle (IV, IV Infusion), Inj.
 60 ALBUMIN, HUMAN (1, 2), 25%, 100 mL bottle (IV, IV Infusion), Inj.
 61 ALBUMIN, HUMAN (1, 2), 25%, 50 mL bottle (IV, IV Infusion), Inj.
 65 ALCOHOL, ETHYL , 95%, USP grade, Oral
 64 ALCOHOL, ETHYL , absolute, 1 mL ampul (IV), Inj.
 62 ALCOHOL, ETHYL, 95%, 5 gallon can (to be diluted to 70%) (with BIR
 seal), Solution
 63 ALCOHOL, ETHYL, 95%, for dilution to 70% (with BIR seal), Solution

 68 ALENDRONATE, 10 mg tablet (as sodium), Oral
 69 ALENDRONATE, 70 mg tablet (as sodium), Oral
 70 ALFUZOSIN, 10 mg tablet (once a day) (as hydrochloride) , Oral
 71 ALFUZOSIN, 2.5 mg film-coated tablet (as hydrochloride) , Oral
 72 ALFUZOSIN, 5 mg film-coated tablet (SR) (as hydrochloride) , Oral

- 73 ALL-IN-ONE ADMIXTURES (ALSO CALLED 3 IN 1 OR DUAL ENERGY SOLUTIONS), Volume:1000 - 2500 mL, Concentration:Variable , CHO:7 - 15 g/100 mL, Protein:4 - 5 g/100 mL, Lipid:2 - 5 g/100 mL, Calories:50 - 100 Kcal, Electrolytes:Variable ,
- 74 ALLOPURINOL, 100 mg tablet, Oral
- 75 ALLOPURINOL, 300 mg tablet, Oral
- 76 ALPHA-TOCOPHEROL (VITAMIN E) (FOR PREMATURES), 10 mg/mL suspension, 10 mL (as acetate), Oral
- 77 ALPRAZOLAM (A1), 1 mg tablet, Oral
- 78 ALPRAZOLAM (A1), 250 mcg tablet, Oral
- 79 ALPRAZOLAM (A1), 500 mcg tablet, Oral
- 80 ALUMINUM ACETATE, 13% for the preparation of aluminum acetate lotion (0.65%). Must be freshly prepared., Solution
- 83 ALUMINUM HYDROXIDE +MAGNESIUM HYDROXIDE, 225 mg aluminum hydroxide + 200 mg magnesium hydroxide per 5 mL suspension, 120 mL, Oral
- 86 ALUMINUM HYDROXIDE +MAGNESIUM HYDROXIDE, 225 mg aluminum hydroxide + 200 mg magnesium hydroxide per 5 mL suspension, 180 mL, Oral
- 82 ALUMINUM HYDROXIDE +MAGNESIUM HYDROXIDE, 225 mg aluminum hydroxide + 200 mg magnesium hydroxide per 5 mL suspension, 250 mL , Oral
- 84 ALUMINUM HYDROXIDE +MAGNESIUM HYDROXIDE, 225 mg aluminum hydroxide + 200 mg magnesium hydroxide per 5 mL suspension, 355 mL , Oral
- 81 ALUMINUM HYDROXIDE, 600 mg/5 mL gel, 240 mL (for use of not more than 15 days) , Oral
- 87 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 100 ml ampul/bottle (as meglumine and/or sodium salt), Inj
- 88 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 20 mL ampul/bottle (as meglumine and/or sodium salt), Inj
- 89 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 200 ml ampul/bottle (as meglumine and/or sodium salt), Inj
- 90 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 25 mL ampul/bottle (as meglumine and/or sodium salt), Inj
- 91 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 30 mL ampul/bottle (as meglumine and/or sodium salt), Inj
- 92 AMIDOTRIZOATE (DIATRIZOATE), (Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 50 mL ampul/bottle (as meglumine and/or sodium salt), Inj
- 93 AMIKACIN, 1 g vial (as sulfate) (IM, IV), Inj.
- 94 AMIKACIN, 100 mg vial (IM, IV) (as sulfate), Inj.
- 95 AMIKACIN, 100 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.
- 96 AMIKACIN, 125 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.
- 97 AMIKACIN, 250 mg vial (IM, IV) (as sulfate), Inj.
- 98 AMIKACIN, 250 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.

- 99 AMIKACIN, 50 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.
- 100 AMIKACIN, 500 mg vial (IM, IV) (as sulfate), Inj.
- 101 AMINO ACID SOLUTIONS FOR HEPATIC FAILURE, Volume:500 mL
Concentration:5 - 8 %, Protein:35 - 50 g; rich in branched-chain amino acids, Calories:50 - 200, Electrolytes:Variable ,
- 102 AMINO ACID SOLUTIONS FOR IMMUNONUTRITION
/IMMUNOENHANCEMENT, Volume:50 mL and 100 mL, Protein:20 g; L-alanyl-L- glutamine, Calories:70 - 90, Electrolytes:None ,
- 103 AMINO ACID SOLUTIONS FOR INFANTS, Volume:100 mL
Concentration:5 - 10 %, Protein:20 - 50 g; including taurine, Calories:80 - 150, Electrolytes:None ,
- 104 AMINO ACID SOLUTIONS FOR RENAL CONDITIONS, Volume:500 mL
Concentration:3.5 - 7 %, Protein:35 - 50 g: rich in essential amino acid, Calories:50 - 200 Kcal ,
- 106 AMINO ACIDS, CRYSTALLINE STANDARD, 10%, 1 L bottle (IV Infusion)
, Inj.
- 107 AMINO ACIDS, CRYSTALLINE STANDARD, 10%, 100 mL bottle (IV
Infusion) , Inj.
- 108 AMINO ACIDS, CRYSTALLINE STANDARD, 10%, 500 mL bottle (IV
Infusion) , Inj.
- 109 AMINO ACIDS, CRYSTALLINE STANDARD, 11.4%, 1 L bottle (IV
Infusion) , Inj.
- 111 AMINO ACIDS, CRYSTALLINE STANDARD, 11.4%, 100 mL bottle (IV
Infusion) , Inj.
- 110 AMINO ACIDS, CRYSTALLINE STANDARD, 11.4%, 500 mL bottle (IV
Infusion) , Inj.
- 112 AMINO ACIDS, CRYSTALLINE STANDARD, 3.5%, 500 mL bottle (IV
Infusion) , Inj.
- 113 AMINO ACIDS, CRYSTALLINE STANDARD, 5%, 100 mL bottle (IV
Infusion) , Inj.
- 114 AMINO ACIDS, CRYSTALLINE STANDARD, 5%, 250 mL bottle (IV
Infusion) , Inj.
- 115 AMINO ACIDS, CRYSTALLINE STANDARD, 5%, 500 mL bottle (IV
Infusion) , Inj.
- 116 AMINO ACIDS, CRYSTALLINE STANDARD, 6%, 100 mL bottle (IV
Infusion) , Inj.
- 117 AMINO ACIDS, CRYSTALLINE STANDARD, 6%, 250 mL bottle (IV
Infusion) , Inj.
- 118 AMINO ACIDS, CRYSTALLINE STANDARD, 7%, 1 L bottle (IV Infusion) ,
Inj.
- 120 AMINO ACIDS, CRYSTALLINE STANDARD, 7%, 100 mL bottle (IV
Infusion) , Inj.
- 119 AMINO ACIDS, CRYSTALLINE STANDARD, 7%, 500 mL bottle (IV
Infusion) , Inj.
- 121 AMINO ACIDS, CRYSTALLINE STANDARD, 8%, 500 mL bottle (IV
Infusion) (as branched chain) , Inj.
- 105 AMINO ACIDS, CRYSTALLINE STANDARD, 8.5%, 1 L bottle (IV
Infusion) , Inj.
- 122 AMINO ACIDS, CRYSTALLINE STANDARD, 8.5%, 100 mL bottle (IV
Infusion) , Inj.
- 123 AMINO ACIDS, CRYSTALLINE STANDARD, 8.5%, 500 mL bottle (IV
Infusion) , Inj.

- 124 AMINO ACIDS, CRYSTALLINE STANDARD, 9.12%, 20 mL ampul (IV Infusion) , Inj.
- 125 AMINO ACIDS, CRYSTALLINE STANDARD, 9.12%, 200 mL bottle (IV Infusion) , Inj.
- 126 AMINOPHYLLINE (1) (THEOPHYLLINE ETHYLENEDIAMINE), 25 mg/mL, 10 mL ampul (IV), Inj.
- 128 AMIODARONE (2), 200 mg tablet (as hydrochloride), Oral
- 127 AMIODARONE (2), 50 mg/mL, 3 mL ampul (IV)(as hydrochloride) , Inj.
- 129 AMLODIPINE, 10 mg tablet(as besylate), Oral
- 130 AMLODIPINE, 20 mg tablet(as besylate), Oral
- 131 AMLODIPINE, 5 mg tablet(as besylate), Oral
- 132 AMOXICILLIN, 100 mg/mL granules/powder for drops (suspension), 10 mL (as trihydrate), Oral
- 133 AMOXICILLIN, 100 mg/mL granules/powder for drops (suspension), 15 mL (as trihydrate), Oral
- 134 AMOXICILLIN, 125 mg/5 mL granules/powder for suspension, 30 mL (as trihydrate), Oral
- 135 AMOXICILLIN, 125 mg/5 mL granules/powder for suspension, 60 mL (as trihydrate), Oral
- 136 AMOXICILLIN, 250 mg capsule (as trihydrate), Oral
- 137 AMOXICILLIN, 250 mg/5 mL granules/powder for suspension, 30 mL (as trihydrate), Oral
- 138 AMOXICILLIN, 250 mg/5 mL granules/powder for suspension, 60 mL (as trihydrate), Oral
- 139 AMOXICILLIN, 500 mg capsule (as trihydrate), Oral
- 140 AMPHOTERICIN B (1), 100 mg vial (IV Infusion) (as cholesteryl complex, colloidal dispersion), Inj.
- 141 AMPHOTERICIN B (1), 5 mg /mL, 10 mL vial (IV Infusion), Inj.
- 142 AMPHOTERICIN B (1), 50 mg vial (IV Infusion) (as cholesteryl complex, colloidal dispersion), Inj.
- 147 AMPICILLIN +SULBACTAM, 250 mg ampicillin + 125 mg sulbactam (as sodium salt) per vial (IM, IV), Inj.
- 148 AMPICILLIN +SULBACTAM, 500 mg ampicillin + 250 mg sulbactam (as sodium salt) per vial (IM, IV), Inj.
- 143 AMPICILLIN, 1 g vial (IM, IV) (as sodium salt), Inj.
- 144 AMPICILLIN, 125 mg vial (IM, IV) (as sodium salt), Inj.
- 145 AMPICILLIN, 250 mg vial (IM, IV) (as sodium salt), Inj.
- 146 AMPICILLIN, 500 mg vial (IM, IV) (as sodium salt), Inj.
- 149 ANTI-D IMMUNOGLOBULIN (HUMAN ANTI-D IMMUNOGLOBULIN), 200 mcg/mL, 1.5 mL ampul (IM), Inj.
- 150 ANTILYMPHOCYTE IMMUNOGLOBULIN (ALG) (EQUINE) (1, 2), 100 mg/5mL vial (IV), Inj.
- 151 ANTI-RABIES SERUM (EQUINE), 200 IU/mL, 5 mL vial (IM), Inj.
- 152 ANTI-RABIES SERUM (EQUINE), 400 IU/mL, 5 mL vial (IM), Inj.
- 153 ANTI-TETANUS SERUM (EQUINE), 1,500 IU/mL, 1 mL vial/ampul (IM), Inj.
- 154 ANTI-TETANUS SERUM (EQUINE), 1,500 IU/mL, 1.5 mL vial/ampul (IM), Inj.
- 155 ANTI-TETANUS SERUM (EQUINE), 4000 IU/mL, 2.5 mL vial (IM), Inj.

- 156 ANTITHYMOCYTE IMMUNOGLOBULIN(ATG) (RABBIT) (1, 2), 25 mg/5 mL vial (IV), Inj.
- 157 ARTEMETHER + LUMEFANTRIN, 20 mg artemether + 120 mg lumefantrin tablet, Oral
- 167 ASCORBIC ACID (VITAMIN C) , 250 mg/mL, 2 mL ampul (IV), Inj.
- 158 ASCORBIC ACID (VITAMIN C), 100 mg tablet, Oral
- 159 ASCORBIC ACID (VITAMIN C), 100 mg/5 mL syrup, 120 mL, Oral
- 160 ASCORBIC ACID (VITAMIN C), 100 mg/5 mL syrup, 250 mL, Oral
- 161 ASCORBIC ACID (VITAMIN C), 100 mg/5 mL syrup, 60 mL, Oral
- 162 ASCORBIC ACID (VITAMIN C), 100 mg/mL drops, 15 mL, Oral
- 163 ASCORBIC ACID (VITAMIN C), 100 mg/mL drops, 30 mL, Oral
- 164 ASCORBIC ACID (VITAMIN C), 100 mg/mL drops, 60 mL, Oral
- 165 ASCORBIC ACID (VITAMIN C), 250 mg tablet, Oral
- 166 ASCORBIC ACID (VITAMIN C), 500 mg tablet, Oral
- 168 ASPIRIN, 300 mg (325 mg) tablet, Oral
- 170 ASPIRIN, 80 mg tablet, Oral
- 171 ATENOLOL (B) (CARDIOSELECTIVE/NO ISA), 100 mg tablet, Oral
- 172 ATENOLOL (B) (CARDIOSELECTIVE/NO ISA), 50 mg tablet, Oral
- 173 ATRACURIUM , 10 mg/mL, 2.5 mL ampul (IV) (as besilate), Inj.
- 174 ATRACURIUM , 10 mg/mL, 5 mL ampul (IV) (as besilate), Inj.
- 184 ATROPINE (1, 2), 1 mg/mL, 1 mL ampul (IM, IV, SC)(as sulfate), Inj.
- 183 ATROPINE , 600 mcg tablet (as sulfate), Oral
- 179 ATROPINE, 1 mg/mL, 1 mL ampul (IM, IV) (as sulfate), Inj.
- 178 ATROPINE, 1 mg/mL, 1 mL ampul (IM, IV, SC) (as sulfate) , Inj.
- 175 ATROPINE, 1%, 10 mL bottle (as sulfate), Eye Drops Solution
- 176 ATROPINE, 1%, 5 mL bottle (as sulfate), Eye Drops Solution
- 177 ATROPINE, 500 mcg/mL, 1 mL ampul (IM, IV) (as sulfate), Inj.
- 180 ATROPINE, 500 mcg/mL, 1 mL ampul (IM, IV, SC) (as sulfate) , Inj.
- 182 ATROPINE, 600 mcg (equiv. to 500 mcg atropine) tablet (as sulfate) , Oral
- 181 ATROPINE, 600 mcg/mL, 1 mL ampul (IM, IV, SC) (as sulfate) , Inj.
- 187 AZATHIOPRINE (1, 2), 50 mg tablet , Oral
- 186 AZATHIOPRINE (1, 2), freeze-dried powder, 50 mg vial (IV, IV Infusion) (as sodium salt), Inj.
- 185 AZATHIOPRINE, 50 mg tablet, Oral
- 189 AZITHROMYCIN, 200 mg/5 mL powder for suspension, 15 mL (as base*/as dihydrate), Oral
- 190 AZITHROMYCIN, 200 mg/5 mL powder for suspension, 30 mL (as base*/as dihydrate), Oral
- 191 AZITHROMYCIN, 250 mg capsule (as base*/as dihydrate), Oral
- 188 AZITHROMYCIN, 500 mg powder, vial (IV Infusion) (as base*/as dihydrate), Inj.
- 192 AZITHROMYCIN, 500 mg tablet (as base*/as dihydrate), Oral
- 193 BACITRACIN + NEOMYCIN + POLYMYXIN B, 200 units bacitracin + 3 mg neomycin (as sulfate) + 4,000 units polymyxin B (as sulfate)/gram, 10 g tube, Ointment
- 194 BACITRACIN + NEOMYCIN + POLYMYXIN B, 400 units bacitracin + 5 mg neomycin (as sulfate) + 5,000 units polymyxin B (as sulfate)/gram, 5 g tube and 500 g jar , Ointment
- 195 BACLOFEN, 10 mg tablet, Oral
- 196 BALANCED MULTIPLE MAINTENANCE SOLUTION, with 5% dextrose, 1 L (children and adults) (IV Infusion) , Inj.

- 197 BALANCED MULTIPLE MAINTENANCE SOLUTION, with 5% dextrose, 250 mL (infants) (IV Infusion) , Inj.
- 198 BALANCED MULTIPLE MAINTENANCE SOLUTION, with 5% dextrose, 500 mL (infants) (IV Infusion) , Inj.
- 201 BALANCED MULTIPLE REPLACEMENT SOLUTION WITH PH 7.4, 1 L bottle (IV Infusion), Inj.
- 202 BALANCED MULTIPLE REPLACEMENT SOLUTION WITH PH 7.4, 500 mL bottle (IV Infusion), Inj.
- 199 BALANCED MULTIPLE REPLACEMENT SOLUTION, 1 L bottle (IV Infusion) , Inj.
- 200 BALANCED MULTIPLE REPLACEMENT SOLUTION, 500 mL bottle (IV Infusion) , Inj.
- 205 BARIUM SULFATE, powder, USP grade suspended in water 340 gram, pouch, LDPE bag 95%, suspension, 300 mL, Oral
- 206 BARIUM SULFATE, powder, USP grade suspended in water 340 gram, pouch, LDPE bag 96%, suspension, 300 mL, Oral
- 204 BARIUM SULFATE, powder, USP grade suspended in water 340 gram, pouch, LDPE bag 97%, suspension, 300 mL, Oral
- 207 BARIUM SULFATE, powder, USP grade suspended in water 340 gram, pouch, LDPE bag, 100% suspension, 300 mL, Oral
- 208 BARIUM SULFATE, powder, USP grade suspended in water 340 gram, pouch, LDPE bag, 98% suspension, 300 mL, Oral
- 209 BARIUM SULFATE, powder, USP grade suspended in water 454 gram, pouch, LDPE bag 95%, suspension, 300 mL, Oral
- 210 BARIUM SULFATE, powder, USP grade suspended in water 454 gram, pouch, LDPE bag 96%, suspension, 300 mL, Oral
- 203 BARIUM SULFATE, powder, USP grade suspended in water 454 gram, pouch, LDPE bag 97%, suspension, 300 mL, Oral
- 211 BARIUM SULFATE, powder, USP grade suspended in water 454 gram, pouch, LDPE bag, 100% suspension, 300 mL, Oral
- 212 BARIUM SULFATE, powder, USP grade suspended in water 454 gram, pouch, LDPE bag, 98% suspension, 300 mL, Oral
- 213 BASILIXIMAB (1, 2), 20 mg vial (IV Infusion, Inj.
- 214 BCG VACCINE, 500 mcg/mL vial + 1 mL diluent in ampul (ID) 20 doses, Inj.
- 215 BCG VACCINE, freeze-dried powder, 100 mcg/0.1mL 1 mL vial (ID), Inj.
- 216 BCG VACCINE, freeze-dried powder, 100 mcg/0.1mL 1.5 mL vial (ID), Inj.
- 217 BCG VACCINE, freeze-dried powder, 100 mcg/0.1mL 2 mL vial (ID), Inj.
- 224 BECLOMETASONE , DPI: 100 mcg/dose (as dipropionate) with appropriate accompanying dispenser, Inhalation
- 218 BECLOMETASONE, DPI: 200 mcg/dose (as dipropionate) with appropriate accompanying dispenser, Inhalation
- 219 BECLOMETASONE, DPI: 400 mcg/dose (as dipropionate) with appropriate accompanying dispenser, Inhalation
- 220 BECLOMETASONE, MDI: 100 mcg/dose x 200 doses (as dipropionate, Inhalation
- 221 BECLOMETASONE, MDI: 250 mcg/dose x 200 doses (as dipropionate), Inhalation

- 222 BECLOMETASONE, MDI: 50 mcg/dose x 100 doses (as dipropionate), Inhalation
- 223 BECLOMETASONE, MDI: 50 mcg/dose x 200 doses (as dipropionate), Inhalation
- 225 BENZOIC ACID + SALICYLIC ACID, 6% benzoic acid + 3% salicylic acid, 15 g tube, Cream or Ointment
- 227 BENZOIC ACID + SALICYLIC ACID, 6% benzoic acid + 3% salicylic acid, 15 g tube, Ointment
- 226 BENZOIC ACID + SALICYLIC ACID, 6% benzoic acid + 3% salicylic acid, 30 g tube, Cream or Ointment
- 228 BENZOIC ACID + SALICYLIC ACID, 6% benzoic acid + 3% salicylic acid, 30 g tube, Ointment
- 231 BENZOYL PEROXIDE, 10%, 10 g tube or bottle, Gel
- 232 BENZOYL PEROXIDE, 10%, 40 g tube or bottle, Gel
- 233 BENZOYL PEROXIDE, 10%, 60 g tube or bottle, Gel
- 229 BENZOYL PEROXIDE, 4%, 40 g tube, Cream
- 234 BENZOYL PEROXIDE, 5%, 10 g, tube or bottle, Gel
- 238 BENZOYL PEROXIDE, 5%, 120 mL bottle, Lotion
- 235 BENZOYL PEROXIDE, 5%, 15 g tube or bottle, Gel
- 230 BENZOYL PEROXIDE, 5%, 20 g tube, Cream
- 239 BENZOYL PEROXIDE, 5%, 30 mL bottle, Lotion
- 236 BENZOYL PEROXIDE, 5%, 40 g tube or bottle, Gel
- 237 BENZOYL PEROXIDE, 5%, 60 g tube or bottle, Gel
- 240 BENZYL BENZOATE, 25%, 120 mL bottle, Lotion
- 241 BENZYL BENZOATE, 25%, 60 mL bottle, Lotion
- 242 BETAHISTINE, 6 mg tablet (as mesilate), Oral
- 243 BETAHISTINE, 8 mg tablet (as hydrochloride), Oral
- 244 BETAMETHASONE, 0.05%, 10 g tube (as dipropionate), Cream or Ointment
- 249 BETAMETHASONE, 0.05%, 30 mL bottle (as dipropionate), Lotion
- 245 BETAMETHASONE, 0.05%, 5 g tube (as dipropionate), Cream or Ointment
- 246 BETAMETHASONE, 0.1%, 5 g tube (as valerate), Cream or Ointment
- 247 BETAMETHASONE, 0.1%, 500 g jar (as valerate), Cream or Ointment
- 248 BETAMETHASONE, 5 mg (as dipropionate) + 2 mg (as sodium phosphate) per mL, 1 mL ampul and 2 mL vial (IM, ID, Intraarticular, Intralesional) (not for IV or SC use) , Inj.
- 250 BETAMETHASONE, 500 mcg tablet (as base) , Oral
- 253 BETAXOLOL, 0.25%, 5 mL bottle (as hydrochloride), Eye Drops Suspension
- 251 BETAXOLOL, 0.5%, 10 mL bottle (as hydrochloride), Eye Drops Solution
- 252 BETAXOLOL, 0.5%, 5 mL bottle (as hydrochloride), Eye Drops Solution
- 254 BICARBONATE-BASED CONTAINING, Sodium:135 - 145 mEq/L, Potassium:0, Calcium:2.5 - 3.8 mEq/L, Dextrose:10 ? 15, Bicarbonate:30 ? 40, Acetate:0, % daily utilization by dialysis unit: 9% ,
- 256 BIPERIDEN, 2 mg tablet (as hydrochloride), Oral
- 255 BIPERIDEN, 5 mg/mL, 1 mL ampul (IM, IV) (as lactate), Inj.

- 257 BIPHASIC ISOPHANE HUMAN INSULIN 70/30 (RECOMBINANT DNA), 70% isophane suspension + 30% soluble insulin in 100 IU/mL, 10 mL vial (IM, SC) and 100 IU/mL, 3 mL disposable syringe (IM, SC) , Inj.
- 260 BISACODYL, 10 mg (adult) suppository , Rectal
- 261 BISACODYL, 5 mg (children) suppository , Rectal
- 258 BISACODYL, 5 mg delayed release tablet , Oral
- 259 BISACODYL, 5 mg tablet , Oral
- 262 BISOPROLOL, 2.5 mg tablet(as fumarate), Oral
- 263 BISOPROLOL, 5 mg tablet(as fumarate), Oral
- 264 BLEOMYCIN (1, 2), powder, 15 mg ampul (IM, IV, SC) (as sulfate), Inj.
- 265 BROMAZEPAM (A1), 1.5 mg tablet, Oral
- 267 BROMOCRIPTINE (B, 2), 2.5 mg tablet (as mesilate) , Oral
- 266 BROMOCRIPTINE , 2.5 mg tablet (as mesilate), Oral
- 269 BUDESONIDE , DPI: 100 mcg/dose x 200 doses with appropriate accompanying dispenser, Inhalation
- 270 BUDESONIDE , DPI: 200 mcg/dose x 100 doses with appropriate accompanying dispenser, Inhalation
- 271 BUDESONIDE , DPI: 200 mcg/dose x 300 doses with appropriate accompanying dispenser, Inhalation
- 272 BUDESONIDE , DPI: 400 mcg/dose x 50 doses with appropriate accompanying dispenser, Inhalation
- 273 BUDESONIDE , MDI: 200 mcg/dose x 100 doses, Inhalation
- 274 BUDESONIDE , Resp. Soln.: 250 mcg/mL, 2 mL (unit dose) (for nebulization), Inhalation
- 275 BUDESONIDE , Resp. Soln.: 500 mcg/mL, 2 mL (unit dose) (for nebulization), Inhalation
- 276 BUDESONIDE + FORMOTEROL, DPI:160 mcg budesonide + 4.5 mcg formoterol (as fumarate dihydrate) x 120 doses with appropriate accompanying dispenser, Inhalation
- 277 BUDESONIDE + FORMOTEROL, DPI:160 mcg budesonide + 4.5 mcg formoterol (as fumarate dihydrate) x 60 doses with appropriate accompanying dispenser, Inhalation
- 278 BUDESONIDE + FORMOTEROL, DPI:80 mcg budesonide + 4.5 mcg formoterol (as fumarate dihydrate) x 120 doses with appropriate accompanying dispenser, Inhalation
- 279 BUDESONIDE + FORMOTEROL, DPI:80 mcg budesonide + 4.5 mcg formoterol (as fumarate dihydrate) x 60 doses with appropriate accompanying dispenser, Inhalation
- 268 BUDESONIDE, 100 mcg/dose x 50 metered doses and 200 metered doses, Nasal Aqueous Solution
- 281 BUMETANIDE, 1 mg tablet, Oral
- 280 BUMETANIDE, 500 mcg/mL, 4 mL ampul (IM, IV), Inj.
- 285 BUPIVACAINE (1), 0.5% (isobaric), 5 mL ampul (spinal) (as hydrochloride), Inj.
- 286 BUPIVACAINE (1), 0.5% 4 mL ampul (spinal) with 8% dextrose (as hydrochloride), Inj.
- 287 BUPIVACAINE (1), 0.5%, 10 mL ampul/vial (local infiltration) (as hydrochloride) , Inj.
- 288 BUPIVACAINE (1), 0.5%, 20 mL ampul/vial (local infiltration) (as hydrochloride) , Inj.

289 BUPIVACAINE (1), 0.5%, 5 mL ampul/vial (local infiltration) (as hydrochloride) , Inj.

290 BUPIVACAINE (1), 0.5%, 50 ml ampul/vial (local infiltration) (as hydrochloride) , Inj.

282 BUPIVACAINE, 0.5%, 10 mL ampul/vial (as hydrochloride), Inj

283 BUPIVACAINE, 0.5%, 20 mLampul/vial (as hydrochloride), Inj

284 BUPIVACAINE, 0.5%, 5 mL ampul/vial (as hydrochloride), Inj

292 BUSERELIN (1, 2), 1 mg/mL, 10 mL vial, Nasal Spray

291 BUSERELIN (1, 2), 1 mg/mL, 5.5 mL multidose(SC) (as acetate), Inj.

293 BUSULFAN (1, 2), 2 mg tablet, Oral

294 BUTAMIRATE (2), 50 mg SR tablet (as citrate), Oral

295 BUTAMIRATE (2), 7.5 mg/5 mL syrup, 120 mL (as citrate) , Oral

296 BUTAMIRATE (2), 7.5 mg/5 mL syrup, 60 mL (as citrate), Oral

297 BUTORPHANOL (A1), 2 mg/mL, 1 mL vial (IM, IV) (as tartrate), Inj.

298 BUTORPHANOL (A1), 2 mg/mL, 2 mL vial (IM, IV) (as tartrate), Inj.

299 CALAMINE, PLAIN, 8%, 120 mL bottle, Lotion

300 CALAMINE, PLAIN, 8%, 60 mL bottle, Lotion

304 CALCITRIOL (1, 2), 0.25 mcg capsule, Oral

305 CALCITRIOL (1, 2), 0.5 mcg capsule, Oral

302 CALCITRIOL, 0.25 mcg capsule, Oral

303 CALCITRIOL, 0.5 mcg capsule, Oral

301 CALCITRIOL, 3 mcg/g, 30 g tube, Ointment

311 CALCIUM CARBONATE, tablet/chewable tablet, equivalent to 500 mg and 600 mg elemental calcium, Oral

316 CALCIUM FOLINATE , 100 mg vial (IM, IV Infusion), Inj.

321 CALCIUM FOLINATE , 15 mg capsule/tablet (as anhydrous) (equiv. to 25 mg folinic acid), Oral

317 CALCIUM FOLINATE , 15 mg vial (IM, IV Infusion), Inj.

322 CALCIUM FOLINATE , 25 mg tablet (as anhydrous) (equiv. to 25 mg folinic acid), Oral

318 CALCIUM FOLINATE , 3 mg/mL, 1 mL ampul (IM, IV), Inj.

319 CALCIUM FOLINATE , 340 mg vial (IM, IV Infusion), Inj.

320 CALCIUM FOLINATE , 50 mg vial (IM, IV Infusion), Inj.

324 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 10 mg/mL, 10 mL ampul/vial (IM, IV), Inj.

325 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 10 mg/mL, 5 mL ampul/vial (IM, IV), Inj.

326 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 100 mg vial (IM, IV), Inj.

332 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 15 mg capsule/tablet (as anhydrous)(equiv. to 25 mg folinic acid), Oral

327 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 15 mg vial (IM, IV), Inj.

333 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 25 mg tablet (as anhydrous)(equiv. to 25 mg folinic acid), Oral

328 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 3 mg/mL, 1 mL ampul (IM, IV) , Inj.

329 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 340 mg vial (IM, IV), Inj.

330 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 50 mg vial (IM, IV), Inj.

331 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2), 7.5 mg/mL, 2 mL ampul (IM, IV), Inj.

323 CALCIUM FOLINATE(LEUCOVORIN CALCIUM) (1, 2, 15 mg/mL, 1 mL ampul (IM, IV), Inj.

312 CALCIUM FOLINATE, 10 mg/mL, 10 mL vial (IM, IV), Inj.

313 CALCIUM FOLINATE, 10 mg/mL, 5 mL ampul (IM, IV), Inj.

314 CALCIUM FOLINATE, 15 mg/mL, 1 mL ampul (IM, IV), Inj.

315 CALCIUM FOLINATE, 7.5 mg/mL, 2 mL ampul (IM, IV), Inj.

334 CALCIUM GLUCONATE (1, 2), 10%, 10 mL ampul/vial (IV) , Inj.

335 CALCIUM GLUCONATE (1, 2), 10%, 20 mL bottle (IV) , Inj.

336 CALCIUM GLUCONATE (1, 2), 10%, 25 mL bottle (IV) , Inj.

337 CALCIUM SALT, 10% solution, 10 mL ampul (IV) (as gluconate), Inj.

338 CALCIUM SALT, powder, USP grade (as chloride), Oral

307 CALCIUM, 1.25 g tablet (equiv. to 500 mg elem. calcium) (as carbonate), Oral

306 CALCIUM, 10% solution in 10 mL ampul (IV) (as gluconate), Inj

308 CALCIUM, 325 mg tablet (as lactate), Oral

309 CALCIUM, 650 mg tablet (as lactate), Oral

310 CALCIUM, syrup, 1.437 g calcium glubionate and 295 mg calcium lactobionate (equiv. to 110 mg ionizable calcium), 120 mL, Oral

339 CAPTOPRIL, 25 mg tablet, Oral

340 CAPTOPRIL, 50 mg tablet, Oral

341 CARBACHOL, 0.01%, 1.5 mL vial, Intraocular Solution

342 CARBAMAZEPINE, 100 mg/5 mL syrup, 120 mL, Oral

343 CARBAMAZEPINE, 200 mg SR tablet, Oral

344 CARBAMAZEPINE, 200 mg tablet, Oral

345 CARBAMAZEPINE, 400 mg LA tablet, Oral

346 CARBIMAZOLE, 20 mg tablet , Oral

347 CARBIMAZOLE, 5 mg tablet , Oral

349 CARBOPLATIN (1, 2), 10 mg/mL, 15 mL vial (IV), Inj.

348 CARBOPLATIN (1, 2), 10 mg/mL, 45 mL vial (IV), Inj.

350 CARBOPLATIN (1, 2), 10 mg/mL, 5 mL vial (IV) , Inj.

351 CARBOPLATIN (1, 2), 10 mg/mL, 50 mL vial (IV) , Inj.

352 CARBOPLATIN (1, 2), powder, 150 mg vial (IV), Inj.

353 CARBOPLATIN (1, 2), powder, 450 mg vial (IV), Inj.

354 CARMUSTINE (1, 2), powder, 100 mg vial + 3 mL vial diluent (IV), Inj.

355 CARVEDILOL, 25 mg tablet, Oral

356 CARVEDILOL, 6.25 mg tablet , Oral

357 CASTOR OIL, USP grade , Oral

358 CEFALEXIN, 1 g tablet (as monohydrate), Oral

359 CEFALEXIN, 100 mg/mL, granules/powder for drops, 10 mL (as monohydrate), Oral

360 CEFALEXIN, 100 mg/mL, granules/powder for drops, 15 mL (as monohydrate), Oral

361 CEFALEXIN, 125 mg/5 mL granules/powder for syrup/suspension, 30 mL (as monohydrate), Oral

362 CEFALEXIN, 125 mg/5 mL granules/powder for syrup/suspension, 60 mL (as monohydrate), Oral

363 CEFALEXIN, 250 mg capsule (as monohydrate), Oral

364 CEFALEXIN, 250 mg/5 mL granules/powder for syrup/suspension, 30 mL (as monohydrate), Oral

- 365 CEFALEXIN, 250 mg/5 mL granules/powder for syrup/suspension, 60 mL (as monohydrate), Oral
- 366 CEFALEXIN, 500 mg capsule (as monohydrate), Oral
- 367 CEFAZOLIN, 1 g vial (IM, IV) (as sodium salt), Inj.
- 368 CEFAZOLIN, 500 mg vial (IM,IV) (as sodium salt), Inj.
- 369 CEFEPIME (3), 500 mg, 1 g vial (IM, IV) (as hydrochloride), Inj.
- 370 CEFEPIME (3), 500 mg, 2 g vial (IM, IV) (as hydrochloride), Inj.
- 371 CEFIXIME, 100 mg capsule, Oral
- 372 CEFIXIME, 100 mg/5 mL granules for suspension, 30 mL, Oral
- 373 CEFIXIME, 100 mg/5 mL granules for suspension, 60 mL, Oral
- 374 CEFIXIME, 20 mg/mL granules for drops (suspension), 10 mL, Oral
- 375 CEFIXIME, 200 mg capsule, Oral
- 376 CEFIXIME, 50 mg/g fine granules for suspension, 1 g sachet, Oral
- 377 CEFOTAXIME, 1 g vial + 4 mL diluent (IM, IV) (as sodium salt), Inj.
- 378 CEFOTAXIME, 250 mg vial + 2 mL diluent (IM, IV) (as sodium salt), Inj.
- 379 CEFOTAXIME, 500 mg vial + 2 mL diluent (IM, IV) (as sodium salt), Inj.
- 380 CEFOXITIN, 1 g vial (IM, IV) (as sodium salt), Inj.
- 381 CEFTAZIDIME, 1 g vial (IM, IV) (as pentahydrate), Inj.
- 382 CEFTAZIDIME, 2 g vial (IV Infusion) (as pentahydrate), Inj.
- 383 CEFTAZIDIME, 250 mg vial (IM, IV) (as pentahydrate), Inj.
- 384 CEFTAZIDIME, 500 mg vial (IM, IV) (as pentahydrate), Inj.
- 385 CEFTRIAXONE, 1 g vial + 10 mL diluent (IV) (as disodium/sodium salt), Inj.
- 386 CEFTRIAXONE, 1 g vial + 3.5 mL 1% solution of lidocaine (IM) (as disodium/sodium salt), Inj.
- 387 CEFTRIAXONE, 250 mg vial + 2 mL 1% solution of lidocaine (IM) (as disodium/sodium salt), Inj.
- 388 CEFTRIAXONE, 250 mg vial + 5 mL diluent (IV) (as disodium/sodium salt), Inj.
- 389 CEFTRIAXONE, 500 mg vial + 2 mL 1% solution of lidocaine (IM) (as disodium/sodium salt), Inj.
- 390 CEFTRIAXONE, 500 mg vial + 5 mL diluent (IV) (as disodium/sodium salt), Inj.
- 391 CEFUROXIME, 1.5 g vial (IV Infusion) (as sodium salt), Inj.
- 394 CEFUROXIME, 125 mg/5 mL granules for suspension, 50 mL(as axetil), Oral
- 395 CEFUROXIME, 125 mg/5 mL granules for suspension, 70 mL (as axetil), Oral
- 396 CEFUROXIME, 125 mg/sachet granules for suspension (as axetil), Oral
- 397 CEFUROXIME, 250 mg tablet (as axetil), Oral
- 392 CEFUROXIME, 250 mg vial (IM, IV), Inj.
- 398 CEFUROXIME, 250 mg/5 mL granules for suspension, 60 mL, Oral
- 399 CEFUROXIME, 250 mg/sachet granules for suspension (as axetil), Oral
- 400 CEFUROXIME, 500 mg tablet (as axetil), Oral
- 393 CEFUROXIME, 750 mg vial (IM, IV), Inj.
- 401 CELECOXIB, 100 mg capsule, Oral
- 402 CELECOXIB, 200 mg capsule, Oral
- 403 CETIRIZINE, 1 mg/mL solution, 30 mL (as dihydrochloride), Oral

404 CETIRIZINE, 1 mg/mL solution, 60 mL (as dihydrochloride), Oral
 405 CETIRIZINE, 10 mg tablet (as dihydrochloride) , Oral
 406 CETIRIZINE, 10 mg/mL drops, 10 mL (as dihydrochloride), Oral
 407 CETIRIZINE, 5 mg/5 mL syrup, 30 mL (as dihydrochloride), Oral
 408 CHLORAL HYDRATE, 500 mg/5 mL syrup, Oral
 409 CHLORAMBUCIL (1, 2, B), 2 mg tablet, Oral
 415 CHLORAMPHENICOL, 0.5%, 10 mL bottle, Eye Drops Solution
 410 CHLORAMPHENICOL, 0.5%, 5 mL bottle, Ear Drops Solution
 416 CHLORAMPHENICOL, 0.5%, 5 mL bottle, Eye Drops Solution
 417 CHLORAMPHENICOL, 0.5%, 7.5 mL bottle, Eye Drops Solution
 424 CHLORAMPHENICOL, 1 g vial (IV; IM if recommended by manufacturer)
 (as sodium succinate), Inj.
 418 CHLORAMPHENICOL, 1%, 10 mL bottle, Eye Drops Solution
 421 CHLORAMPHENICOL, 1%, 2 g tube, Eye Ointment
 422 CHLORAMPHENICOL, 1%, 3.5 g tube, Eye Ointment
 423 CHLORAMPHENICOL, 1%, 4 g tube, Eye Ointment
 419 CHLORAMPHENICOL, 1%, 5 mL bottle, Eye Drops Solution
 420 CHLORAMPHENICOL, 1%, 7.5 mL bottle, Eye Drops Solution
 411 CHLORAMPHENICOL, 1.0%, 10 mL bottle, Ear Drops Solution
 412 CHLORAMPHENICOL, 1.0%, 15 mL bottle, Ear Drops Solution
 425 CHLORAMPHENICOL, 125 mg/5 mL suspension, 30 mL (as palmitate),
 Oral
 426 CHLORAMPHENICOL, 125 mg/5 mL suspension, 60 mL (as palmitate),
 Oral
 427 CHLORAMPHENICOL, 250 mg capsule, Oral
 413 CHLORAMPHENICOL, 5%, 10 mL bottle, Ear Drops Solution
 414 CHLORAMPHENICOL, 5%, 15 mL bottle, Ear Drops Solution
 428 CHLORAMPHENICOL, 500 mg capsule, Oral
 429 CHLORHEXIDINE, 4%, 4 L bottle (as gluconate), Solution
 430 CHLORHEXIDINE, 4%, 4 L bottle (as gluconate), Solution
 431 CHLORHEXIDINE, 4%, 50 ml bottle (as gluconate), Solution
 432 CHLORHEXIDINE, 4%, 50 mL bottle (as gluconate), Solution
 433 CHLORMETHINE (MECHLORETHAMINE, NITROGEN MUSTARD) (1,
 2), powder, 10 mg vial(IV, IV Infusion, Intracavitary) (as h ydrochloride),
 Inj.
 436 CHLOROQUINE, 250 mg (150 mg base) tablet (as phosphate or
 diphosphate), Oral
 434 CHLOROQUINE, 50 mg/mL, 20 mL vial (IM, IV) (as phosphate or
 hydrochloride), Inj.
 435 CHLOROQUINE, 50 mg/mL, 3 mL ampul (IM, IV) (as phosphate,
 diphosphate or hydrochloride), Inj.
 437 CHLORPHENAMINE (CHLORPHENIRAMINE), 10 mg/mL, 1 mL
 ampul/vial (IM, IV) (as maleate), Inj.
 438 CHLORPHENAMINE (CHLORPHENIRAMINE), 10 mg/mL, 10 mL vial
 (IM, IV) (as maleate), Inj.
 439 CHLORPHENAMINE (CHLORPHENIRAMINE), 2 mg/5 mL syrup, 60 mL
 (as maleate), Oral
 440 CHLORPHENAMINE (CHLORPHENIRAMINE), 2.5 mg/5 mL syrup, 60
 mL (as maleate), Oral
 441 CHLORPHENAMINE (CHLORPHENIRAMINE), 4 mg tablet (as maleate),
 Oral
 443 CHLORPROMAZINE, 100 mg tablet (as hydrochloride), Oral

444 CHLORPROMAZINE, 200 mg tablet (as hydrochloride), Oral
 442 CHLORPROMAZINE, 25 mg/mL, 1 mL ampul (IM, IV) (as hydrochloride),
 Inj.
 445 CHLORPROMAZINE, 50 mg tablet (as hydrochloride), Oral
 446 CHLORPROPAMIDE, 250 mg tablet , Oral
 448 CICLOSPORIN (1, 2), 100 mg capsule, Oral
 449 CICLOSPORIN (1, 2), 100 mg/ml solution, 50 mL, Oral
 450 CICLOSPORIN (1, 2), 25 mg capsule, Oral
 451 CICLOSPORIN (1, 2), 50 mg capsule, Oral
 447 CICLOSPORIN (1, 2), 50 mg/mL, 5 mL ampul(concentrate) (IV
 Infusion)(for organ transplant), Inj.
 454 CIMETIDINE, 100 mg/5 mL liquid, 100 mL , Oral
 455 CIMETIDINE, 100 mg/5 mL liquid, 120 mL , Oral
 456 CIMETIDINE, 100 mg/5 mL liquid, 30 mL, Oral
 457 CIMETIDINE, 100 mg/5 mL liquid, 60 mL, Oral
 452 CIMETIDINE, 100 mg/mL, 2 mL ampul (IM, IV, IV Infusion) , Inj.
 453 CIMETIDINE, 150 mg/mL, 2 mL ampul (IM, IV, IV Infusion) , Inj.
 458 CIMETIDINE, 200 mg tablet, Oral
 459 CIMETIDINE, 400 mg tablet, Oral
 460 CIMETIDINE, 800 mg tablet, Oral
 461 CINNARIZINE, 25 mg tablet, Oral
 462 CINNARIZINE, 50 mg capsule, Oral
 463 CINNARIZINE, 75 mg capsule, Oral
 464 CIPROFLOXACIN, 2 mg/mL, 100 mL vial (IV Infusion) (as lactate), Inj.

 465 CIPROFLOXACIN, 2 mg/mL, 50 mL vial (IV Infusion) (as lactate), Inj.
 466 CIPROFLOXACIN, 250 mg tablet (as hydrochloride), Oral
 467 CIPROFLOXACIN, 500 mg tablet (as hydrochloride), Oral
 468 CISPLATIN (1, 2), 1 mg/mL, 10 mL vial (IV), Inj.
 469 CISPLATIN (1, 2), 1 mg/mL, 20 mL vial (IV), Inj.
 470 CISPLATIN (1, 2), 1 mg/mL, 50 mL vial (IV), Inj.
 471 CISPLATIN (1, 2), 500 mcg/mL, 100 mL vial (IV), Inj.
 472 CISPLATIN (1, 2), 500 mcg/mL, 20 mL vial (IV), Inj.
 473 CISPLATIN (1, 2), 500 mcg/mL, 50 mL vial (IV), Inj.
 474 CISPLATIN (1, 2), powder, 10 mg vial (IV), Inj.
 475 CISPLATIN (1, 2), powder, 100 mg vial (IV), Inj.
 476 CISPLATIN (1, 2), powder, 25 mg vial (IV), Inj.
 477 CISPLATIN (1, 2), powder, 50 mg vial (IV), Inj.
 479 CLARITHROMYCIN, 125 mg/5 mL granules/powder for suspension, 25
 mL, Oral
 480 CLARITHROMYCIN, 125 mg/5 mL granules/powder for suspension, 50
 mL, Oral
 481 CLARITHROMYCIN, 125 mg/5 mL granules/powder for suspension, 70
 mL, Oral
 482 CLARITHROMYCIN, 250 mg base tablet, Oral
 483 CLARITHROMYCIN, 500 mg base tablet, Oral
 478 CLARITHROMYCIN, 500 mg lyophilized powder, 10 mL vial (IV Infusion)
 (as lactobionate), Inj.
 484 CLARITHROMYCIN, 500 mg modified release tablet, Oral
 487 CLINDAMYCIN, 150 mg capsule (as hydrochloride), Oral
 485 CLINDAMYCIN, 150 mg/mL, 2 mL ampul/vial (IM, IV) (as phosphate), Inj.

486 CLINDAMYCIN, 150 mg/mL, 4 mL ampul (IM, IV) (as phosphate), Inj.
488 CLINDAMYCIN, 300 mg capsule (as hydrochloride), Oral
489 CLINDAMYCIN, 75 mg/5 mL granules for suspension, 60 mL (as palmitate hydrochloride), Oral
490 CLOBETASOL, 0.05%, 10 g tube (as propionate), Cream or Ointment
491 CLOBETASOL, 0.05%, 15 g tube (as propionate), Cream or Ointment
493 CLOBETASOL, 0.05%, 25 mL bottle (as propionate), Scalp Solution
492 CLOBETASOL, 0.05%, 5 g tube (as propionate), Cream or Ointment
494 CLOFAZIMINE, 100 mg capsule, Oral
495 CLOFAZIMINE, 50 mg capsule, Oral
496 CLOMIFENE (1, 2) (CLOMIPHENE), 50 mg tablet (as citrate) , Oral
497 CLONAZEPAM (A1), 2 mg tablet, Oral
499 CLONIDINE, 150 mcg tablet (as hydrochloride), Oral
498 CLONIDINE, 150 mcg/mL, 1 mL ampul (IV)(as hydrochloride), Inj.
500 CLONIDINE, 75 mcg tablet (as hydrochloride), Oral
501 CLOPIDOGREL, 75 mg tablet, Oral
502 CLOPIDOGREL, 75 mg tablet, Oral
503 CLOXACILLIN, 125 mg/5 mL powder for syrup/suspension, 60 mL (as sodium salt), Oral
504 CLOXACILLIN, 250 mg capsule (as sodium salt), Oral
505 CLOXACILLIN, 500 mg capsule (as sodium salt), Oral
506 CLOZAPINE (1, 2), 100 mg tablet (restricted use for resistant schizophrenia in mental institutions with facilities for hematologic monitoring), Oral
507 CLOZAPINE (1, 2), 25 mg tablet (restricted use for resistant schizophrenia in mental institutions with facilities for hematologic monitoring), Oral
509 COAL TAR, 0.5%, 130 mL bottle, Shampoo
511 COAL TAR, 2.5%, 130 mL bottle , Shampoo
508 COAL TAR, 7.5%, 100 g, Gel
512 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 125 mg amoxicillin (as trihydrate) + 31 mg potassium clavulanate per 5 mL granules/powder for suspension, 30 mL , Oral
513 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 125 mg amoxicillin (as trihydrate) + 31 mg potassium clavulanate per 5 mL granules/powder for suspension, 60 mL, Oral
514 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 200 mg amoxicillin (as trihydrate) + 28.5 mg potassium clavulanate per 5 mL granules/powder for suspension, 70 mL, Oral
515 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 250 mg amoxicillin (as trihydrate) + 62.5 mg potassium clavulanate per 5 mL granules/powder for suspension, 100 mL, Oral
516 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 250 mg amoxicillin (as trihydrate) + 62.5 mg potassium clavulanate per 5 mL granules/powder for suspension, 60 mL , Oral
517 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 400 mg amoxicillin (as trihydrate) + 57 mg potassium clavulanate per 5 mL granules/powder for suspension, 30 mL, Oral

- 518 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 400 mg amoxicillin (as trihydrate) + 57 mg potassium clavulanate per 5 mL granules/powder for suspension, 70 mL, Oral
- 519 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 500 mg amoxicillin (as trihydrate) + 125 mg potassium clavulanate per tablet, Oral
- 520 CO-AMOXICLAV(AMOXICILLIN +POTASSIUM CLAVULANATE), 875 mg amoxicillin (as trihydrate) + 125 mg potassium clavulanate per tablet, Oral
- 521 COBRA ANTIVENIN, 800 IU/5 mL ampul (IM, IV), Inj.
- 522 COBRA ANTIVENIN, 800 IU/mL, 5 mL ampul (IV Infusion), Inj.
- 523 CODEINE (A1), 10 mg/5 mL, 60 mL suspension, Oral
- 524 CODEINE (A1), 30 mg SR capsule (as phosphate), Oral
- 525 COLCHICINE, 500 mcg tablet, Oral
- 526 COLESTYRAMINE, powder, 4 g sachet , Oral
- 527 COMBINED GLUCOSE-AMINO ACID SOLUTIONS, Volume:100 mL and 500 mL Concentration:Variable, Glucose:25 - 50 g, Protein:20 - 30 g, Calories:300 - 450 Kcal, Electrolytes:Variable ,
- 534 CONJUGATED EQUINE ESTROGEN + MEDROXY- PROGESTERONE ACETATE, 625 mcg + 2.5 mg tablet, Oral
- 535 CONJUGATED EQUINE ESTROGEN + MEDROXY- PROGESTERONE ACETATE, 625 mcg + 5 mg tablet, Oral
- 528 CONJUGATED EQUINE ESTROGEN, 1.25 mg tablet, Oral
- 532 CONJUGATED EQUINE ESTROGEN, 300 mcg tablet, Oral
- 533 CONJUGATED EQUINE ESTROGEN, 625 mcg tablet, Oral
- 530 CONJUGATED ESTROGENS, 1.25 mg tablet, Oral
- 539 CONJUGATED ESTROGENS, 300 mcg tablet, Oral
- 540 CONJUGATED ESTROGENS, 625 mcg tablet, Oral
- 541 CONJUGATED ESTROGENS, powder, 25 mg vial + 5 mL diluent (IM, IV) , Inj.
- 538 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 200 mg sulfamethoxazole + 40 mg trimethoprim per 5 mL suspension, 100 mL, Oral
- 543 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 200 mg sulfamethoxazole + 40 mg trimethoprim per 5 mL suspension, 30 mL, Oral
- 544 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 200 mg sulfamethoxazole + 40 mg trimethoprim per 5 mL suspension, 60 mL, Oral
- 545 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 400 mg sulfamethoxazole + 80 mg trimethoprim per 5 mL suspension, 30 mL , Oral
- 546 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 400 mg sulfamethoxazole + 80 mg trimethoprim per 5 mL suspension, 60 mL, Oral
- 547 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 400 mg sulfamethoxazole + 80 mg trimethoprim per tablet/capsule, Oral
- 548 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 400 mg sulfamethoxazole + 80 mg trimethoprim, 5 mL ampul (IV Infusion), Inj.

542 COTRIMOXAZOLE (SULFAMETHOXAZOLE + TRIMETHOPRIM), 800 mg sulfamethoxazole + 160 mg trimethoprim per tablet, Oral

549 CROMOLYN SODIUM (SODIUM CROMOGLICATE), DPI:20 mg/dose with appropriate accompanying dispenser, Inhalation

550 CROMOLYN SODIUM (SODIUM CROMOGLICATE), MDI:5 mg/dose x 112 doses, Inhalation

551 CROMOLYN SODIUM (SODIUM CROMOGLICATE), Resp. Soln.: (for nebulization)10 mg/mL aqueous solution, Inhalation

552 CROMOLYN SODIUM (SODIUM CROMOGLICATE), Resp. Soln.: (for nebulization)2 mL ampul, Inhalation

553 CROTAMITON, 10%, 10 g tube, Cream

554 CROTAMITON, 10%, 120 mL bottle, Lotion

555 CROTAMITON, 10%, 60 mL bottle, Lotion

556 CYCLOPHOSPHAMIDE (1, 2), 50 mg tablet (as anhydrous) (B), Oral

566 CYCLOPHOSPHAMIDE (1, 2), powder, 1 g vial (IV), Inj.

562 CYCLOPHOSPHAMIDE (1, 2), powder, 100 mg vial (IV), Inj.

563 CYCLOPHOSPHAMIDE (1, 2), powder, 200 mg vial (IV), Inj.

564 CYCLOPHOSPHAMIDE (1, 2), powder, 500 mg vial (IV), Inj.

565 CYCLOPHOSPHAMIDE, 50 mg tablet (as anhydrous) (B), Oral

561 CYCLOPHOSPHAMIDE, powder, 100 mg vial (IV), Inj.

557 CYCLOPHOSPHAMIDE, powder, 200 mg vial (IV), Inj.

558 CYCLOPHOSPHAMIDE, powder, 500 mg vial (IV), Inj.

559 CYCLOPHOSPHAMIDE, powder, 1 g vial (IV), Inj.

560 CYPROTERONE (1), 100 mg/mL, 3 mL ampul, depot (IM) (as acetate) , Inj.

569 CYPROTERONE (1), 50 mg tablet (as acetate) , Oral

570 CYPROTERONE (1, 2), 100 mg/mL, 3 mL ampul, depot?(IM) (as acetate), Inj.

567 CYPROTERONE (1, 2), 50 mg tablet (as acetate), Oral

568 CYTARABINE (1, 2), 20 mg/mL, 5 mL ampul (IM, SC, Intrathecal), Inj.

571 CYTARABINE (1, 2), 50 mg/mL, 10 mL vial (IV Infusion), Inj.

572 CYTARABINE (1, 2), powder, 100 mg vial (IM, SC, Intrathecal), Inj.

573 DACARBAZINE (1, 2), powder, 100 mg vial (IV, IV Infusion), Inj.

574 DACARBAZINE (1, 2), powder, 200 mg vial (IV, IV Infusion), Inj.

575 DACTINOMYCIN, powder, 500 mcg vial (IV)(actinomycin D) (1, 2), Inj.

576 DANAZOL (1), 100 mg capsule , Oral

577 DANAZOL (1), 200 mg capsule , Oral

578 DANTROLENE (1), 20 mg (with 3 mg mannitol)/vial For reconstitution with 60 mL sterile water for injection (IV) (as sodium salt), Inj.

579 DANTROLENE (1), 20 mg (with mannitol 3 g)/vial (for reconstitution with 60 mL sterile water for injection) (IV) (as sodium salt), Inj.

580 DANTROLENE (1), 25 mg capsule (as sodium salt), Oral

582 DANTROLENE (1), 50 mg capsule (as sodium salt), Oral

584 DAPSONE, 100 mg tablet, Oral

585 DAUNORUBICIN (1, 2), 2 mg/mL, 10 mL vial (IV), Inj.

586 DAUNORUBICIN (1, 2), 2 mg/mL, 25 mL vial (IV), Inj.

587 DEFEROXAMINE (1), powder, 2 g vial (IM, IV, SC) (as mesilate), Inj.

588 DEFEROXAMINE (1), powder, 500 mg vial (IM, IV Infusion, SC) (as mesilate), Inj.

589 DESMOPRESSIN, 100 mcg tablet (as acetate) , Oral
 591 DESMOPRESSIN, 15 mcg/mL, 1 mL ampul (IM, SC) (as acetate) , Inj.

 590 DESMOPRESSIN, 200 mcg tablet (as acetate) , Oral
 592 DEXAMETHASONE, 0.1%, 5 mL bottle, Eye Drops Suspension
 593 DEXAMETHASONE, 3 mg tablet , Oral
 601 DEXAMETHASONE, 4 mg tablet , Oral
 599 DEXAMETHASONE, 4 mg/mL, 1 mL ampul/vial (IM, IV) (as sodium phosphates), Inj.
 594 DEXAMETHASONE, 4 mg/mL, 2 mL ampul/ vial (IM, IV) (as sodium phosphate) , Inj.
 595 DEXAMETHASONE, 5 mg/mL, 1 mL ampul (IM, IV) (as sodium phosphate) , Inj.
 603 DEXAMETHASONE, 500 mcg tablet, Oral
 600 DEXAMETHASONE, 750 mcg tablet , Oral
 604 DEXTRAN, HIGH MOLECULAR WEIGHT (DEXTRAN 70), 6% dextran 70 in 0.9% sodium chloride, 500 mL bottle (IV Infusion), Inj.
 605 DEXTRAN, HIGH MOLECULAR WEIGHT (DEXTRAN 70), 6% dextran 70 in 5% dextrose, 500 mL bottle (IV Infusion), Inj.
 606 DEXTRAN, LOW MOLECULAR WEIGHT (DEXTRAN 40), 10% dextran 40 in 0.9% sodium chloride, 500 mL bottle (IV Infusion), Inj.
 607 DEXTRAN, LOW MOLECULAR WEIGHT (DEXTRAN 40), 10% dextran 40 in 5% dextrose, 500 mL bottle (IV Infusion), Inj.
 608 DEXTROMETHORPHAN (2), 10 mg tablet (as hydrobromide), Oral
 609 DEXTROMETHORPHAN (2), 10 mg/5 mL syrup, 60 mL (alcohol-free) (as hydrobromide), Oral
 610 DEXTROMETHORPHAN (2), 15 mg/5 mL syrup, 120 mL (alcohol-free) (as hydrobromide), Oral
 611 DEXTROMETHORPHAN (2), 15 mg/5 mL syrup, 30 mL (alcohol-free) (as hydrobromide), Oral
 612 DEXTROMETHORPHAN (2), 15 mg/5 mL syrup, 60 mL (alcohol-free) (as hydrobromide), Oral
 613 DEXTROMETHORPHAN (2), 5 mg/5 mL syrup, 120 mL (alcohol-free) (as hydrobromide), Oral
 614 DEXTROMETHORPHAN (2), 5 mg/5 mL syrup, 30 mL (alcohol-free) (as hydrobromide), Oral
 615 DEXTROMETHORPHAN (2), 5 mg/5 mL syrup, 60 mL (alcohol-free) (as hydrobromide), Oral
 616 DIAZEPAM (1, A1), 10 mg/2.5 mL in rectal tube, Rectal
 621 DIAZEPAM (1, A1), 5 mg/2.5 mL in rectal tube, Rectal
 622 DIAZEPAM, 10 mg tablet, Oral
 618 DIAZEPAM, 2 mg tablet, Oral
 619 DIAZEPAM, 5 mg tablet, Oral
 620 DIAZEPAM, 5 mg/mL, 2 mL ampul (IM, IV) (1), Inj.
 617 DICLOFENAC, 0.1%, 5 mL bottle (as sodium salt), Eye Drops Solution

 623 DICLOFENAC, 100 mg SR tablet/capsule (as sodium or potassium salt), Oral
 629 DICLOFENAC, 25 mg tablet/capsule (as sodium or potassium salt), Oral

 630 DICLOFENAC, 25 mg/mL, 10 mL vial (IM, IV) (as sodium salt), Inj.
 624 DICLOFENAC, 25 mg/mL, 2 mL ampul (IM, IV) (as sodium salt), Inj.

625 DICLOFENAC, 25 mg/mL, 3 mL ampul (as sodium) (IM, IV), Inj.
626 DICLOFENAC, 37.5 mg/mL, 2 mL ampul (as sodium) (IM, IV), Inj.
627 DICLOFENAC, 37.5 mg/mL, pre-filled syringe (IM, IV) (as sodium salt),
Inj.
628 DICLOFENAC, 50 mg enteric coated tablet or delayed release tablet (as
sodium salt), Oral
631 DICLOFENAC, 50 mg tablet/capsule (as sodium or potassium salt), Oral
632 DICLOFENAC, 75 mg SR capsule/tablet (as sodium or potassium salt),
Oral
633 DICLOFENAMIDE (DICHLORPHENAMIDE), 50 mg tablet, Oral
634 DICYCLOVERINE (DICYCLOMINE), 10 mg tablet (as hydrochloride) ,
Oral
635 DICYCLOVERINE (DICYCLOMINE), 10 mg/5 mL syrup, 120 mL (as
hydrochloride) , Oral
636 DICYCLOVERINE (DICYCLOMINE), 10 mg/5 mL syrup, 30 mL(as
hydrochloride) , Oral
637 DICYCLOVERINE (DICYCLOMINE), 10 mg/5 mL syrup, 60 mL (as
hydrochloride) , Oral
638 DIDANOSINE, 200 mg chewable and dispersible tablet, Oral
639 DIDANOSINE, 250 mg delayed release capsule, Oral
640 DIETHYLCARBAMAZINE, 100 mg tablet (available under DOH program),
Oral
641 DIETHYLCARBAMAZINE, 50 mg tablet (available under DOH program),
Oral
642 DIGOXIN (2), 250 mcg tablet, Oral
644 DIGOXIN (2), 250 mcg/mL, 2 mL ampul (IM, IV), Inj.
643 DIGOXIN (2), 50 mcg/mL elixir, 60 mL, Oral
645 DIGOXIN (2), 50 mg/mL elixir, 60 mL, Oral
646 DILOXANIDE, 125 mg/5 mL syrup/suspension, 30 mL (as furoate), Oral
647 DILOXANIDE, 125 mg/5 mL syrup/suspension, 60 mL (as furoate), Oral
648 DILOXANIDE, 500 mg tablet (as furoate), Oral
649 DILTIAZEM (B), 90mg SR capsule (as hydrochloride), Oral
660 DILTIAZEM, 120 mg SR capsule (as hydrochloride), Oral
650 DILTIAZEM, 120 mg SR tablet (as hydrochloride), Oral
651 DILTIAZEM, 180 mg SR capsule (as hydrochloride), Oral
652 DILTIAZEM, 180 mg SR tablet (as hydrochloride), Oral
653 DILTIAZEM, 200 mg SR capsule (as hydrochloride), Oral
654 DILTIAZEM, 240 mg SR capsule (as hydrochloride), Oral
655 DILTIAZEM, 30 mg tablet(as hydrochloride), Oral
656 DILTIAZEM, 60 mg SR capsule (as hydrochloride), Oral
657 DILTIAZEM, 60 mg tablet(as hydrochloride), Oral
658 DILTIAZEM, 90 mg SR tablet(as hydrochloride), Oral
659 DIMEGLUMINE GADOPENTETATE, 469 mg/mL aqueous solution, 10
mL vial, Inj
661 DIMEGLUMINE GADOPENTETATE, 469 mg/mL aqueous solution, 15
mL vial, Inj
662 DIMEGLUMINE GADOPENTETATE, 469 mg/mL aqueous solution, 20
mL vial, Inj

- 663 DIMEGLUMINE GADOPENTETATE, 469 mg/mL aqueous solution, 5 mL vial, Inj
- 664 DIMERCAPROL (1), (in oil) 50 mg/mL, 2 mL ampul (IM), Inj.
- 665 DIMERCAPTOPROPANE-SULPHONATE (DMPS), 100 mg/mL, 1 mL ampul, Inj.
- 666 DIMERCAPTOPROPANE-SULPHONATE (DMPS), 100 mg/mL, 10 mL vial (IM), Inj.
- 667 DIPHENHYDRAMINE , 12.5 mg/5 mL syrup, 120 mL (alcohol-free) (as hydrochloride), Oral
- 679 DIPHENHYDRAMINE , 12.5 mg/5 mL syrup, 30 mL (alcohol-free) (as hydrochloride), Oral
- 680 DIPHENHYDRAMINE , 12.5 mg/5 mL syrup, 60 mL (alcohol-free) (as hydrochloride), Oral
- 681 DIPHENHYDRAMINE , 25 mg capsule (as hydrochloride), Oral
- 682 DIPHENHYDRAMINE , 50 mg capsule (as hydrochloride), Oral
- 683 DIPHENHYDRAMINE , 50 mg/mL, 1 mL ampul (IM, IV) (as hydrochloride), Inj.
- 677 DIPHENHYDRAMINE , 50 mg/mL, 10 mL vial (IM, IV) (as hydrochloride), Inj.
- 678 DIPHENHYDRAMINE, 12.5 mg/5 mL, 120 mL syrup (alcohol-free) (as hydrochloride), Oral
- 672 DIPHENHYDRAMINE, 12.5 mg/5 mL, 30 mL syrup (alcohol-free) (as hydrochloride), Oral
- 673 DIPHENHYDRAMINE, 12.5 mg/5 mL, 60 mL syrup (alcohol-free) (as hydrochloride), Oral
- 674 DIPHENHYDRAMINE, 25 mg capsule (as hydrochloride), Oral
- 675 DIPHENHYDRAMINE, 50 mg capsule (as hydrochloride), Oral
- 676 DIPHENHYDRAMINE, 50 mg/mL, 1 mL ampul (IM, IV) (as hydrochloride), Inj.
- 668 DIPHENHYDRAMINE, 50 mg/mL, 1 mL ampul (IM, IV) (as hydrochloride), Inj.
- 670 DIPHENHYDRAMINE, 50 mg/mL, 10 mL ampul (IM, IV) (as hydrochloride), Inj.
- 669 DIPHENHYDRAMINE, 50 mg/mL, 10 mL vial (IM, IV) (as hydrochloride), Inj.
- 671 DIPHTHERIA ANTITOXIN, 10,000 IU, 10 mL (IV), Inj.
- 684 DIPHTHERIA ANTITOXIN, 10,000 IU, 5 mL (IV), Inj.
- 685 DIPHTHERIA ANTITOXIN, 20,000 IU, 10 mL (IV), Inj.
- 686 DIPHTHERIA ANTITOXIN, 20,000 IU, 5 mL (IV), Inj.
- 687 DIPHTHERIA-TETANUS TOXOIDS (DT), 30 IU diphtheria toxoid + 40 IU tetanus toxoid per 0.5 mL ampul (IM) (For less than 10 yrs. old), Inj.
- 688 DIPHTHERIA-TETANUS TOXOIDS (TD), 2 IU diphtheria toxoid + 20 IU tetanus toxoid per 0.5 mL ampul (IM) (For 10 yrs. old and above), Inj.
- 689 DIPHTHERIA-TETANUS TOXOIDS AND ACELLULAR PERTUSSIS VACCINES, 0.5 mL pre-filled syringe (IM), Inj.
- 690 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP), 0.5 mL ampul (IM), Inj.
- 691 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP), 0.5 mL pre-filled syringe (IM), Inj.

692 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP),
0.5 mL vial (IM), Inj.

693 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP),
10 mL vial (IM), Inj.

694 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP),
5 mL vial (IM), Inj.

695 DIPHTHERIA-TETANUS TOXOIDS AND PERTUSSIS VACCINE (DTP),
7.5 mL vial (IM), Inj.

696 DIPYRIDAMOLE (2), 25 mg tablet (preferably used in combination with
aspirin), Oral

697 DIPYRIDAMOLE (2), 50 mg tablet (preferably used in combination with
aspirin), Oral

698 DIPYRIDAMOLE (2), 75 mg tablet (preferably used in combination with
aspirin), Oral

699 DITHRANOL, 0.1% - 2%, 50 g tube, Ointment

700 DOBUTAMINE (1, 2), 1,000 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

701 DOBUTAMINE (1, 2), 12.5 mg/mL, 20 mL vial(IV) (as hydrochloride), Inj.

702 DOBUTAMINE (1, 2), 250 mg vial (IV) (as hydrochloride), Inj.

703 DOBUTAMINE (1, 2), 250 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

704 DOBUTAMINE (1, 2), 50 mg/mL, 5 mL ampul (concentrate)(IV Infusion)
(as hydrochloride), Inj.

705 DOBUTAMINE (1, 2), 500 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

706 DOCETAXEL (1, 2), 20 mg/0.5 mL, 0.5 mL vial (IV Infusion) (anhydrous),
Inj.

707 DOCETAXEL (1, 2), 40 mg/mL, 2 mL vial (IV Infusion) (anhydrous), Inj.

708 DOMPERIDONE, 1 mg/mL suspension, 30 mL , Oral

709 DOMPERIDONE, 1 mg/mL suspension, 60 mL , Oral

710 DOMPERIDONE, 10 mg tablet , Oral

711 DOPAMINE (1, 2), 20 mg/mL, 10 mL ampul(IV) (as hydrochloride), Inj.

712 DOPAMINE (1, 2), 20 mg/mL, 5 mL ampul(IV) (as hydrochloride), Inj.

713 DOPAMINE (1, 2), 200 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

714 DOPAMINE (1, 2), 40 mg/mL, 5 mL vial/ampul(IV) (as hydrochloride), Inj.

715 DOPAMINE (1, 2), 400 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

716 DOPAMINE (1, 2), 80 mg/mL, 5 mL vial(IV) (as hydrochloride), Inj.

717 DOPAMINE (1, 2), 800 mg/250 mL D5W (pre-mixed)(IV) (as
hydrochloride), Inj.

718 DORZOLAMIDE, 2%, 5 mL vial (as hydrochloride), Eye Drops Solution

719 DOXORUBICIN (1, 2), 2 mg/mL, 25 mL vial (IV) (as hydrochloride), Inj.

720 DOXORUBICIN (1, 2), 2 mg/mL, 5 mL vial (IV) (as hydrochloride), Inj.

721 DOXORUBICIN (1, 2), powder, 10 mg vial (IV) (as hydrochloride), Inj.

722 DOXORUBICIN (1, 2), powder, 20 mg vial (IV) (as hydrochloride), Inj.

- 723 DOXORUBICIN (1, 2), powder, 50 mg vial (IV) (as hydrochloride), Inj.
- 724 DOXYCYCLINE, 100 mg capsule (as hyclate), Oral
- 725 DOXYCYCLINE, 50 mg capsule (as hyclate), Oral
- 726 DTP + HEPATITIS B VACCINE, 0.5 mL vial (IM, SC) , Inj.
- 727 DTP + HIB, 0.5 mL DTP diluent in pre-filled syringe + freeze-dried, 10 mcg Hib vial (IM, SC), Inj.
- 728 DTP + IPV + HIB, 0.5 mL pre-filled syringe (IM, SC), Inj.
- 731 DTP + IPV, 0.5 mL monodose vial (IM, SC), Inj.
- 729 DTP + IPV, 0.5 mL pre-filled syringe (IM, SC), Inj.
- 730 DYDROGESTERONE, 10 mg tablet , Oral
- 732 EDROPHONIUM, 10 mg/mL, 1 mL ampul (IM, IV) (as chloride), Inj.
- 734 ENALAPRIL + HYDRO-CHLOROTHIAZIDE, 20 mg enalapril + 12.5 mg hydrochlorothiazide tablet, Oral
- 738 ENALAPRIL, 10 mg tablet(as maleate), Oral
- 735 ENALAPRIL, 20 mg tablet(as maleate), Oral
- 736 ENALAPRIL, 5 mg tablet(as maleate), Oral
- 737 ENFLURANE (1), 250 mL bottle, Inhalation
- 739 ENTERAL NUTRITION - ADULT POLYMERIC, Calories:100 - 475 Kcal
Dilution:1:1 - 1.5:1, Carbohydrates:13.8 - 59 g, Protein:3.8 - 19.9 g,
Fat:3.4 - 21.5 g, mOsm/kg:270-730, Sodium:75 - 402 mg, Potassium:370
- 580 mg, Phosphorous:47 - 307 mg, Volume:100 mL - 1 L , Oral
- 740 ENTERAL NUTRITION - DISEASE SPECIFIC, Calories:100 - 1000 Kcal,
Dilution:1:1 - 2:1, Carbohydrates:10.4 - 156 g, Protein:5.5 - 88 g, Fat:3.3 -
108 g, mOsm/kg:230-635, Sodium:80 - 2400 mg, Potassium:172 - 5600
mg, Phosphorous:50 - 1789 mg, Volume:50 mL - 500 mL, 50 g - 500 g,
Oral
- 741 ENTERAL NUTRITION - FIBER-CONTAINING, Calories:100 - 1048 Kcal,
Dilution:1:1, Carbohydrates:13.8 - 148 g, Protein:3.8 - 40 g, Fat:3.4 - 34.7
g, mOsm/kg:270-375, Sodium:46.5 - 930 mg, Potassium:78.5 - 1570 mg,
Phosphorous:63 - 720 mg, Fiber:2.0 - 10.6 g, Volume:100 g - 400 g, 500
mL , Oral
- 742 ENTERAL NUTRITION - MODULAR, Calories:9.5 - 380 Kcal, Dilution:0,
Carbohydrates:0.67 - 94 g, Protein:5 - 23 g, Fat:0.6 g, mOsm/kg:900,
Sodium:15 - 110 mg, Potassium:10 - 66 mg, Phosphorous:5 - 30 mg,
Volume:280 g - 400 g, Oral
- 743 ENTERAL NUTRITION - PEDIATRIC POLYMERIC, Calories:445 - 511
Kcal, Dilution:1:1, Carbohydrates:14.9 - 62.2 g, Protein:13.4 - 54.3 g,
Fat:16.2 - 26 g, mOsm/kg:308-345, Sodium:120 - 250 mg,
Potassium:400 - 750 mg, Phosphorous:150 - 760 mg, Volume:100 g,
Oral
- 744 ENTERAL NUTRITION - SEMI ELEMENTAL, Calories:100 - 1300 Kcal,
Dilution:1:1 - 1.3:1, Carbohydrates:13.8 - 177.2 g, Protein:3.0 - 66.6 g,
Fat:3.9 - 37.4 g, mOsm/kg:375-575, Sodium:66 - 1040 mg,
Potassium:135 - 1730 mg, Phosphorous:22 - 867 mg, Volume:100 mL - 1
L, 76 g - 450 g , Oral
- 745 EPHEDRINE (A2), 50 mg/mL, 1 mL ampul (IM, IV) (as sulfate), Inj.
- 746 EPINEPHRINE (1, 2) (ADRENALINE), 1 mg/mL, 1 mL ampul (IM, SC)
(as hydrochloride), Inj.
- 747 EPINEPHRINE (ADRENALINE) , 1 mg/mL, 1 mL ampul (IM, SC) (as
hydrochloride), Inj.
- 748 EPIRUBICIN (1, 2), powder, 10 mg vial (IV) (as hydrochloride), Inj.

749 EPIRUBICIN (1, 2), powder, 50 mg vial (IV) (as hydrochloride), Inj.

750 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 1,000 IU/0.5 mL, pre-filled syringe(HSA-free) (IV), Inj.

751 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 10,000 IU/mL, pre-filled syringe (IV), Inj.

752 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 10,000 IU/mL, pre-filled syringe(HSA-free) (IV), Inj.

753 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 2,000 IU/0.2 mL, pre-filled syringe (IV), Inj.

754 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 2,000 IU/0.5 mL, pre-filled syringe (IV), Inj.

755 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 2,000 IU/0.5 mL, pre-filled syringe(HSA-free) (IV), Inj.

756 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 3,000 IU/0.3 mL, pre-filled syringe(HSA-free) (IV), Inj.

757 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 4,000 IU/0.4 mL, pre-filled syringe (IV), Inj.

758 EPOETIN ALFA(RECOMBINANT HUMAN ERYTHROPOIETIN) (1, 2), 4,000 IU/0.4 mL, pre-filled syringe(HSA-free) (IV), Inj.

759 EPOETIN BETA (RECOMBINANT ERYTHROPOIETIN) (1, 2), 2,000 IU/0.3 mL, pre-filled syringe with needle (IV, SC), Inj.

760 EPOETIN BETA (RECOMBINANT ERYTHROPOIETIN) (1, 2), 4,000 IU/0.3 mL, pre-filled syringe with needle (IV, SC), Inj.

761 EPOETIN BETA (RECOMBINANT ERYTHROPOIETIN) (1, 2), 5,000 IU/0.3 mL, pre-filled syringe with needle (IV, SC), Inj.

762 EPOETIN BETA (RECOMBINANT ERYTHROPOIETIN) (1, 2), lyophilized powder, 1,000 IU vial +?solvent ampul (IV, SC), Inj.

763 EPOETIN BETA (RECOMBINANT ERYTHROPOIETIN) (1, 2), lyophilized powder, 10,000 IU vial + solvent ampul (IV, SC), Inj.

764 ERGOCALCIFEROL (CALCIFEROL, VITAMIN D2), 1.25 mg (50,000 IU) tablet/capsule, Oral

765 ERGOCALCIFEROL (CALCIFEROL, VITAMIN D2), 250 mcg/mL (10,000 IU/mL) solution, 60 mL bottle, Oral

766 ERGOTAMINE (1, 2, A2), 1 mg tablet (as tartrate), Oral

767 ERYTHROMYCIN, 0.5%, 3.5 g tube, Eye Ointment

768 ERYTHROMYCIN, 0.5%, 5 g tube, Eye Ointment

769 ERYTHROMYCIN, 200 mg/5 mL granules/powder for suspension, 60 mL (as ethyl succinate) (B), Oral

771 ERYTHROMYCIN, 250 mg base tablet/capsule (B), Oral

772 ERYTHROMYCIN, 250 mg tablet (as stearate) (B), Oral

773 ERYTHROMYCIN, 40 mg/mL granules/powder for drops (suspension), 30 mL (B) (as ethyl succinate), Oral

774 ERYTHROMYCIN, 400 mg/5 mL granules/powder for suspension, 50 mL (as ethyl succinate) (B), Oral

775 ERYTHROMYCIN, 400 mg/5 mL granules/powder for suspension, 60 mL (as ethyl succinate) (B), Oral

776 ERYTHROMYCIN, 500 mg tablet (as stearate) (B), Oral

777 ERYTHROMYCIN, 500 mg vial (IV) (as lactobionate), Inj.

770 ESMOLOL (1, 2, B), 10 mg/mL, 10 mL vial (IV)(as hydrochloride), Inj.

778 ESMOLOL (2, B), 100 mg/mL, 10 mL vial (IV) (as hydrochloride), Inj.

779 ESTRAMUSTINE (1, 2), 140 mg capsule, Oral

781 ESTRAMUSTINE (1, 2), powder, 300 mg vial (IV)(as sodium phosphate),
Inj.

780 ETHAMBUTOL, 200 mg tablet (as hydrochloride), Oral

782 ETHAMBUTOL, 400 mg tablet (as hydrochloride), Oral

783 ETHINYLESTRADIOL + LEVONORGESTREL (TRIPHASIC), 30 mcg
ethinylestradiol + 125 mcg levonorgestrel per tablet , Oral

784 ETHINYLESTRADIOL + LEVONORGESTREL (TRIPHASIC), 30 mcg
ethinylestradiol + 50 mcg levonorgestrel per tablet , Oral

785 ETHINYLESTRADIOL + LEVONORGESTREL (TRIPHASIC), 40 mcg
ethinylestradiol + 75 mcg levonorgestrel per tablet , Oral

786 ETHINYLESTRADIOL + NORETHISTERONE, 35 mcg ethinylestradiol +
400 mcg norethisterone acetate per tablet , Oral

787 ETHINYLESTRADIOL +LEVONORGESTREL, 30 mcg ethinylestradiol +
150 mcg levonorgestrel per tablet , Oral

788 ETOPOSIDE (1, 2), 100 mg capsule, Oral

793 ETOPOSIDE (1, 2), 20 mg/mL, 10 mL vial powder, Inj.

790 ETOPOSIDE (1, 2), 20 mg/mL, 100 mg vial (IV), Inj.

789 ETOPOSIDE (1, 2), 20 mg/mL, 2.5 mL vial powder, Inj.

791 ETOPOSIDE (1, 2), 20 mg/mL, 5 mL ampul/vial (IV), Inj.

792 ETOPOSIDE (1, 2), 25 mg capsule, Oral

794 ETOPOSIDE (1, 2), 50 mg capsule, Oral

795 FACTOR IX COMPLEX CONCENTRATE (COAGULATION FACTORS II,
VII, IX, X) (1, 2), 100 IU/mL, 10 mL vial (IV) lyophilized powder, 500 IU
vial + diluent (IV), Inj.

796 FACTOR IX COMPLEX CONCENTRATE (COAGULATION FACTORS II,
VII, IX, X) (1, 2), 100 IU/mL, 5 mL vial (IV) lyophilized powder, 500 IU vial
+ diluent (IV), Inj.

797 FACTOR VIII CONCENTRATE (1, 2), lyophilized powder, 100 IU/g vial +
diluent (IV), Inj.

798 FAMCICLOVIR, 125 mg tablet, Oral

799 FAMCICLOVIR, 250 mg tablet, Oral

800 FAMOTIDINE, 10 mg tablet , Oral

804 FAMOTIDINE, 10 mg tablet, Oral

805 FAMOTIDINE, 10 mg/mL, 2 mL ampul (IM, IV) lyophilized powder, 20 mg
vial (IM, IV), Inj.

801 FAMOTIDINE, 10 mg/mL, 2 mL ampul/vial (IM, IV) , Inj.

802 FAMOTIDINE, 20 mg film coated tablet, Oral

806 FAMOTIDINE, 20 mg tablet , Oral

808 FAMOTIDINE, 20 mg/5 mL powder for suspension, 60 mL , Oral

810 FAMOTIDINE, 40 mg tablet , Oral

812 FAMOTIDINE, lyophilized powder, 20 mg vial (IV), Inj.

803 FELODIPINE (B), 10 mg ER tablet, Oral

813 FELODIPINE (B), 2.5 mg ER tablet, Oral

814 FELODIPINE (B), 5 mg ER tablet, Oral

815 FENOFIBRATE (1), 100 mg capsule, Oral

816 FENOFIBRATE (1), 200 mg capsule, Oral

817 FENOFIBRATE (1), 67 mg capsule, Oral

818 FENTANYL (A1), 25 mcg/hr (transdermal), Patch

821 FENTANYL (A1), 50 mcg/hr(transdermal), Patch

822 FENTANYL (A1), 50 mcg/mL, 10 mL ampul (IV) (as citrate), Inj.

819 FENTANYL (A1), 50 mcg/mL, 2 mL ampul (IV) (as citrate), Inj.

820 FENYRAMIDOL (PHENYRAMIDOL), 400 mg tablet (as hydrochloride),
Oral

823 FERROUS SALT + FOLIC ACID (NUTRITIONAL SUPPLEMENT
DURING PREGNANCY), 60 mg elemental iron + 400 mcg folic acid per
tablet / capsule / film coated table, Oral

824 FERROUS SALT, 30 mg elemental iron/5 mL syrup, 60 mL, Oral

828 FERROUS SALT, elemental iron solution, 15 mg elemental iron/0.6 mL
drops, 15 mL, Oral

829 FERROUS SALT, elemental iron solution, 15 mg elemental iron/0.6 mL
drops, 30 mL, Oral

830 FERROUS SALT, solution, 15 mg elemental iron/0.6 mL drops, 15 mL ,
Oral

825 FERROUS SALT, solution, 15 mg elemental iron/0.6 mL drops, 30 mL ,
Oral

826 FERROUS SALT, tablet, (equivalent to 60 mg elemental iron), Oral

827 FERROUS SALT, tablet, equivalent to 60 mg, Oral

831 FILGRASTIM (G-CSF)(1, 2), 150 mcg/0.6 mL, vial (IV, SC), Inj.

833 FILGRASTIM (G-CSF)(1, 2), 300 mcg/1.2 mL, vial (IV, SC), Inj.

834 FILGRASTIM (G-CSF)(1, 2), 300 mcg/mL, vial (IV, SC), Inj.

835 FINASTERIDE, 5 mg tablet , Oral

836 FLUCONAZOLE, 150 mg capsule, Oral

838 FLUCONAZOLE, 2 mg/mL, 100 mL vial (IV Infusion), Inj.

837 FLUCONAZOLE, 200 mg capsule, Oral

839 FLUCONAZOLE, 50 mg capsule, Oral

840 FLUCYTOSINE (1) (5-FLUOROCYTOSINE), 500 mg tablet, Oral

841 FLUMAZENIL, 100 mcg/mL, 10 mL ampul (slow IV, IV Infusion), Inj.

842 FLUMAZENIL, 100 mcg/mL, 5 mL ampul (slow IV, IV Infusion), Inj.

843 FLUNARIZINE, 5 mg capsule (as hydrochloride), Oral

844 FLUOCINONIDE, 0.05%, 10 g tube, Cream or Ointment

845 FLUOCINONIDE, 0.05%, 15 g tube, Cream or Ointment

846 FLUOCINONIDE, 0.05%, 5 g tube, Cream or Ointment

847 FLUORESCEIN, 1 mg (as sodium salt), Strips

850 FLUORESCEIN, 1 mg (as sodium salt), Strips

851 FLUORESCEIN, 10%, 5 mL ampul (IV) (as sodium salt), Inj

848 FLUORESCEIN, 100 mg/mL, 5 mL ampul (IV) (as sodium salt), Inj

849 FLUORESCEIN, 9 mg (as sodium salt), Strips

852 FLUORESCEIN, 9 mg (as sodium salt), Strips

853 FLUORIDE (2), 250 mcg tablet (as sodium salt), Oral

854 FLUORIDE (2), 250 mcg/mL drops (as sodium salt), Oral

855 FLUORIDE (2), 500 mcg tablet (as sodium salt), Oral

856 FLUORIDE (2), 500 mcg/mL drops (as sodium salt), Oral

857 FLUOROURACIL (1, 2), 25 mg/mL, 10 mL vial (IV, IV Infusion), Inj.

858 FLUOROURACIL (1, 2), 50 mg/mL, 10 mL ampul/vial (IV, IV Infusion),
Inj.

860 FLUOROURACIL (1, 2), 50 mg/mL, 100 mL ampul/vial (IV, IV Infusion),
Inj.

861 FLUOROURACIL (1, 2), 50 mg/mL, 20 mL ampul/vial (IV, IV Infusion),
Inj.

859 FLUOROURACIL (1, 2), 50 mg/mL, 5 mL ampul/vial (IV, IV Infusion), Inj.

862 FLUOXETINE (1), 20 mg dispersable tablet/capsule (as hydrochloride),
Oral

863 FLUPHENAZINE (1), 25 mg/mL, 1 mL ampul (IM) (as decanoate), Inj.

864 FLUPHENAZINE (1), 25 mg/mL, 10 mL vial (IM) (as decanoate), Inj.

865 FLURAZEPAM (A1), 15 mg capsule (as monohydrochloride), Oral

866 FLUTAMIDE (1), 250 mg tablet , Oral

868 FLUTICASONE , DPI:250 mcg/dose (as propionate)with appropriate accompanying dispenser, Inhalation

872 FLUTICASONE , DPI:50 mcg/dose (as propionate) with appropriate accompanying dispenser, Inhalation

873 FLUTICASONE , MDI: 125 mcg/dose x 120 doses (as propionate) (for nebulization), Inhalation

874 FLUTICASONE , MDI: 125 mcg/dose x 60 doses (as propionate) (for nebulization), Inhalation

875 FLUTICASONE , MDI: 50 mcg/dose x 120 doses (as propionate) , Inhalation

876 FLUTICASONE , MDI: 50 mcg/dose x 60 doses (as propionate) , Inhalation

877 FLUTICASONE , Resp. Soln.: 250 mcg/mL, 2 mL (unit dose) (as propionate), Inhalation

878 FLUTICASONE + SALMETEROL, 125 mcg fluticasone (as propionate) + 25 mcg salmeterol (as xinafoate) x 120 doses, MDI

882 FLUTICASONE + SALMETEROL, 250 mcg fluticasone (as propionate) + 25 mcg salmeterol (as xinafoate) x 120 doses, MDI

883 FLUTICASONE + SALMETEROL, 50 mcg fluticasone (as propionate) + 25 mcg salmeterol (as xinafoate) x 120 doses , Inhalation

879 FLUTICASONE + SALMETEROL, DPI:100 mcg fluticasone (as propionate) + 50 mcg salmeterol (as xinafoate) x 28 and 60 doses with appropriate accompanying dispenser, Inhalation

880 FLUTICASONE + SALMETEROL, DPI:250 mcg fluticasone (as propionate) + 50 mcg salmeterol (as xinafoate) x 28 and 60 doses with appropriate accompanying dispenser, MDI

884 FLUTICASONE + SALMETEROL, DPI:500 mcg fluticasone (as propionate) + 50 mcg salmeterol (as xinafoate) x 28 and 60 doses with appropriate accompanying dispenser, Inhalation

881 FLUTICASONE, 0.005%, 5 g tube (as propionate), Ointment

871 FLUTICASONE, 0.05%, 5 g tube (as propionate), Cream

869 FLUTICASONE, 0.05%/dose x 120 doses (as propionate), Nasal Aqueous Solution

870 FOLIC ACID, 1 mg tablet, Oral

887 FOLIC ACID, 1 mg/mL, 1 mL ampul (IM) (as sodium salt), Inj

885 FOLIC ACID, 5 mg tablet/capsule, Oral

888 FORMOTEROL, 40 mcg tablet (as fumarate), Oral

894 FORMOTEROL, DPI: 12 mcg/dose (as fumarate) with appropriate accompanying dispenser, Inhalation

890 FORMOTEROL, DPI: 4.5 mcg/dose x 60 doses(as fumarate dihydrate)with appropriate accompanying dispenser, Inhalation

891 FORMOTEROL, DPI: 9.0 mcg/dose x 60 doses (as fumarate dihydrate) with appropriate accompanying dispenser, Inhalation

892 FRAMYCETIN, 0.5%, 2.5 mL bottle (as sulfate) , Eye Drops Solution

895 FRAMYCETIN, 0.5%, 5 mL bottle (as sulfate) , Eye Drops Solution

896 FUROSEMIDE, 10 mg/mL, 2 mL ampul (IM, IV, IV Infusion), Inj.

897 FUROSEMIDE, 10 mg/mL, 25 mL ampul (IV Infusion), Inj.
 898 FUROSEMIDE, 20 mg tablet, Oral
 899 FUROSEMIDE, 40 mg tablet, Oral
 900 FUROSEMIDE, 80 mg tablet , Oral
 901 FUSIDATE SODIUM / FUSIDIC ACID, 2% (sterile gauze impregnated with 1.5 g of 2% ointment in single unit foil sachet) (as sodium), Medicated Surgical Dressing
 903 FUSIDATE SODIUM / FUSIDIC ACID, 2%, 15 g tube, Ointment
 904 FUSIDATE SODIUM / FUSIDIC ACID, 2%, 5 g tube, Cream
 902 FUSIDATE SODIUM / FUSIDIC ACID, 2%, 5 g tube, Ointment
 905 FUSIDATE SODIUM/ FUSIDIC ACID, 1%, 5 g tube (as sulfate), Eye Drops Suspension
 906 GABAPENTIN, 100 mg capsule, Oral
 907 GABAPENTIN, 300 mg capsule, Oral
 908 GABAPENTIN, 400 mg capsule, Oral
 909 GADODIAMIDE, 287 mg/mL, aqueous solution, 10 mL vial, Inj
 911 GADODIAMIDE, 287 mg/mL, aqueous solution, 15 mL vial, Inj
 912 GADODIAMIDE, 287 mg/mL, aqueous solution, 20 mL vial, Inj
 910 GADODIAMIDE, 287 mg/mL, aqueous solution, 5 mL vial, Inj
 913 GANCICLOVIR (1, 2), 250 mg capsule, Oral
 916 GANCICLOVIR (1, 2), 500 mg vial (IV Infusion) (as sodium), Inj.
 915 GANCICLOVIR, 0.15%, 5 g tube, Eye Gel
 914 GAS FORMING AGENT, Components per tablet: Sodium bicarbonate 470 mg, Glutamic acid 70 mg, Tartaric acid 420 mg, Silicon resin 25 mg, Oral
 917 GATIFLOXACIN (3), 10 mg/mL, 40 mL vial (IV), Inj.
 918 GATIFLOXACIN (3), 400 mg tablet, Oral
 919 GEMCITABINE (1, 2), 1 g vial (IV Infusion) (as hydrochloride), Inj.
 920 GEMCITABINE (1, 2), 200 mg vial (IV Infusion) (as hydrochloride), Inj.

 921 GEMFIBROZIL (1, B), 300 mg capsule, Oral
 922 GEMFIBROZIL (1, B), 600 mg capsule, Oral
 923 GEMFIBROZIL (1, B), 900 mg capsule, Oral
 924 GENTAMICIN, 0.3%, 3.0 g tube (as sulfate), Eye Ointment
 929 GENTAMICIN, 0.3%, 3.5 g tube (as sulfate), Eye Ointment
 930 GENTAMICIN, 0.3%, 5 mL bottle (as sulfate), Eye Drops Solution
 925 GENTAMICIN, 0.3%, 5.0 g tube (as sulfate), Eye Ointment
 931 GENTAMICIN, 0.5%, 3 g tube (as sulfate), Eye Ointment
 927 GENTAMICIN, 0.5%, 5 g tube (as sulfate), Eye Ointment
 928 GENTAMICIN, 0.5%, 5 mL bottle (as sulfate), Eye Drops Solution
 926 GENTAMICIN, 10 mg/mL, 1 mL ampul (IM, IV) (as sulfate), Inj.
 932 GENTAMICIN, 10 mg/mL, 2 mL vial (IM, IV) (as sulfate), Inj.
 933 GENTAMICIN, 40 mg/mL, 1 mL ampul/vial (IM, IV) (as sulfate), Inj.
 934 GENTAMICIN, 40 mg/mL, 1.5 mL ampul/vial (IM, IV) (as sulfate), Inj.
 935 GENTAMICIN, 40 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.
 936 GLIBENCLAMIDE, 2.5 mg tablet , Oral
 937 GLIBENCLAMIDE, 5 mg tablet , Oral
 938 GLICLAZIDE (B), 30 mg MR tablet , Oral
 939 GLICLAZIDE (B), 80 mg tablet , Oral
 940 GLIPIZIDE, 2.5 mg tablet , Oral
 941 GLIPIZIDE, 5 mg tablet , Oral

942 GLUCAGON, lyophilized powder, 1 mg + solvent (IM, IV, SC) (as hydrochloride), Inj.

943 GLUCOSE (DEXTROSE), 50%, 10 mL (85 Kcal) vial (IV) , Inj.

945 GLUCOSE (DEXTROSE), 50%, 10 mL ampul (IV) , Inj.

946 GLUCOSE (DEXTROSE), 50%, 20 mL (85 Kcal) vial (IV) , Inj.

947 GLUCOSE (DEXTROSE), 50%, 20 mL ampul (IV) , Inj.

948 GLUCOSE (DEXTROSE), 50%, 50 mL (85 Kcal) vial (IV) , Inj.

949 GLUCOSE (DEXTROSE), 50%, 50 mL vial (IV) , Inj.

950 GLUTARALDEHYDE (GLUTARAL), 2% (with alkaline activating solution) 1 L, Solution

951 GLUTARALDEHYDE (GLUTARAL), 2% (with alkaline activating solution) 120 mL, Solution

952 GLYCEROL (GLYCERIN), 2 g suppository , Rectal

955 GLYCEROL (GLYCERIN), 2.5 g suppository , Rectal

2582 GLYCEROL (GLYCERIN), USP grade, Oral

953 GLYCERYL TRINITRATE (NITROGLYCERIN), 1 mg/mL, 10 mL ampul (IV Infusion) (only for unstable angina) (1, 2), Inj.

957 GLYCERYL TRINITRATE (NITROGLYCERIN), 1 mg/mL, 25 mL ampul (IV Infusion) (only for unstable angina) (1, 2), Inj.

958 GLYCERYL TRINITRATE (NITROGLYCERIN), 1 mg/mL, 5 mL ampul (IV Infusion) (only for unstable angina) (1, 2), Inj.

959 GLYCERYL TRINITRATE (NITROGLYCERIN), 1 mg/mL, 50 mL glass vial (IV Infusion) (only for unstable angina) (1, 2), Inj.

960 GLYCERYL TRINITRATE (NITROGLYCERIN), 10 mg, Patch

964 GLYCERYL TRINITRATE (NITROGLYCERIN), 2%, 20 g tube, Ointment

961 GLYCERYL TRINITRATE (NITROGLYCERIN), 2%, 30 g tube, Ointment

962 GLYCERYL TRINITRATE (NITROGLYCERIN), 400 mcg tablet, Sublingual

967 GLYCERYL TRINITRATE (NITROGLYCERIN), 5 mg , Patch

966 GOSERELIN, 10.8 mg depot solution, pre-filled syringe (SC) (as acetate) , Inj.

968 GOSERELIN, 3.6 mg depot solution, pre-filled syringe (SC) (as acetate) , Inj.

969 GRISEOFULVIN (2), 125 mg tablet (microsize), Oral

970 GRISEOFULVIN (2), 500 mg tablet (microsize), Oral

971 HALOPERIDOL (1, B), 1.5 mg tablet, Oral

974 HALOPERIDOL (1, B), 10 mg tablet, Oral

975 HALOPERIDOL (1, B), 2 mg tablet, Oral

976 HALOPERIDOL (1, B), 20 mg tablet, Oral

977 HALOPERIDOL (1, B), 5 mg tablet, Oral

978 HALOPERIDOL (1, B), 5 mg/mL, 1 mL ampul (IM), Inj.

972 HALOPERIDOL (1, B), 50 mg/mL, 1 mL (oily) ampul (IM) (as decanoate), Inj.

973 HALOPERIDOL (1, B), 500 mcg tablet, Oral

979 HALOTHANE (1), 250 mL bottle, Inhalation

980 HEMODIALYSIS SOLUTION, (concentrate) 5 gallon (approx. 20 L), drum, 10 L , Solution

981 HEMODIALYSIS SOLUTION, Solution:(concentrate) 5 gallon (approx. 20 L), drum, 5 L,

- 982 HEMOPHILUS INFLUENZAE TYPE B (HIB) + DIPHTHERIA - TETANUS TOXOIDS AND ACELLULAR PERTUSSIS VACCINE, 0.5 mL pre-filled syringe (IM), Inj.
- 983 HEMOPHILUS INFLUENZAE TYPE B (HIB) CONJUGATED VACCINE, 0.5 mL vial with meningococcal protein (IM), Inj.
- 984 HEMOPHILUS INFLUENZAE TYPE B (HIB) CONJUGATED VACCINE, 10 mcg/0.5 mL vial + 0.9% sodium chloride with diphtheria CRM 197 protein (IM), Inj.
- 985 HEMOPHILUS INFLUENZAE TYPE B (HIB) CONJUGATED VACCINE, 10 mcg/0.5 mL, 1 dose vial + 0.5 mL diluent with tetanus protein (IM), Inj.
- 986 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - DALTEPARIN (1, 2), 10,000 IU/1 mL, 1 mL ampul (SC)(as sodium), Inj.
- 987 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - DALTEPARIN (1, 2), 2,500 IU/0.2 mL, pre-filled syringe (SC)(as sodium), Inj.
- 988 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - DALTEPARIN (1, 2), 5,000 IU/0.2 mL, pre-filled syringe (SC)(as sodium), Inj.
- 989 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - ENOXAPARIN (1, 2), 100 mg/mL, 1 mL vial (SC)(as sodium), Inj.
- 995 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - ENOXAPARIN (1, 2), 20 mg/0.2 mL pre-filled syringe (SC) (as sodium), Inj.
- 996 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - ENOXAPARIN (1, 2), 40 mg/0.4 mL pre-filled syringe (SC) (as sodium), Inj.
- 997 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - ENOXAPARIN (1, 2), 60 mg/0.6 mL pre-filled syringe (SC) (as sodium), Inj.
- 998 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - ENOXAPARIN (1, 2), 80 mg/0.8 mL pre-filled syringe (SC) (as sodium), Inj.
- 999 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/ 0.3 mL pre-filled syringe (SC)(as calcium), Inj.
- 1000 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/0.1 mL pre-filled syringe (SC)(as calcium), Inj.
- 1001 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/0.2 mL pre-filled syringe (SC)(as calcium), Inj.
- 1002 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/0.4 mL pre-filled syringe (SC)(as calcium), Inj.
- 1003 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/0.6 mL pre-filled syringe (SC)(as calcium), Inj.
- 1004 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/0.8 mL pre-filled syringe (SC)(as calcium), Inj.
- 1005 HEPARIN LOW MOLECULAR WEIGHT HEPARIN - NADROPARIN (1, 2), 950 IU/1 mL pre-filled syringe (SC)(as calcium), Inj.
- 1006 HEPATITIS A INACTIVATED VACCINE, 160 units/0.5 mL (GBM strain) pre-filled syringe single dose (IM) (adult), Inj.
- 1007 HEPATITIS A INACTIVATED VACCINE, 80 units/0.5 mL (GBM strain) pre-filled syringe single dose (IM) (pediatric), Inj.
- 1008 HEPATITIS A INACTIVATED VACCINE, viral antigen not less than 1,440 EU in 1.0 mL monodose vial (IM) (adult), Inj.
- 1009 HEPATITIS A INACTIVATED VACCINE, viral antigen not less than 720 EU in 0.5 mL monodose vial (IM) (junior), Inj.
- 1010 HEPATITIS B IMMUNOGLOBULIN (HUMAN), 0.5 mL vial (IM), Inj.
- 1011 HEPATITIS B IMMUNOGLOBULIN (HUMAN), 1 mL vial (IM), Inj.
- 1012 HEPATITIS B IMMUNOGLOBULIN (HUMAN), 2 mL vial (IM), Inj.

- 1013 HEPATITIS B VACCINE (PLASMA DERIVED), 3 mcg/mL, 5 mL vial (IM), Inj.
- 1014 HEPATITIS B VACCINE (RECOMBINANT DNA), 10 mcg/0.5 mL monodose vial (IM) (pediatric), Inj.
- 1015 HEPATITIS B VACCINE (RECOMBINANT DNA), 20 mcg/mL monodose vial (IM) (adult) (For more than 10 years old), Inj.
- 1016 HEPATITIS B VACCINE (RECOMBINANT DNA), 20 mcg/mL, 1 mL vial (IM), Inj.
- 1017 HEPATITIS B VACCINE (RECOMBINANT DNA), 20 mcg/mL, 10 mL vial (IM), Inj.
- 1018 HEPATITIS B VACCINE (RECOMBINANT DNA), 20 mcg/mL, 5 mL vial (IM), Inj.
- 1019 HUMAN CHORIONIC GONADOTROPHIN (HCG) (1, 2), lyophilized powder, 1,000 IU ampul/ vial + 1 mL solvent (IM), Inj.
- 1020 HUMAN CHORIONIC GONADOTROPHIN (HCG) (1, 2), lyophilized powder, 1,500 IU ampul + 1 mL solvent (IM), Inj.
- 1021 HUMAN CHORIONIC GONADOTROPHIN (HCG) (1, 2), lyophilized powder, 2,000 IU ampul + 1 mL solvent (IM), Inj.
- 1022 HUMAN CHORIONIC GONADOTROPHIN (HCG) (1, 2), lyophilized powder, 5,000 IU ampul/ vial + 1 mL solvent (IM), Inj.
- 1023 HUMAN CHORIONIC GONADOTROPHIN (HCG) (1, 2), lyophilized powder, 500 IU ampul + 1 mL solvent (IM), Inj.
- 1024 HUMAN GROWTH HORMONE (BIOSYNTHETIC)(1, 2), lyophilized powder, 4 mg vial + 2 mL diluent (SC), Inj.
- 1025 HUMAN GROWTH HORMONE (BIOSYNTHETIC)(1, 2), lyophilized powder, 5 mg vial + 5 mL diluent (IM, SC), Inj.
- 1026 HUMAN MENOPAUSAL GONADOTROPHIN (HMG, MENOTROPIN) (1, 2), freeze-dried powder, 75 IU FSH + 75 IU LH per ampul + 1 mL solvent (IM), Inj.
- 1027 HYDRALAZINE, 10 mg tablet (as hydrochloride), Oral
- 1029 HYDRALAZINE, 20 mg/mL, 1 mL ampul (IM, IV) (as hydrochloride), Inj.
- 1028 HYDRALAZINE, 25 mg tablet (as hydrochloride), Oral
- 1030 HYDRALAZINE, 50 mg tablet (as hydrochloride), Oral
- 1031 HYDROCHLOROTHIAZIDE, 25 mg tablet, Oral
- 1032 HYDROCHLOROTHIAZIDE, 50 mg tablet, Oral
- 1033 HYDROCORTISONE (1), 1%, 10 g tube, Cream or Ointment
- 1047 HYDROCORTISONE (1), 1%, 25 mL bottle, Lotion
- 1050 HYDROCORTISONE (1), 1%, 5 g tube, Cream or Ointment
- 1048 HYDROCORTISONE (1), 1%, 500 g jar, Cream or Ointment
- 1049 HYDROCORTISONE (1), 2.5%, 25 mL bottle, Lotion
- 1051 HYDROCORTISONE, 125 mg/mL, 2 mL vial (IV) (as sodium succinate), Inj.
- 1041 HYDROCORTISONE, 125 mg/mL, 4 mL vial (IV) (as sodium succinate), Inj.
- 1042 HYDROCORTISONE, 50 mg/mL, 2 mL vial (IM, IV) (as sodium succinate), Inj.
- 1043 HYDROCORTISONE, powder, 100 mg vial (IV) (as sodium succinate), Inj.
- 1044 HYDROCORTISONE, powder, 250 mg vial (IV) (as sodium succinate), Inj.

1045 HYDROCORTISONE , powder, 500 mg vial (IV) (as sodium succinate),
 Inj.
 1046 HYDROCORTISONE, 20 mg tablet , Oral
 1039 HYDROCORTISONE, 5 mg tablet , Oral
 1040 HYDROGEN PEROXIDE, 3%, 120 mL bottle, Solution
 1053 HYDROGEN PEROXIDE, 3%, 60 mL bottle, Solution
 1054 HYDROXOCOBALAMIN (VITAMIN B12), 1 mg/mL, 1 mL ampul/vial (IM),
 Inj.
 1056 HYDROXOCOBALAMIN (VITAMIN B12), 100 mcg tablet, Oral
 1060 HYDROXOCOBALAMIN (VITAMIN B12), 250 mcg tablet, Oral
 1059 HYDROXYCHLOROQUINE, 200 mg tablet (as sulfate), Oral
 1062 HYDROXYETHYL STARCH, 10% solution, 250 mL bottle (IV Infusion),
 Inj.
 1063 HYDROXYETHYL STARCH, 10% solution, 500 mL bottle (IV Infusion),
 Inj.
 1064 HYDROXYETHYL STARCH, 6% solution, 250 mL bottle (IV Infusion), Inj.

 1065 HYDROXYETHYL STARCH, 6% solution, 500 mL bottle (IV Infusion), Inj.

 1066 HYDROXYUREA, 500 mg tablet, Oral
 1067 HYDROXYZINE , 10 mg tablet (as dihydrochloride) , Oral
 1069 HYDROXYZINE , 2 mg/mL syrup, 60 mL (as dihydrochloride or as
 hydrochloride), Oral
 1070 HYDROXYZINE , 25 mg tablet (as dihydrochloride), Oral
 1071 HYDROXYZINE , 50 mg/mL, 1 mL vial (IM, IV), Inj.
 1068 HYOSCINE, 10 mg tablet (as N-butyl bromide) , Oral
 1075 HYOSCINE, 20 mg/mL, 1 mL ampul (IM, IV, SC) (as N-butyl bromide) ,
 Inj.
 1072 HYOSCINE, 200 mcg/mL, 1 mL ampul (IM, IV) (as hydrobromide) , Inj.

 1073 HYOSCINE, 5 mg/5 mL syrup, 60 mL (as N-butyl bromide) , Oral
 1076 HYOSCINE, 500 mcg/mL, 1 mL ampul (IM, IV) (as hydrobromide) , Inj.

 1074 IBUPROFEN, 100 mg/5 mL, 60 mL suspension, Oral
 1077 IBUPROFEN, 100 mg/5 mL, 60 mL syrup, Oral
 1078 IBUPROFEN, 200 mg tablet, Oral
 1079 IBUPROFEN, 400 mg tablet, Oral
 1080 IBUPROFEN, 600 mg tablet, Oral
 1081 IBUPROFEN, 800 mg SR tablet, Oral
 1082 IDARUBICIN (1, 2), 10 mg capsule, Oral
 1085 IDARUBICIN (1, 2), powder, 10 mg vial (IV) (as hydrochloride), Inj.
 1083 IDARUBICIN (1, 2), powder, 5 mg vial (IV) (as hydrochloride), Inj.
 1084 IFOSFAMIDE (1, 2), powder, 1 g vial (IV Infusion), Inj.
 1086 IFOSFAMIDE (1, 2), powder, 2 g vial (IV Infusion), Inj.
 1087 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE,
 ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND
 TIOCONAZOLE), 1% - 2%, 3.5 g - 450 g tube, Cream
 1088 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE,
 ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND
 TIOCONAZOLE), 10 mg/mL, 15 mL bottle, Solution

- 1094 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 10 mg/mL, 25 mL bottle, Solution
- 1095 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 10 mL sachet, Shampoo
- 1090 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 10 mL, Lotion
- 1089 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 100 mL bottle, Shampoo
- 1091 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 300 mg ovule, Vaginal
- 1096 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 6 mL sachet, Shampoo
- 1092 IMIDAZOLES, TOPICAL (E.G., CLOTRIMAZOLE, ECONAZOLE, ISOCONAZOLE, KETOCONAZOLE, MICONAZOLE, AND TIOCONAZOLE), 60 mL bottle, Shampoo
- 1093 IMIPENEM +CILASTATIN (3), 500 mg imipenem + 500 mg cilastatin per vial (IV Infusion) (as sodium salt), Inj.
- 1097 IMIPRAMINE, 25 mg tablet (as hydrochloride), Oral
- 1098 IMMUNOGLOBULIN NORMAL, HUMAN (IGIM), 160 mg/mL, 2 mL vial (IM), Inj.
- 1099 IMMUNOGLOBULIN NORMAL, HUMAN (IGIM), 160 mg/mL, 5 mL vial (IM), Inj.
- 1100 IMMUNOGLOBULIN NORMAL, HUMAN (IGIM), 25 mg tablet (as hydrochloride), Inj.
- 1101 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), 50 mg/mL, 10 mL vial (IV), Inj.
- 1102 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), 50 mg/mL, 100 mL vial (IV), Inj.
- 1103 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), 50 mg/mL, 20 mL vial (IV), Inj.
- 1104 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), 50 mg/mL, 200 mL vial (IV), Inj.
- 1105 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), 50 mg/mL, 50 mL vial (IV), Inj.
- 1106 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), freeze-dried powder, 1 g/bottle + 33 mL and 50 mL reconstitution fluid (IV), Inj.
- 1107 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), freeze-dried powder, 10 g/bottle + 260 mL diluent vial (IV), Inj.
- 1108 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), freeze-dried powder, 2.5 g/bottle + 100 mL reconstitution fluid (IV), Inj.
- 1109 IMMUNOGLOBULIN NORMAL, HUMAN (IGIV), freeze-dried powder, 5 g/bottle + 100 mL diluent vial (IV), Inj.
- 1110 INDAPAMIDE, 1.5 mg SR tablet, Oral
- 1111 INDAPAMIDE, 2.5 mg tablet, Oral
- 1112 INDINAVIR, 200 mg capsule (as sulfate), Oral
- 1113 INDINAVIR, 400 mg capsule (as sulfate), Oral

- 1114 INDOMETACIN, 200 mcg/mL, 5 mL ampul (IV) (1), Inj.
- 1115 INDOMETACIN, 25 mg capsule, Oral
- 1116 INFLUENZA POLYVALENT, 0.5 mL suspension in a pre-filled syringe or ampul (IM) (adult), Inj.
- 1117 INFLUENZA POLYVALENT, 0.5 mL vial + pre-filled syringe diluent (IM), Inj.
- 1118 INSULIN ZINC SUSPENSION HUMAN, 100 IU/mL, 10 mL vial (IM, SC) , Inj.
- 1119 INTERFERON ALFA 2A (HUMAN) (1, 2), 18 million IU/multidose vial (IM, SC), Inj.
- 1120 INTERFERON ALFA 2A (HUMAN) (1, 2), 200 IU sublingual tablet, Oral
- 1128 INTERFERON ALFA 2A (HUMAN) (1, 2), 3 million IU per 1 mL vial (SC, IM), Inj.
- 1121 INTERFERON ALFA 2A (HUMAN) (1, 2), 3 million IU, pre-filled syringe (IM, SC), Inj.
- 1122 INTERFERON ALFA 2A (HUMAN) (1, 2), 4.5 million IU per 1 mL vial (SC, IM), Inj.
- 1123 INTERFERON ALFA 2A (HUMAN) (1, 2), 4.5 million IU/0.5 mL pre-filled syringe (SC), Inj.
- 1124 INTERFERON ALFA 2A (HUMAN) (1, 2), 6 million IU/0.5 mL pre-filled syringe (SC), Inj.
- 1125 INTERFERON ALFA 2A (HUMAN) (1, 2), 9 million IU per 1 mL vial (SC, IM), Inj.
- 1126 INTERFERON ALFA 2A (HUMAN) (1, 2), 9 million IU/0.5 mL pre-filled syringe (IM, SC), Inj.
- 1127 INTERFERON ALFA 2B (HUMAN) (1, 2), 10 million per mL vial + diluent (IM, SC), Inj.
- 1129 INTERFERON ALFA 2B (HUMAN) (1, 2), 3 million IU per mL vial + diluent (IM, SC), Inj.
- 1130 INTERFERON ALFA 2B (HUMAN) (1, 2), 5 million IU per mL vial + diluent (IM, SC), Inj.
- 1131 INTRAOCULAR IRRIGATING SOLUTION (BALANCED SALT SOLUTION), 15 mL bottle Composition: Sodium chloride-0.64%, Potassium chloride-0.075%, Calcium chloride- 0.048%, Magnesium chloride hexahydrate- 0.03% ,Sodium acetate-0.39%,Sodium citrate-0.17%,Water for injection to make 100%, Solution
- 1132 INTRAOCULAR IRRIGATING SOLUTION (BALANCED SALT SOLUTION), 250 mL bottle Composition: Sodium chloride-0.64%, Potassium chloride-0.075%, Calcium chloride- 0.048%, Magnesium chloride hexahydrate- 0.03% ,Sodium acetate-0.39%,Sodium citrate-0.17%,Water for injection to make 100%, Solution
- 1133 INTRAOCULAR IRRIGATING SOLUTION (BALANCED SALT SOLUTION), 500 mL bottle Composition: Sodium chloride-0.64%, Potassium chloride-0.075%, Calcium chloride- 0.048%, Magnesium chloride hexahydrate- 0.03% ,Sodium acetate-0.39%,Sodium citrate-0.17%,Water for injection to make 100%, Solution
- 1134 IODAMIDE, (Intravascular and other parenteral routes as appropriate) 495 mg/mL equiv. to 300 mg/mL Iodine, 100 mL vial/bottle (as meglumine) , Inj

- 1136 IODAMIDE, (Intravascular and other parenteral routes as appropriate) 495 mg/mL equiv. to 300 mg/mL Iodine, 30 mL ampul (as meglumine) , Inj
- 1137 IODAMIDE, (Intravascular and other parenteral routes as appropriate) 495 mg/mL equiv. to 300 mg/mL Iodine, 50 mL vial/bottle (as meglumine) , Inj
- 1135 IODAMIDE, 627.9 mg/mL equiv. to 380 mg/mL Iodine, 100 mL vial/bottle (as meglumine), Inj
- 1138 IODAMIDE, 627.9 mg/mL equiv. to 380 mg/mL Iodine, 50 mL vial/bottle (as meglumine), Inj
- 1139 IODINE, 0.01, Tincture
- 1144 IODINE, 0.02, Solution
- 1142 IODINE, 0.02, Tincture
- 1145 IODINE, 0.05, Solution
- 1143 IODINE, 5% iodine, 10 % potassium iodide (total iodine - 130 mg/mL), 30 mL , Oral
- 1140 IODINE, aqueous iodine solution (Lugol's solution) , Oral
- 1141 IODIZED OIL FLUID, 500 mg (equiv. to 200 mg iodine) soft gel capsule (only for DOH Program, Oral
- 1146 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 180 mg Iodine/mL, 50 mL vial, Inj
- 1147 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 240 mg Iodine/mL, 50 mL vial, Inj
- 1148 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 300 mg Iodine/mL, 100 mL vial, Inj
- 1149 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 300 mg Iodine/mL, 50 mL vial, Inj
- 1150 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 350 mg Iodine/mL, 100 mL vial, Inj
- 1151 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 350 mg Iodine/mL, 200 mL vial, Inj
- 1152 IOHEXOL, (Intravascular and other parenteral routes as appropriate) 350 mg Iodine/mL, 50 mL vial, Inj
- 1153 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 408 mg/mL equiv. to 200 mg Iodine, 10 mL ampul, Inj
- 1154 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 612 mg/mL equiv. to 300 mg Iodine, 10 mL ampul, Inj
- 1155 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 612 mg/mL equiv. to 300 mg Iodine, 100 mL vial, Inj
- 1156 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 612 mg/mL equiv. to 300 mg Iodine, 30 mL vial, Inj
- 1157 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 612 mg/mL equiv. to 300 mg Iodine, 50 mL vial, Inj
- 1158 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 755 mg/mL equiv. to 370 mg Iodine, 100 mL vial/bottle, Inj
- 1159 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 755 mg/mL equiv. to 370 mg Iodine, 30 mL ampul, Inj
- 1160 IOPAMIDOL, (Intravascular and other parenteral routes as appropriate) 755 mg/mL equiv. to 370 mg Iodine, 50 mL vial/bottle, Inj
- 1161 IOPROMIDE, 240 mg/mL equiv. to 499 mg Iodine, 50 mL vial, Inj
- 1162 IOPROMIDE, 300 mg/mL equiv. to 623 mg Iodine, 100 mL vial, Inj

- 1163 IOPROMIDE, 300 mg/mL equiv. to 623 mg Iodine, 200 mL vial, Inj
- 1164 IOPROMIDE, 300 mg/mL equiv. to 623 mg Iodine, 30 mL vial, Inj
- 1165 IOPROMIDE, 300 mg/mL equiv. to 623 mg Iodine, 50 mL vial, Inj
- 1166 IOPROMIDE, 300 mg/mL equiv. to 623 mg Iodine, 500 mL vial, Inj
- 1167 IOPROMIDE, 370 mg/mL equiv. to 769 mg Iodine, 100 mL vial, Inj
- 1168 IOPROMIDE, 370 mg/mL equiv. to 769 mg Iodine, 50 mL vial, Inj
- 1169 IOTHALAMATE, 600 mg/mL, 100 mL vial (usually IV) (as meglumine), Inj

- 1170 IOTHALAMATE, 600 mg/mL, 30 mL vial (usually IV) (as meglumine), Inj

- 1171 IOTHALAMATE, 600 mg/mL, 50 mL vial (usually IV) (as meglumine), Inj

- 1172 IOXITHALAMIC ACID, (Intravascular) 19.81 g meglumine ioxithalamate (equiv. to 9 g Iodine) per 30 mL bottle, Inj
- 1173 IOXITHALAMIC ACID, (Intravascular) 33.015 g meglumine ioxithalamate (equiv. to 15 g Iodine) per 50 mL bottle, Inj
- 1174 IOXITHALAMIC ACID, (Intravascular) 66.03 g meglumine ioxithalamate (equiv. to 30 g Iodine) per 100 mL bottle, Inj
- 1175 IOXITHALAMIC ACID, (Intravascular) 9.66 g sodium ioxithalamate + 65.09 g meglumine ioxithalamate (equiv. to 35 g Iodine), 100 mL vial, Inj

- 1176 IOXITHALAMIC ACID, (Intravascular) 9.66 g sodium ioxithalamate + 65.09 g meglumine ioxithalamate (equiv. to 35 g Iodine), 20 mL vial, Inj

- 1177 IOXITHALAMIC ACID, (Intravascular) 9.66 g sodium ioxithalamate + 65.09 g meglumine ioxithalamate (equiv. to 35 g Iodine), 50 mL vial, Inj

- 1178 IPRATROPIUM + FENOTEROL , MDI:20 mcg ipratropium (as bromide + 50 mcg fenoterol (as hydrobromide) x 10 mL doses, Inhalation

- 1183 IPRATROPIUM + FENOTEROL , Resp. Soln.: (for nebulization) 250 mcg ipratropium (as bromide) + 500 mcg fenoterol (as hydrobromide) per mL, 20 mL (multidose), Inhalation
- 1184 IPRATROPIUM + FENOTEROL , Resp. Soln.: (for nebulization) 500 mcg ipratropium (as bromide) + 1.25 mg fenoterol (as hydrobromide) per 4 mL, (unit dose), Inhalation
- 1185 IPRATROPIUM + SALBUTAMOL, MDI:21 mcg ipratropium (as bromide) + 120 mcg salbutamol x 200 doses x 10 mL, Inhalation
- 1186 IPRATROPIUM + SALBUTAMOL, Resp. Soln.: (for nebulization)500 mcg ipratropium (as bromide anhydrous) + 2.5 mg salbutamol (as base) x 2.5 mL (unit dose), Inhalation
- 1187 IPRATROPIUM, MDI: 20 mcg/dose x 200 doses (as bromide), Inhalation

- 1179 IPRATROPIUM, Resp. Soln.: (for nebulization) 250 mcg/mL, 1 mL (unit dose) (as bromide), Inhalation
- 1180 IPRATROPIUM, Resp. Soln.: (for nebulization) 250 mcg/mL, 2 mL (unit dose) (as bromide), Inhalation
- 1181 IPRATROPIUM, Resp. Soln.: (for nebulization) 250 mcg/mL, 20 mL (multidose) (as bromide), Inhalation
- 1182 IRBESARTAN + HYDROCHLOROTHIAZIDE, 150 mg irbesartan + 12.5 mg hydrochlorothiazide tablet, Oral

1191 IRBESARTAN + HYDROCHLOROTHIAZIDE, 300 mg irbesartan + 12.5 mg hydrochlorothiazide tablet, Oral
 1192 IRBESARTAN, 150 mg tablet, Oral
 1188 IRBESARTAN, 300 mg tablet, Oral
 1189 IRBESARTAN, 75 mg tablet, Oral
 1190 IRINOTECAN (1, 2), 100 mg/5 mL concentrate, vial (IV Infusion) (as hydrochloride), Inj.
 1193 IRINOTECAN (1, 2), 40 mg/2 mL concentrate, vial (IV Infusion) (as hydrochloride), Inj.
 1194 IRON DEXTRAN (1), 50 mg/mL, 2 mL ampul (deep IM, IV), Inj
 1195 ISOFLURANE (1), 100 mL bottle, Inhalation
 1196 ISONIAZID + ETHAMBUTOL, 150 mg + 400 mg tablet , Oral
 1204 ISONIAZID + ETHAMBUTOL, 200 mg + 500 mg tablet, Oral
 1205 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE + ETHAMBUTOL, 200 mg + 450 mg + 500 mg + 400 mg tablet (restricted for 60 days use only), Oral
 1220 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE + ETHAMBUTOL, 60 mg + 120 mg + 300 mg + 225 mg tablet, Oral
 1221 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE + ETHAMBUTOL, 75 mg + 150 mg + 400 mg + 275 mg tablet, Oral
 1222 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE, 150 mg + 150 mg + 500 mg tablet, Oral
 1216 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE, 30 mg + 60 mg + 150 mg tablet (pediatric) (For intermittent use three times weekly), Oral
 1217 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE, 300 mg + 450 mg + 500 mg tablet, Oral
 1218 ISONIAZID + RIFAMPICIN (B) + PYRAZINAMIDE, 75 mg + 150 mg + 400 mg tablet, Oral
 1219 ISONIAZID + RIFAMPICIN (B), 100 mg + 150 mg tablet, Oral
 1206 ISONIAZID + RIFAMPICIN (B), 150 mg + 150 mg tablet (For intermittent use three times weekly), Oral
 1207 ISONIAZID + RIFAMPICIN (B), 150 mg + 300 mg tablet, Oral
 1208 ISONIAZID + RIFAMPICIN (B), 200 mg + 225 mg tablet, Oral
 1209 ISONIAZID + RIFAMPICIN (B), 30 mg + 60 mg tablet (pediatric), Oral
 1210 ISONIAZID + RIFAMPICIN (B), 300 mg + 450 mg tablet, Oral
 1211 ISONIAZID + RIFAMPICIN (B), 400 mg + 450 mg tablet, Oral
 1212 ISONIAZID + RIFAMPICIN (B), 60 mg + 60 mg tablet (pediatric) (For intermittent use three times weekly), Oral
 1213 ISONIAZID + RIFAMPICIN (B), 600 mg + 400 mg tablet/film-coated tablet, Oral
 1214 ISONIAZID + RIFAMPICIN (B), 75 mg + 150 mg tablet , Oral
 1215 ISONIAZID + THIACETAZONE, 300 mg + 150 mg tablet, Oral
 1223 ISONIAZID, 100 mg tablet, Oral
 1197 ISONIAZID, 100 mg/5 mL syrup, 120 mL, Oral
 1198 ISONIAZID, 100 mg/5 mL syrup, 60 mL , Oral
 1199 ISONIAZID, 200 mg/5 mL syrup, 120 mL, Oral
 1200 ISONIAZID, 200 mg/5 mL syrup, 60 mL, Oral
 1201 ISONIAZID, 300 mg tablet, Oral
 1202 ISONIAZID, 400 mg tablet, Oral
 1203 ISOPHANE INSULIN HUMAN (RECOMBINANT DNA), 100 IU/mL, 10 mL vial (IM, SC) , Inj.

1224 ISOPHANE INSULIN HUMAN (RECOMBINANT DNA), 100 IU/mL, 3 mL pre-filled syringe (IM, SC) , Inj.

1225 ISOSORBIDE - 5 -MONONITRATE, 10 mg tablet, Oral

1226 ISOSORBIDE - 5 -MONONITRATE, 20 mg tablet, Oral

1227 ISOSORBIDE - 5 -MONONITRATE, 30 mg SR tablet, Oral

1228 ISOSORBIDE - 5 -MONONITRATE, 40 mg tablet, Oral

1229 ISOSORBIDE - 5 -MONONITRATE, 60 mg SR tablet/capsule, Oral

1230 ISOSORBIDE DINITRATE, 1 mg/mL, 10 mL ampul (IV) (1), Inj.

1231 ISOSORBIDE DINITRATE, 10 mg tablet, Oral

1232 ISOSORBIDE DINITRATE, 20 mg SR tablet/capsule, Oral

1233 ISOSORBIDE DINITRATE, 20 mg tablet, Oral

1234 ISOSORBIDE DINITRATE, 40 mg SR tablet/capsule, Oral

1235 ISOSORBIDE DINITRATE, 5 mg tablet, Oral

1236 ISOSORBIDE DINITRATE, 5 mg tablet, Sublingual

1237 ISOXSUPRINE, 10 mg tablet , Oral

1239 ISOXSUPRINE, 40 mg retard capsule (as hydrochloride) , Oral

1240 ISOXSUPRINE, 40 mg tablet , Oral

1241 ISOXSUPRINE, 5 mg/mL, 2 mL ampul (IM, IV Infusion) (as hydrochloride) , Inj.

1238 ITRACONAZOLE, 100 mg capsule, Oral

1242 IVERMECTIN, 6 mg tablet (available under DOH program), Oral

1243 KANAMYCIN, 1 g vial (IM) (as sulfate), Inj.

1244 KETAMINE (1), 50 mg/mL, 10 mL vial (IM, IV) (as hydrochloride), Inj.

1245 KETOCONAZOLE, 200 mg tablet, Oral

1246 KETOPROFEN, 50 mg/mL, 2 mL ampul (IM) lyophilized powder, 100 mg vial + 100 mL diluent (IV Infusion), Inj.

1247 KETOROLAC, 30 mg/mL, 1 mL ampul (IM, IV) (as trometamol) , Inj.

1248 LACTATED RINGER'S SOLUTION (RINGER'S LACTATE), 1 L bottle (IV Infusion), Inj.

1249 LACTATED RINGER'S SOLUTION (RINGER'S LACTATE), 500 mL bottle (IV Infusion), Inj.

1250 LACTULOSE (FOR HEPATIC ENCEPHALOPATHY), 3.3 g/5 mL (66%) syrup, 120 mL , Oral

1251 LACTULOSE (FOR HEPATIC ENCEPHALOPATHY), 3.3 g/5 mL (66%) syrup, 200 mL , Oral

1252 LAGUNDI [VITEX NEGUNDO, L. (FAM. VERBENACEAE)], 300 mg tablet, Oral

1253 LAGUNDI [VITEX NEGUNDO, L. (FAM. VERBENACEAE)], 300 mg/5 mL syrup, 120 mL bottle, Oral

1254 LAGUNDI [VITEX NEGUNDO, L. (FAM. VERBENACEAE)], 300 mg/5 mL syrup, 60 mL bottle, Oral

1255 LAGUNDI [VITEX NEGUNDO, L. (FAM. VERBENACEAE)], 600 mg tablet, Oral

1256 LAMIVUDINE, 100 mg tablet, Oral

1257 LANSOPRAZOLE, 15 mg capsule , Oral

1258 LANSOPRAZOLE, 30 mg capsule , Oral

1259 L-ASPARAGINASE (1), lyophilized powder, 10,000 IU vial (IV), Inj.

1260 LATANOPROST, 50 mcg/mL, 2.5 mL bottle, Eye Drops Solution

1261 LEUPRORELIN (1, 2), 3.75 mg/ 2 mL vial with syringe (IM, SC) (as acetate), Inj.

1265 LEUPRORELIN (1, 2), powder (depot), 11.25 mg vial with syringe (IM, SC) (as acetate), Inj.

- 1266 LEUPRORELIN (1, 2), powder, 1.88 mg vial with syringe (IM, SC) (as acetate), Inj.
- 1267 LEUPRORELIN, powder, 1.88 mg single dose with syringe (IM, SC) (as acetate) , Inj.
- 1262 LEUPRORELIN, powder, 11.25 mg depot solution, vial + syringe (IM, SC) (as acetate) , Inj.
- 1263 LEUPRORELIN, powder, 3.75 mg single dose with syringe (IM, SC) (as acetate) , Inj.
- 1264 LEVODOPA + BENSERAZIDE, 100 mg levodopa + 25 mg benserazide (as hydrochloride) per capsule, Oral
- 1268 LEVODOPA + BENSERAZIDE, 200 mg levodopa + 50 mg benserazide (as hydrochloride) per tablet, Oral
- 1269 LEVODOPA + CARBIDOPA, 100 mg levodopa + 25 mg carbidopa per tablet, Oral
- 1270 LEVODOPA + CARBIDOPA, 250 mg levodopa + 25 mg carbidopa per tablet, Oral
- 1271 LEVOTHYROXINE (B), 100 mcg tablet (as anhydrous sodium) , Oral
- 1272 LEVOTHYROXINE (B), 150 mcg tablet (as anhydrous sodium) , Oral
- 1273 LEVOTHYROXINE (B), 25 mcg tablet (as anhydrous sodium) , Oral
- 1274 LEVOTHYROXINE (B), 50 mcg tablet (as anhydrous sodium) , Oral
- 1275 LIDOCAINE (1, 2), 1 g/250 mL D5W (pre-mixed) (IV)(as hydrochloride), Inj.
- 1301 LIDOCAINE (1, 2), 100 mg/mL, 5 mL ampul (IV Infusion) (as hydrochloride), Inj.
- 1302 LIDOCAINE (1, 2), 20 mg/mL, 5 mL ampul/vial (IM, IV)(as hydrochloride), Inj.
- 1303 LIDOCAINE, 1%, 20 mL ampul (as hydrochloride), Inj
- 1277 LIDOCAINE, 1%, 5 mL ampul (local infiltration) (as hydrochloride), Inj.
- 1284 LIDOCAINE, 1%, 50 mL vial (local infiltration) (as hydrochloride), Inj.
- 1285 LIDOCAINE, 10%, 50 mL (as hydrochloride), Spray
- 1299 LIDOCAINE, 2%, 1.8 mL carpule (with epinephrine) (local infiltration), Inj.
- 1286 LIDOCAINE, 2%, 10 mL vial (epidural, local infiltration) (as hydrochloride), Inj.
- 1287 LIDOCAINE, 2%, 2 mL ampul (as hydrochloride), Inj
- 1279 LIDOCAINE, 2%, 20 mL ampul (as hydrochloride), Inj
- 1280 LIDOCAINE, 2%, 20 mL vial (as hydrochloride), Inj
- 1281 LIDOCAINE, 2%, 30 g (as hydrochloride), Jelly
- 1291 LIDOCAINE, 2%, 5 mL ampul (as hydrochloride), Inj
- 1282 LIDOCAINE, 2%, 5 mL vial (epidural, local infiltration) (as hydrochloride), Inj.
- 1288 LIDOCAINE, 2%, 50 mL vial (epidural, local infiltration) (as hydrochloride), Inj.
- 1289 LIDOCAINE, 4%, 30 mL (topical solution) (as hydrochloride), Solution
- 1296 LIDOCAINE, 4%, 4 mL bottle (as hydrochloride) , Solution
- 1298 LIDOCAINE, 5%, 35 g (as hydrochloride), Ointment
- 1292 LIDOCAINE, 5%, 50 g (as hydrochloride), Ointment
- 1294 LIPIDS, 10%, 100 mL bottle (IV Infusion) , Inj.
- 1304 LIPIDS, 10%, 200 mL bottle (IV Infusion) , Inj.
- 1305 LIPIDS, 10%, 500 mL bottle (IV Infusion) , Inj.

- 1306 LIPIDS, 20%, 100 mL bottle (IV Infusion) Emulsion: Volume:100 - 500 mL, Concentration:10 - 20 %, Protein:50 - 100 g/100 mL, Lipid:10 - 20 g/100 mL, (LCT or combined LCT - MCT), Calories:100 - 200 cal/100 mL, Electrolytes:Variable , Inj.
- 1307 LIPIDS, 20%, 500 mL bottle (IV Infusion) Emulsion: Volume:100 - 500 mL, Concentration:10 - 20 %, Protein:50 - 100 g/100 mL, Lipid:10 - 20 g/100 mL, (LCT or combined LCT - MCT), Calories:100 - 200 cal/100 mL, Electrolytes:Variable , Inj.
- 1308 LITHIUM CARBONATE (1, B), 450 mg CR tablet, Oral
- 1309 LIVE ATTENUATED MEASLES VACCINE, monodose vial + 0.5 mL diluent (SC), Inj.
- 1310 LIVE ATTENUATED MEASLES VACCINE, multidose vial + 5 mL diluent (SC), Inj.
- 1311 LIVE ATTENUATED MEASLES, MUMPS, AND RUBELLA (MMR) VACCINE, monodose vial + 0.5 mL diluent (SC), Inj.
- 1312 LIVE ATTENUATED MEASLES, MUMPS, AND RUBELLA (MMR) VACCINE, multidose vial + 5 mL diluent (SC), Inj.
- 1313 LIVE ATTENUATED MUMPS VACCINE, monodose vial + 0.5 mL diluent (SC), Inj.
- 1314 LIVE ATTENUATED RUBELLA VACCINE, monodose vial + 0.5 mL diluent (SC), Inj.
- 1315 LIVE ATTENUATED RUBELLA VACCINE, multidose vial + 5 mL diluent (SC), Inj.
- 1316 LIVE ATTENUATED TRIVALENT ORAL POLIO VACCINE, 0.5 mL plastic tube and 0.5 mL vial , Oral
- 1317 LIVE ATTENUATED TRIVALENT ORAL POLIO VACCINE, 1 mL vial (10) doses and 2 mL vial (20) doses or plastic tube with vaccine vial monitor (For DOH Mass Immunization Program Only), Oral
- 1318 LIVE ATTENUATED VARICELLA VACCINE, freeze-dried powder, not less than 2,000 PFU (OKA strain varicella zoster virus) monodose vial + diluent (0.5 mL water for injection) ampul (SC only), Inj.
- 1319 LOMUSTINE (1, 2), 300 mg combo-pack capsule, Oral
- 1320 LOPERAMIDE, 2 mg capsule (as hydrochloride) (N.B. not for infants and children) , Oral
- 1321 LORATADINE, 10 mg film-coated tablet, Oral
- 1322 LORATADINE, 10 mg tablet, Oral
- 1323 LORATADINE, 5 mg/5 mL syrup, 30 mL, Oral
- 1324 LORAZEPAM (1, A1), 4 mg/mL, 1 mL ampul (IM, IV), Inj.
- 1326 LORAZEPAM (A1), 1 mg tablet , Oral
- 1327 LORAZEPAM (A1), 2 mg tablet , Oral
- 1328 LOSARTAN + HYDROCHLOROTHIAZIDE, 100 mg losartan + 25 mg hydrochlorothiazide tablet, Oral
- 1331 LOSARTAN + HYDROCHLOROTHIAZIDE, 50 mg losartan + 12.5 mg hydrochlorothiazide tablet, Oral
- 1332 LOSARTAN, 100 mg tablet(as potassium salt), Oral
- 1329 LOSARTAN, 50 mg tablet(as potassium salt), Oral
- 1330 LOW CALCIUM DIALYSATE, Sodium:135 - 145 mEq/L, Potassium:1.5 - 3.0 mEq/L, Calcium:below 2.6 mEq/L, Dextrose:10 - 15 mEq/L, Bicarbonate:30 - 40 mEq/L, Acetate:0, % daily utilization by dialysis unit: 13.5% ,
- 1333 LYNESTRENOL, 500 mcg tablet , Oral

- 1334 MAGNESIUM SULFATE (1), 250 mg/mL, 10 mL ampul (IM, IV) (as heptahydrate) , Inj.
- 1342 MAGNESIUM SULFATE (1), 250 mg/mL, 10 mL vial (IM, IV) (as heptahydrate) , Inj.
- 1341 MAGNESIUM SULFATE (1), 250 mg/mL, 50 mL vial (IM, IV) (as heptahydrate) , Inj.
- 1348 MAGNESIUM SULFATE (1), 500 mg/mL, 10 mL ampul (IM, IV) (as heptahydrate) , Inj.
- 1349 MAGNESIUM SULFATE (1), 500 mg/mL, 10 mL ampul (IV) (as heptahydrate) , Inj.
- 1350 MAGNESIUM SULFATE, 250 mg/mL, 2 mL ampul(IM, IV) (as heptahydrate), Inj.
- 1336 MAGNESIUM SULFATE, 250 mg/mL, 20 mL vial(IM, IV) (as heptahydrate), Inj.
- 1337 MAGNESIUM SULFATE, 250 mg/mL, 50 mL vial(IV) (as heptahydrate), Inj.
- 1338 MAGNESIUM SULFATE, 500 mg/mL, 10 mL ampul(IV) (as heptahydrate), Inj.
- 1339 MAGNESIUM SULFATE, 500 mg/mL, 2 mL ampul(IM, IV) (as heptahydrate), Inj.
- 1340 MANNITOL, 20%, 250 mL bottle (IV), Inj
- 1353 MANNITOL, 20%, 500 mL bottle (IV), Inj
- 1354 MEBENDAZOLE, 100 mg tablet/capsule, Oral
- 1357 MEBENDAZOLE, 100 mg/5 mL suspension, 30 mL , Oral
- 1358 MEBENDAZOLE, 100 mg/5 mL suspension, 60 mL, Oral
- 1359 MEBENDAZOLE, 50 mg/mL suspension, 10 mL, Oral
- 1360 MEBENDAZOLE, 500 mg tablet/chewable tablet , Oral
- 1361 MEBEVERINE, 100 mg tablet (as hydrochloride) , Oral
- 1362 MECLOZINE (MECLIZINE), 12.5 mg chewable tablet (as hydrochloride), Oral
- 1363 MECLOZINE (MECLIZINE), 25 mg tablet (as hydrochloride), Oral
- 1364 MECOBALAMIN, 500 mcg tablet, Oral
- 1367 MECOBALAMIN, 500 mcg/mL, 1 mL ampul (IM, IV), Inj
- 1365 MEDROXY-PROGESTERONE (2), 10 mg tablet (as acetate) , Oral
- 1371 MEDROXY-PROGESTERONE (2), 100 mg tablet (as acetate) , Oral
- 1372 MEDROXY-PROGESTERONE (2), 150 mg/mL, 1 mL vial (IM) (as acetate) , Inj.
- 1369 MEDROXY-PROGESTERONE (2), 2.5 mg tablet (as acetate) , Oral
- 1373 MEDROXY-PROGESTERONE (2), 250 mg tablet (as acetate) , Oral
- 1374 MEDROXY-PROGESTERONE (2), 400 mg tablet (as acetate) , Oral
- 1375 MEDROXY-PROGESTERONE (2), 5 mg tablet (as acetate) , Oral
- 1376 MEDROXY-PROGESTERONE (2), 50 mg/mL, 3 mL vial + syringe (IM) (as acetate) (N.B. Use one (1) inch long needle), Inj.
- 1370 MEDROXY-PROGESTERONE (2), 500 mg tablet (as acetate) , Oral
- 1377 MEFENAMIC ACID, 250 mg tablet/capsule, Oral
- 1378 MEFENAMIC ACID, 500 mg tablet/capsule, Oral
- 1379 MEGESTROL (1, 2), 160 mg tablet (as acetate), Oral
- 1380 MEGESTROL (1, 2), 40 mg tablet (as acetate), Oral
- 1381 MELPHALAN (1, 2), 2 mg tablet, Oral
- 1382 MERCAPTOPYRINE (1), 50 mg tablet, Oral
- 1383 MEROPENEM (3), 1 g vial (IV), Inj.
- 1384 MEROPENEM (3), 500 mg vial (IV), Inj.

1385 MESALAZINE (1), 1 g suppository , Rectal
 1390 MESALAZINE (1), 250 mg enteric coated tablet , Oral
 1386 MESALAZINE (1), 250 mg suppository , Rectal
 1391 MESALAZINE (1), 250 mg tablet , Oral
 1387 MESALAZINE (1), 500 mg enteric coated tablet , Oral
 1388 MESALAZINE (1), 500 mg enteric slow release tablet, Oral
 1389 MESNA(SODIUM -2- MERCAPTO ETHANESULPHONATE) (1, 2), 100 mg/mL, 10 mL ampul (IV), Inj.
 1392 MESNA(SODIUM -2- MERCAPTO ETHANESULPHONATE) (1, 2), 100 mg/mL, 4 mL ampul (IV), Inj.
 1393 MESNA(SODIUM -2- MERCAPTO ETHANESULPHONATE) (1, 2), 100 mg/mL, 5 mL ampul (IV), Inj.
 1394 METFORMIN (B), 1 g tablet (as hydrochloride) , Oral
 1395 METFORMIN (B), 500 mg tablet/film coated tablet (as hydrochloride) , Oral
 1396 METFORMIN (B), 850 mg tablet (as hydrochloride) , Oral
 1397 METHOTREXATE (1), 10 mg tablet (as base) (B), Oral
 1421 METHOTREXATE (1), 10 mg/mL, 1 mL vial (as base), Inj.
 1413 METHOTREXATE (1), 10 mg/mL, 5 mL vial (as base), Inj.
 1414 METHOTREXATE (1), 100 mg/mL, 10 mL vial (as base), Inj.
 1415 METHOTREXATE (1), 100 mg/mL, 50 mL vial (as base), Inj.
 1416 METHOTREXATE (1), 2.5 mg tablet (as base) (B), Oral
 1422 METHOTREXATE (1), 2.5 mg/mL, 2 mL ampul/vial (IM, IV, Intrathecal) (as base), Inj.
 1417 METHOTREXATE (1), 25 mg/mL, 2 mL ampul/ vial (IM, IV, Intrathecal) (as base), Inj.
 1418 METHOTREXATE (1), 5 mg tablet (as base) (B), Oral
 1423 METHOTREXATE (1), 5 mg/mL, 3 mL vial (IM, IV) (as sodium salt), Inj.

 1419 METHOTREXATE (1), 50 mg/mL, 1 mL vial (as base), Inj.
 1420 METHOTREXATE, 10 mg tablet (as sodium salt) (B), Oral
 1410 METHOTREXATE, 10 mg/mL, 1 mL vial (IM) (as sodium salt), Inj.
 1398 METHOTREXATE, 10 mg/mL, 5 mL vial (IM) (as sodium salt), Inj.
 1399 METHOTREXATE, 100 mg/mL, 10 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1400 METHOTREXATE, 100 mg/mL, 5 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1401 METHOTREXATE, 100 mg/mL, 50 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1402 METHOTREXATE, 2.5 mg tablet (as sodium salt) (B), Oral
 1411 METHOTREXATE, 2.5 mg/mL, 2 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1403 METHOTREXATE, 2.5 mg/mL, 8 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1404 METHOTREXATE, 25 mg/mL, 2 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1405 METHOTREXATE, 25 mg/mL, 20 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1406 METHOTREXATE, 25 mg/mL, 4 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1407 METHOTREXATE, 25 mg/mL, 8 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.

1408 METHOTREXATE, 5 mg tablet (as sodium salt) (B), Oral
 1412 METHOTREXATE, 5 mg/mL, 2 mL vial (IM, IV, Intrathecal) (as sodium salt, preservative-free), Inj.
 1409 METHYLDOPA, 125 mg tablet, Oral
 1424 METHYLDOPA, 250 mg tablet, Oral
 1425 METHYLENE BLUE, 1% solution 55 mg tablet, Oral
 1428 METHYLENE BLUE, 1% solution 65 mg tablet, Oral
 1429 METHYLENE BLUE, 10 mg/mL, 1 mL ampul/vial, Inj.
 1426 METHYLENE BLUE, 10 mg/mL, 10 mL ampul/vial, Inj.
 1427 METHYLERGOMETRINE (METHYLERGONOVINE), 125 mcg tablet (as hydrogen maleate or maleate) , Oral
 1431 METHYLERGOMETRINE (METHYLERGONOVINE), 200 mcg/mL, 1 mL ampul (IM, IV) (as hydrogen maleate or maleate) , Inj.
 1430 METHYLPHENIDATE, 10 mg tablet, Oral
 1432 METHYLPHENIDATE, 18 mg ER tablet, Oral
 1433 METHYLPHENIDATE, 36 mg ER tablet, Oral
 1434 METHYLPREDNISOLONE, 16 mg tablet, Oral
 1448 METHYLPREDNISOLONE, 4 mg tablet, Oral
 1449 METHYLPREDNISOLONE, 40 mg/mL, 1 mL suspension vial (IM) (as acetate), Inj.
 1436 METHYLPREDNISOLONE, lyophilized powder, 1 g vial (IM, IV) (as sodium succinate), Inj.
 1437 METHYLPREDNISOLONE, lyophilized powder, 500 mg vial (IM, IV) (as sodium succinate), Inj.
 1438 METHYLPREDNISOLONE, lyophilized powder, 125 mg vial (IM, IV) (as sodium succinate), Inj.
 1439 METHYLPREDNISOLONE, powder, 1 g/16 mL vial + diluent vial (IM, IV, IV Infusion) (as sodium succinate), Inj.
 1441 METHYLPREDNISOLONE, powder, 125 mg/mL, 2 mL vial + diluent vial (IM, IV, IV Infusion) (as sodium succinate), Inj.
 1442 METHYLPREDNISOLONE, powder, 500 mg, 7.7 mL vial (IV) + diluent vial (IM, IV, IV Infusion) (as sodium succinate), Inj.
 1443 METHYLPREDNISOLONE, powder, 500 mg/8.0 mL vial + diluent vial (IM, IV, Infusion) (as sodium succinate) , Inj.
 1444 METHYLPREDNISOLONE, powder, 62.5 mg/mL, 2 mL vial + diluent vial (IM, IV, IV Infusion) (as sodium succinate) , Inj.
 1445 METHYLPREDNISOLONE, powder, 62.5 mg/mL, 4 mL vial (as sodium succinate) , Inj.
 1446 METOCLOPRAMIDE, 10 mg tablet (as hydrochloride) , Oral
 1453 METOCLOPRAMIDE, 5 mg/5 mL syrup, 60 mL (as base and as hydrochloride), Oral
 1454 METOCLOPRAMIDE, 5 mg/mL, 2 mL ampul (IM, IV) (as base and as hydrochloride) , Inj.
 1451 METOCLOPRAMIDE, 5 mg/mL, 3 mL ampul (IM, IV) (as base and as hydrochloride) , Inj.
 1452 METOPROLOL (B) (CARDIOSELECTIVE/NO ISA), 10 mg tablet(as tartrate), Oral
 1455 METOPROLOL (B) (CARDIOSELECTIVE/NO ISA), 100 mg tablet (as succinate), Oral
 1456 METOPROLOL (B) (CARDIOSELECTIVE/NO ISA), 100 mg tablet (as tartrate), Oral

1457 METOPROLOL (B) (CARDIOSELECTIVE/NO ISA), 50 mg tablet(as tartrate), Oral

1458 METRONIDAZOLE, 1 g suppository, Rectal

1466 METRONIDAZOLE, 125 mg base/5 mL (200 mg/5 mL as benzoate) suspension, 30 mL, Oral

1460 METRONIDAZOLE, 125 mg base/5 mL (200 mg/5 mL as benzoate) suspension, 60 mL, Oral

1461 METRONIDAZOLE, 250 mg base tablet, Oral

1462 METRONIDAZOLE, 250 mg tablet, Oral

1463 METRONIDAZOLE, 5 mg/mL, 100 mL vial (IV Infusion), Inj.

1459 METRONIDAZOLE, 500 mg base tablet, Oral

1464 METRONIDAZOLE, 500 mg tablet, Oral

1465 MIDAZOLAM (A1), 1 mg/mL, 5 mL ampul/vial (IM, IV), Inj.

1467 MIDAZOLAM (A1), 15 mg tablet , Oral

1470 MIDAZOLAM (A1), 5 mg/mL, 1 mL ampul (IM, IV), Inj.

1468 MIDAZOLAM (A1), 5 mg/mL, 3 mL ampul (IM, IV), Inj.

1469 MINOCYCLINE, 100 mg capsule, Oral

1471 MINOCYCLINE, 50 mg capsule, Oral

1472 MITOMYCIN (1, 2), 1 mg tablet, Oral

1475 MITOMYCIN (1, 2), powder, 10 mg vial (IV), Inj.

1473 MITOMYCIN (1, 2), powder, 2 mg vial (IV), Inj.

1474 MITOXANTRONE (1, 2), 10 mg vial (IV) (as hydrochloride), Inj.

1476 MITOXANTRONE (1, 2), 2 mg/mL solution, 10 mL vial (IV) (as hydrochloride), Inj.

1477 MITOXANTRONE (1, 2), 2 mg/mL solution, 5 mL vial (IV) (as hydrochloride), Inj.

1478 MITOXANTRONE (1, 2), 20 mg vial (IV) (as hydrochloride), Inj.

1479 MIVACURIUM (1), 2 mg/mL, 5 mL ampul (IV) (as chloride), Inj.

1480 MODIFIED FLUID GELATIN (POLYMERISATE OF DEGRADED SUCCINYLATED GELATIN), 3% solution, 500 mL bottle (IV Infusion), Inj.

1481 MODIFIED FLUID GELATIN (POLYMERISATE OF DEGRADED SUCCINYLATED GELATIN), 4% solution, 500 mL bottle (IV Infusion), Inj.

1482 MOLGRAMOSTIM (GM-CSF)(1, 2), 150 mcg vial (IV, SC), Inj.

1483 MOLGRAMOSTIM (GM-CSF)(1, 2), 400 mcg vial (IV, SC), Inj.

1484 MONTELUKAST (1), 10 mg tablet (as sodium), Oral

1485 MONTELUKAST (1), 4 mg chewable tablet (as sodium), Oral

1486 MONTELUKAST (1), 4 mg granules (as sodium), sachet, Oral

1487 MONTELUKAST (1), 5 mg chewable tablet (as sodium), Oral

1488 MORPHINE (A1), 10 mg CR tablet (as sulfite), Oral

1493 MORPHINE (A1), 10 mg tablet (as sulfite), Oral

1494 MORPHINE (A1), 10 mg/mL, 1 mL ampul (IM, IV, SC) (as sulfite), Inj.

1489 MORPHINE (A1), 100 mg CR tablet (as sulfite), Oral

1495 MORPHINE (A1), 15 mg/mL, 1 mL ampul (IM, IV, SC) (as sulfite), Inj.

1490 MORPHINE (A1), 20 mg tablet (as sulfite), Oral

1496 MORPHINE (A1), 30 mg CR tablet (as sulfite), Oral

1497 MORPHINE (A1), 30 mg tablet (as sulfite), Oral

1498 MORPHINE (A1), 60 mg CR tablet (as sulfite), Oral

1499 MUPIROCIN, 2%, 15 g tube, Cream

1500 MUPIROCIN, 2%, 15 g tube, Ointment
 1502 MUPIROCIN, 2%, 5 g sachet, Cream
 1501 MUPIROCIN, 2%, 5 g tube, Ointment
 1503 MYCOPHENOLATE MOFETIL (1, 2), 500 mg tablet, Oral
 1504 N-ACETYL PENICILLAMINE (1), crystals, 25 g/bottle, Oral
 1505 NALBUPHINE (A1), 10 mg/mL, 1 mL ampul (IM, IV, SC) (as hydrochloride), Inj.
 1506 NALBUPHINE (A1), 20 mg/mL, 10 mL vial (IM, IV, SC) (as hydrochloride), Inj.
 1507 NALIDIXIC ACID, 250 mg/5 mL suspension, 60 mL, Oral
 1508 NALIDIXIC ACID, 500 mg tablet, Oral
 1509 NALOXONE, 20 mcg/mL, 2 mL ampul (IM, IV, SC) (as hydrochloride), Inj.

 1510 NALOXONE, 400 mcg/mL, 1 mL ampul (IM, IV, SC) (as hydrochloride), Inj.
 1511 NALTREXONE, 50 mg tablet (as hydrochloride), Oral
 1512 NAPROXEN, 250 mg base (275 mg) tablet (as sodium salt), Oral
 1513 NAPROXEN, 500 mg base (550 mg) tablet (as sodium salt), Oral
 1514 NAPROXEN, 500 mg CR tablet (as sodium salt), Oral
 1515 NELFINAVIR, 250 mg film coated tablet (as mesilate), Oral
 1516 NELFINAVIR, 250 mg tablet (as mesilate), Oral
 1517 NELFINAVIR, 50 mg/scoop (1 g) powder, 144 g bottle to be mixed with water, milk or food (as mesilate), Oral
 1518 NEOMYCIN + POLYMYXIN B + FLUOCINOLONE ACETONIDE, 3.5 mg neomycin (as sulfate) + 10,000 U polymyxin B (as sulfate) + 0.025% fluocinolone acetonide/mL, 5 mL bottle, Ear Drops Solution
 1519 NEOSTIGMINE, 15 mg tablet (as bromide), Oral
 1521 NEOSTIGMINE, 500 mcg/mL, 1 mL ampul (IM, IV, SC) (as methyl sulfate), Inj.
 1520 NETILMICIN, 100 mg/mL, 1.5 mL ampul/vial (IM, IV) (as sulfate), Inj.
 1522 NETILMICIN, 100 mg/mL, 2 mL ampul/vial (IM, IV) (as sulfate), Inj.
 1523 NETILMICIN, 25 mg/mL, 2 mL ampul (IM, IV) (as sulfate), Inj.
 1524 NETILMICIN, 50 mg/mL, 2 mL vial (IM, IV) (as sulfate), Inj.
 1525 NETILMICIN, 75 mg/mL, 2 mL ampul (IM, IV) (as sulfate), Inj.
 1526 NEVIRAPINE, 200 mg tablet, Oral
 1527 NEVIRAPINE, 50 mg/5 mL suspension, 240 mL, Oral
 1528 NICARDIPINE, 1 mg/mL, 10 mL ampul (IV)(as hydrochloride) (1), Inj.
 1529 NICARDIPINE, 1 mg/mL, 2 mL ampul (IV)(as hydrochloride) (1), Inj.
 1530 NICARDIPINE, 10 mg tablet(as hydrochloride), Oral
 1531 NICARDIPINE, 20 mg tablet(as hydrochloride), Oral
 1532 NICARDIPINE, 40 mg SR capsule (as hydrochloride), Oral
 1533 NICOTINAMIDE (VITAMIN B3), 100 mg tablet, Oral
 1534 NICOTINAMIDE (VITAMIN B3), 50 mg tablet, Oral
 1535 NIFEDIPINE (B), 10 mg capsule , Oral
 1536 NIFEDIPINE (B), 20 mg SR tablet , Oral
 1537 NIFEDIPINE (B), 30 mg SR tablet , Oral
 1538 NIFEDIPINE (B), 5 mg capsule , Oral
 1539 NIMODIPINE, 10 mg solution, 50 mL vial for IV Infusion (1, 2), Inj.
 1540 NIMODIPINE, 200 mcg/mL, 50 mL vial (IV Infusion), Inj.
 1541 NIMODIPINE, 30 mg tablet , Oral
 1542 NITROFURANTOIN, 100 mg capsule (as macrocrystals), Oral
 1543 NITROFURANTOIN, 50 mg capsule (as macrocrystals), Oral

- 1544 NITROUS OXIDE (1), Anesthetic gas, Inhalation
- 1545 NIZATIDINE, 150 mg capsule , Oral
- 1547 NIZATIDINE, 25 mg/mL, 4 mL ampul (IV only) , Inj.
- 1546 NIZATIDINE, 300 mg capsule , Oral
- 1548 NOREPINEPHRINE (1), 1 mg/mL, 2 mL ampul (IV Infusion)(as bitartrate), Inj.
- 1549 NORETHISTERONE (2), 200 mg/mL, 1 mL ampul (IM) (as enanthate) , Inj.
- 1550 NORETHISTERONE (2), 5 mg tablet (as acetate and as base), Oral
- 1551 NORFLOXACIN, 200 mg tablet, Oral
- 1552 NORFLOXACIN, 400 mg tablet, Oral
- 1553 NYSTATIN, 100,000 units tablet, Vaginal
- 1558 NYSTATIN, 100,000 units/mL suspension, 30 mL bottle, Oral
- 1554 NYSTATIN, 500,000 units tablet , Oral
- 1555 OCTREOTIDE (1, 2), 100 mcg/mL 1 mL ampul (IV Infusion, SC) (as acetate) , Inj.
- 1559 OCTREOTIDE (1, 2), 500 mcg/mL, 1 mL ampul (IV Infusion, SC) (as acetate) , Inj.
- 1560 OFLOXACIN, 0.3%, 3.5 g tube , Eye Ointment
- 1563 OFLOXACIN, 0.3%, 5 mL bottle, Ear Drops Solution
- 1561 OFLOXACIN, 0.3%, 5 mL bottle, Eye Drops Solution
- 1562 OFLOXACIN, 2 mg/mL, 100 mL vial (IV Infusion), Inj.
- 1564 OFLOXACIN, 200 mg tablet, Oral
- 1565 OFLOXACIN, 400 mg tablet, Oral
- 1566 OLANZAPINE (1, 2), 10 mg tablet, Oral
- 1568 OLANZAPINE (1, 2), 5 mg tablet, Oral
- 1567 OMEPRAZOLE, 10 mg capsule , Oral
- 1570 OMEPRAZOLE, 20 mg capsule , Oral
- 1571 OMEPRAZOLE, 40 mg capsule , Oral
- 1572 OMEPRAZOLE, powder, 40 mg vial + 10 mL solvent ampul (IV) , Inj.
- 1569 ONDANSETRON (FOR ANTINEOPLASTIC-INDUCED EMESIS), 2 mg/mL, 2 mL ampul (IM, IV) (as hydrochloride) , Inj.
- 1573 ONDANSETRON (FOR ANTINEOPLASTIC-INDUCED EMESIS), 2 mg/mL, 4 mL ampul (IM, IV) (as hydrochloride) , Inj.
- 1574 ONDANSETRON (FOR ANTINEOPLASTIC-INDUCED EMESIS), 8 mg tablet (as hydrochloride dihydrate) , Oral
- 1575 ORAL MAINTENANCE SALTS (OMS), Equivalent in mmol/L: Sodium-45 - 50, Chloride-40 - 50, Potassium-20, Glucose-100 - 110, Base: as citrate - 10, or+C150 as bicarbonate-20 - 30, Total osmolarity-235 - 240 , Oral
- 1579 ORAL REHYDRATION SALTS (ORS 75-REPLACEMENT), Composition of reduced osmolarity ORS per liter of water WHO recommended): Sodium chloride-2.6 g, Trisodium citrate dihydrate-2.9 g, Potassium chloride-1.5 g, Glucose anhydrous-13.5 g, Total Weight-20.5 g, Reduced osmolarity ORS Equivalent in mmol/L: Sodium-75, Chloride-65, Potassium-20, Citrate-10, Glucose anhydrous-75, Total osmolarity-245 , Oral

- 1580 ORAL REHYDRATION SALTS (ORS 90-REPLACEMENT), Composition per liter of water (WHO recommended): Sodium chloride-3.5 g, Trisodium citrate dihydrate-2.9 g (or 2.5 g sodium bicarbonate), Potassium chloride-1.5 g, Sucrose-40 g (or 20 g glucose [anhydrous]), Equivalent in mmol/L: Sodium-90, Chloride-80, Potassium-20, Citrate-10 (or 30 mmol bicarbonate), Glucose-111, Total osmolarity-311 , Oral
- 1581 OSELTAMIVIR, 75 mg capsule (as phosphate), Oral
- 1582 OXACILLIN, 250 mg vial (IM, IV) (as sodium salt), Inj.
- 1583 OXACILLIN, 500 mg vial (IM, IV) (as sodium salt), Inj.
- 1584 OXANTEL + PYRANTEL, 100 mg oxantel + 100 mg pyrantel (as embonate) per 5 mL suspension, 10 mL, Oral
- 1585 OXANTEL + PYRANTEL, 100 mg oxantel + 100 mg pyrantel (as embonate) per tablet , Oral
- 1586 OXYCODONE (A1), 10 mg tablet (as hydrochloride), Oral
- 1587 OXYCODONE (A1), 20 mg tablet (as hydrochloride), Oral
- 1588 OXYCODONE (A1), 40 mg tablet (as hydrochloride), Oral
- 1589 OXYCODONE (A1), 80 mg tablet (as hydrochloride), Oral
- 1590 OXYGEN, (medicinal gas), Inhalation
- 1591 OXYMETAZOLINE, 0.025%, 15 mL bottle (as hydrochloride), Nasal Drops Solution
- 1592 OXYMETAZOLINE, 0.05%, 10 mL bottle (as hydrochloride), Nasal Spray
- 1593 OXYMETAZOLINE, 0.05%, 15 mL bottle (as hydrochloride), Nasal Spray
- 1594 OXYTETRACYCLINE, 0.5%, 3.5 g tube (as hydrochloride), Eye Ointment
- 1595 OXYTOCIN (SYNTHETIC) (2), 10 IU/mL, 1 mL ampul (IM, IV) , Inj.
- 1596 OXYTOCIN (SYNTHETIC) (2), 5 IU/mL, 1 mL ampul (IM, IV) , Inj.
- 1598 PACLITAXEL (1, 2) , 100 mg/15 mL, 15 mL multidose vial (IV), Inj.
- 1600 PACLITAXEL (1, 2) , 6 mg/mL, 17 mL vial (IV, IV Infusion), Inj.
- 1602 PACLITAXEL (1, 2) , 6 mg/mL, 25 mL vial (IV, IV Infusion), Inj.
- 1601 PACLITAXEL (1, 2) , 6 mg/mL, 43.4 mL vial (IV, IV Infusion), Inj.
- 1603 PACLITAXEL (1, 2) , 6 mg/mL, 5 mL vial (IV, IV Infusion), Inj.
- 1604 PACLITAXEL (1, 2) , powder, 100 mg vial (IV), Inj.
- 1605 PACLITAXEL (1, 2) , powder, 260 mg vial (IV), Inj.
- 1606 PANCURONIUM (1), 2 mg/mL, 2 mL ampul (IM, IV) (as bromide), Inj.
- 1607 PARACETAMOL (ACETAMINOPHEN), 300 mg (325 mg) tablet, Oral
- 1617 PARACETAMOL (ACETAMINOPHEN), 500 mg tablet, Oral
- 1618 PARACETAMOL, 100 mg/mL drops, 15 mL (alcohol-free), Oral
- 1608 PARACETAMOL, 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 120 mL (alcohol-free), Oral
- 1609 PARACETAMOL, 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 30 mL (alcohol-free), Oral
- 1610 PARACETAMOL, 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 60 mL (alcohol-free), Oral
- 1611 PARACETAMOL, 125 mg suppository, Rectal
- 1615 PARACETAMOL, 250 mg suppository, Rectal
- 1616 PARACETAMOL, 250 mg/5 mL syrup/suspension, 120 mL (alcohol-free), Oral
- 1612 PARACETAMOL, 250 mg/5 mL syrup/suspension, 30 mL (alcohol-free), Oral

1613 PARACETAMOL, 250 mg/5 mL syrup/suspension, 60 mL (alcohol-free),
Oral

1614 PENICILLIN G BENZATHINE (BENZATHINE BENZYL PENICILLIN),
1,200,000 units vial (LA) (IM), Inj.

1619 PENICILLIN G BENZATHINE (BENZATHINE BENZYL PENICILLIN),
2,400,000 units vial (LA) (IM), Inj.

1620 PENICILLIN G CRYSTALLINE (BENZYL PENICILLIN), 1,000,000 units
vial (IM, IV) (as sodium salt), Inj.

1622 PENICILLIN G CRYSTALLINE (BENZYL PENICILLIN), 100,000 units vial
(IM, IV) (as sodium salt), Inj.

1623 PENICILLIN G CRYSTALLINE (BENZYL PENICILLIN), 200,000 units vial
(IM, IV) (as sodium salt), Inj.

1624 PENICILLIN G CRYSTALLINE (BENZYL PENICILLIN), 5,000,000 units
vial (IM, IV) (as sodium salt), Inj.

1626 PENICILLIN G CRYSTALLINE (BENZYL PENICILLIN), 500,000 units vial
(IM, IV) (as sodium salt), Inj.

1627 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 1.5%,
dextrose, 1 L bottle ,

1628 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 1.5%,
dextrose, 1.5 L bottle ,

1629 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 1.5%,
dextrose, 2 L bottle ,

1630 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 2.5%
dextrose, 1 L bottle ,

1631 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 2.5%
dextrose, 1.5 L bottle ,

1632 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 2.5%
dextrose, 2 L bottle ,

1633 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 4.25%
dextrose, 1 L bottle ,

1634 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 4.25%
dextrose, 1.5 L bottle ,

1635 PERITONEAL DIALYSIS SOLUTION, Solution: Sterile with 4.25%
dextrose, 2 L bottle ,

1636 PERMETHRIN, 1%, 125 mL bottle , Lotion

1637 PERMETHRIN, 1%, 30 mL bottle, Shampoo (Creme Rinse)

1640 PERMETHRIN, 1%, 60 mL bottle, Shampoo (Creme Rinse)

1641 PERMETHRIN, 5%, 30 mL bottle, Lotion

1638 PERMETHRIN, 5%, 60 mL bottle, Lotion

1639 PETHIDINE (A1) (MEPERIDINE), 50 mg/mL, 2 mL ampul (IM, IV, SC)
(as hydrochloride), Inj.

1642 PETHIDINE (A1) (MEPERIDINE), 50 mg/mL, 30 mL vial (IM, IV, SC) (as
hydrochloride), Inj.

1643 PETROLATUM / PETROLEUM, USP grade, 100 g jar, Jelly

1644 PETROLATUM / PETROLEUM, USP grade, 200 g jar, Jelly

1645 PETROLATUM / PETROLEUM, USP grade, 25 g jar, Jelly

1646 PHENOBARBITAL (A1), 120 mg/mL (130 mg/mL), 2 mL ampul (IM, IV)
(as sodium salt), Inj.

1647 PHENOBARBITAL (A1), 15 mg tablet, Oral

1648 PHENOBARBITAL (A1), 30 mg tablet, Oral

1649 PHENOBARBITAL (A1), 60 mg tablet, Oral

1650 PHENOBARBITAL (A1), 90 mg tablet, Oral

- 1651 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 125 mg/5 mL granules/powder for syrup/suspension, 30 mL (as potassium salt), Oral
- 1652 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 125 mg/5 mL granules/powder for syrup/suspension, 60 mL (as potassium salt), Oral
- 1653 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 250 mg tablet/capsule (as potassium salt), Oral
- 1654 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 250 mg/5 mL granules/powder for syrup/suspension, 60 mL (as potassium salt), Oral
- 1655 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 50,000 units/mL granules/powder for drops (syrup/suspension) 15 mL (as potassium salt), Oral
- 1656 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 50,000 units/mL granules/powder for drops (syrup/suspension) 30 mL (as potassium salt), Oral
- 1657 PHENOXYMETHYLPENICILLIN (PENICILLIN V), 500 mg tablet/capsule (as potassium salt), Oral
- 1658 PHENYLEPHRINE, 2.5%, 5 mL bottle (as hydrochloride), Eye Drops Solution
- 1659 PHENYLPROPANOLAMINE (NOREPHEDRINE) (A2), 12.5 mg/5 mL syrup, 120 mL (as hydrochloride), Oral
- 1660 PHENYLPROPANOLAMINE (NOREPHEDRINE) (A2), 12.5 mg/5 mL syrup, 60 mL (as hydrochloride), Oral
- 1661 PHENYLPROPANOLAMINE (NOREPHEDRINE) (A2), 6.25 mg/mL drops (solution), 10 mL (as hydrochloride), Oral
- 1662 PHENYTOIN (B), 100 mg capsule (as sodium salt), Oral
- 1664 PHENYTOIN (B), 30 mg capsule (as sodium salt), Oral
- 1665 PHENYTOIN (B), 30 mg/5 mL suspension, 120 mL (as sodium salt), Oral
- 1666 PHENYTOIN (B), 50 mg/mL, 2 mL ampul (IV) (as sodium salt) (1), Inj.
- 1663 PHYSOSTIGMINE, 1 mg/mL, 2 mL ampul (IM, IV) (as salicylate), Inj.
- 1667 PHYTOMENADIONE (PHYTONADIONE, VITAMIN K1), 10 mg/mL, 1 mL ampul (IM, IV, SC) (as aqueous colloidal solution with benzyl alcohol), Inj
- 1670 PHYTOMENADIONE (PHYTONADIONE, VITAMIN K1), 10 mg/mL, 1 mL ampul (IM, IV, SC) (as mixed micelle), Inj
- 1671 PHYTOMENADIONE (PHYTONADIONE, VITAMIN K1), 2 mg/0.2 mL pediatric ampul (IM, IV, PO) (as mixed micelle), Oral/Inj
- 1673 PILOCARPINE, 1%, 10 mL bottle (as hydrochloride), Eye Drops Solution
- 1674 PILOCARPINE, 1%, 15 mL bottle (as hydrochloride), Eye Drops Solution
- 1675 PILOCARPINE, 2%, 10 mL bottle (as hydrochloride), Eye Drops Solution
- 1676 PILOCARPINE, 2%, 15 mL bottle (as hydrochloride), Eye Drops Solution
- 1677 PILOCARPINE, 4%, 10 mL bottle (as hydrochloride), Eye Drops Solution

1678 PILOCARPINE, 4%, 15 mL bottle (as hydrochloride), Eye Drops Solution

1679 PILOCARPINE, 4%, 5 g tube (as hydrochloride), Eye Gel

1680 PIPERACILLIN + TAZOBACTAM (3), 2 g piperacillin + 250 mg tazobactam per vial (as sodium salt) (IM, IV Infusion), Inj.

1681 PIPERACILLIN + TAZOBACTAM (3), 4 g piperacillin + 500 mg tazobactam per vial (as sodium salt) (IM, IV Infusion), Inj.

1682 PIRIBEDIL, 50 mg retard tablet , Oral

1683 PNEUMOCOCCAL VACCINE POLYVALENT, 25 mcg/0.5 mL (polysaccharide from each capsular type) in 0.5 mL pre-filled syringe (IM, SC), Inj.

1684 POLYGELINE, 3.5% colloidal solution, 500 mL bottle (IV Infusion), Inj.

1685 POLYMYXIN B + ACETIC ACID, 10,000 units polymyxin B (as sulfate) + 1% acetic acid (glacial)/mL, 10 mL bottle (for otitis externa), Ear Drops Solution

1686 POTASSIUM CHLORIDE, 2 mEq/mL, 10 mL vial (IV Infusion) , Inj.

1690 POTASSIUM CHLORIDE, 2 mEq/mL, 2 mL ampul (IV Infusion) , Inj.

1691 POTASSIUM CHLORIDE, 2 mEq/mL, 20 mL vial (IV Infusion) , Inj.

1692 POTASSIUM CHLORIDE, 2 mEq/mL, 5 mL ampul (IV Infusion) , Inj.

1693 POTASSIUM PERMANGANATE, for solution to 1:1,000 - 1:20,000 for wounds and ulcers; 1:4,000 for mouth-wash and gargle. Must be freshly prepared., Crystals

1694 POTASSIUM PHOSPHATES, 224 mg monobasic potassium phosphate equiv. to 3 mmol phosphorus and 4.4 mEq K/236 mg dibasic-potassium phosphate anhydrous per mL in 5 mL vial (IV) , Inj.

1695 POTASSIUM, 1 mmol/mL syrup, 30 mL (as chloride) , Oral

1687 POTASSIUM, 1 mmol/mL syrup, 60 mL (as chloride) , Oral

1688 POTASSIUM, 750 mg durules (as chloride) equivalent to approximately 10 mEq (B) , Oral

1689 POVIDONE - IODINE, 10%, 240 mL bottle, Solution

1700 POVIDONE IODINE, 1%, 120 mL bottle, Oral Antiseptics

1706 POVIDONE IODINE, 1%, 240 mL bottle, Oral Antiseptics

1707 POVIDONE IODINE, 1%, 60 mL bottle, Oral Antiseptics

1708 POVIDONE IODINE, 10%, 1 gallon bottle, Solution

1710 POVIDONE IODINE, 10%, 1 L bottle, Solution

1711 POVIDONE IODINE, 10%, 10 mL bottle, Paint

1709 POVIDONE IODINE, 10%, 120 mL bottle, Solution

1712 POVIDONE IODINE, 10%, 15 g tube, Ointment

1703 POVIDONE IODINE, 10%, 15 mL bottle, Solution

1713 POVIDONE IODINE, 10%, 30 g tube, Ointment

1704 POVIDONE IODINE, 10%, 30 mL bottle, Solution

1714 POVIDONE IODINE, 10%, 5 g tube, Ointment

1705 POVIDONE IODINE, 10%, 60 mL bottle, Solution

1715 POVIDONE IODINE, 7.5%, 1 gallon bottle, Surgical Skin Cleanser

1716 POVIDONE IODINE, 7.5%, 1 L bottle, Surgical Skin Cleanser

1717 POVIDONE IODINE, 7.5%, 120 mL bottle, Surgical Skin Cleanser

1718 POVIDONE IODINE, 7.5%, 480 mL bottle, Surgical Skin Cleanser

1719 POVIDONE IODINE, 7.5%, 60 mL bottle, Surgical Skin Cleanser

1720 POVIDONE-IODINE, 0.02, Eye Drops Solution

1721 POVIDONE-IODINE, 0.05, Eye Drops Solution

1722 PRALIDOXIME CHLORIDE, :50 mg/mL, 20 mL vial (IV), Inj.
 1723 PRAVASTATIN (1), 10 mg tablet (as sodium salt), Oral
 1724 PRAVASTATIN (1), 20 mg tablet (as sodium salt), Oral
 1725 PRAZIQUANTEL, 600 mg tablet (available under DOH program), Oral
 1726 PRAZOSIN, 1 mg tablet (as hydrochloride), Oral
 1727 PREDNISOLONE , 15 mg/5 mL syrup, 20 mL (as sodium phosphate),
 Oral
 1738 PREDNISOLONE , 15 mg/5 mL syrup, 30 mL (as sodium phosphate),
 Oral
 1739 PREDNISOLONE , 15 mg/5 mL syrup, 60 mL (as sodium phosphate),
 Oral
 1740 PREDNISOLONE , 20 mg tablet, Oral
 1741 PREDNISOLONE , 5 mg tablet, Oral
 1742 PREDNISOLONE, 0.5%, 5 mL bottle (as acetate), Eye Drops Suspension

 1728 PREDNISOLONE, 1%, 5 mL bottle (as acetate), Eye Drops Suspension

 1729 PREDNISOLONE, 20 mg/5 mL syrup, 30 mL (as sodium phosphate),
 Oral
 1734 PREDNISOLONE, 20 mg/5 mL syrup, 60 mL (as sodium phosphate),
 Oral
 1736 PREDNISON, 10 mg tablet, Oral
 1744 PREDNISON, 10 mg/5 mL suspension, 30 mL, Oral
 1746 PREDNISON, 10 mg/5 mL suspension, 60 mL, Oral
 1748 PREDNISON, 20 mg tablet, Oral
 1750 PREDNISON, 30 mg film coated tablet, Oral
 1752 PREDNISON, 5 mg tablet, Oral
 1754 PRIMAQUINE, 26.3 mg (15 mg base) tablet (as diphosphate), Oral
 1755 PROCARBAZINE (1, 2), 50 mg capsule (as hydrochloride), Oral
 1756 PROCATEROL, 25 mcg tablet (as hydrochloride hemihydrate), Oral
 1759 PROCATEROL, 5 mcg/mL syrup, 60 mL (as hydrochloride hemihydrate) ,
 Oral
 1760 PROCATEROL, 50 mcg tablet (as hydrochloride hemihydrate), Oral
 1761 PROCATEROL, MDI:10 mcg/dose x 100 dose (as hydrochloride
 hemihydrate), Inhalation
 1757 PROCATEROL, MDI:5 mcg/dose x 100 doses (as hydrochloride
 hemihydrate), Inhalation
 1758 PROPOFOL (1), 10 mg/mL, 20 mL ampul (IV), Inj.
 1762 PROPOFOL (1), 10 mg/mL, 20 mL vial (IV), Inj.
 1763 PROPOFOL (1), 10 mg/mL, 50 mL pre-filled syringe (IV), Inj.
 1764 PROPOFOL (1), 10 mg/mL, 50 mL vial (IV), Inj.
 1765 PROPOFOL (1), 20 mg/mL, 50 mL vial (IV) (as oil in water emulsion), Inj.

 1766 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 10 mg tablet
 (as hydrochloride), Oral
 1770 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 20 mg tablet
 (as hydrochloride), Oral
 1771 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 40 mg CR
 capsule (as hydrochloride), Oral
 1772 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 40 mg tablet
 (as hydrochloride), Oral

1773 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 80 mg CR capsule (as hydrochloride), Oral

1774 PROPRANOLOL (B) (NON-CARDIOSELECTIVE/NO ISA), 80 mg tablet (as hydrochloride), Oral

1775 PROPYLTHIOURACIL, 50 mg tablet , Oral

1776 PROTAMINE SULFATE, 10 mg/mL, 25 mL ampul (IV), Inj.

1777 PROTAMINE SULFATE, 10 mg/mL, 5 mL ampul (IV), Inj.

1778 PROXYMETACAINE (PROPARACAINE), 0.5%, 15 mL bottle (as hydrochloride), Eye Drops Solution

1779 PYRANTEL, 125 mg tablet (as embonate), Oral

1780 PYRANTEL, 125 mg/5 mL suspension, 10 mL (as embonate), Oral

1781 PYRANTEL, 125 mg/5 mL suspension, 30 mL (as embonate), Oral

1782 PYRANTEL, 250 mg tablet (as embonate), Oral

1783 PYRAZINAMIDE, 250 mg/5 mL suspension, 120 mL, Oral

1784 PYRAZINAMIDE, 250 mg/5 mL suspension, 60 mL, Oral

1785 PYRAZINAMIDE, 500 mg tablet, Oral

1786 PYRIDOSTIGMINE (1, 2), 60 mg tablet (as bromide), Oral

1787 PYRIDOXINE (VITAMIN B6), 100 mg/mL, 10 mL ampul (IM, IV) (as hydrochloride), Inj

1788 PYRIDOXINE (VITAMIN B6), 25 mg tablet (as hydrochloride), Oral

1790 PYRIDOXINE (VITAMIN B6), 50 mg tablet (as hydrochloride), Oral

1792 PYRIMETHAMINE, 25 mg tablet, Oral

1793 QUININE, 250 mg/mL, 1 mL ampul (IV) (as dihydrochloride), Inj.

1794 QUININE, 300 mg (325 mg) tablet (as sulfate), Oral

1796 QUININE, 300 mg/mL, 1 mL ampul (IV) (as dihydrochloride), Inj.

1795 RABIES IMMUNOGLOBULIN (HUMAN), 150 IU/mL, 10 mL ampul (IM), Inj.

1797 RABIES IMMUNOGLOBULIN (HUMAN), 150 IU/mL, 2 mL vial (IM), Inj.

1798 RABIES IMMUNOGLOBULIN (HUMAN), 150 IU/mL, 2mL ampul (IM), Inj.

1799 RABIES IMMUNOGLOBULIN (HUMAN), 150 IU/mL, 5 mL ampul (IM), Inj.

1800 RABIES IMMUNOGLOBULIN (HUMAN), 150 IU/mL, 5 mL vial (IM), Inj.

1801 RABIES VACCINE CHICK EMBRYO CELL (PURIFIED, INACTIVATED), lyophilized powder, 2.5 IU/mL, 1 dose vial + 1 mL diluent (ID, IM), Inj.

1802 RABIES VACCINE VERO CELL (PURIFIED), 2.5 IU/monodose vial + diluent (0.5 mL of 4% sodium chloride in pre-filled syringe) (ID, IM), Inj.

1803 RALOXIFENE, 60 mg tablet (as hydrochloride), Oral

1804 RANITIDINE, 150 mg effervescent tablet (as hydrochloride) , Oral

1813 RANITIDINE, 150 mg tablet (as base and as hydrochloride) , Oral

1814 RANITIDINE, 25 mg/mL, 2 mL ampul/vial (IM, IV, IV Infusion) (as hydrochloride), Inj.

1806 RANITIDINE, 300 mg effervescent tablet (as hydrochloride) , Oral

1815 RANITIDINE, 300 mg tablet (as base and as hydrochloride) , Oral

1816 RANITIDINE, 75 mg tablet (as base and as hydrochloride) , Oral

1817 RANITIDINE, 75 mg/5 mL syrup, 150 mL (as hydrochloride) , Oral

1818 RANITIDINE, 75 mg/5 mL syrup, 60 mL (as hydrochloride) , Oral

1819 RECOMBINANT TISSUE PLASMINOGEN ACTIVATOR (RTPA) (1, 2), 1 mg/mL 50 mL vial, IV Infusion, Inj.

1820 REGULAR, INSULIN (RECOMBINANT DNA, HUMAN), 100 IU/mL, 10 mL vial (IM, IV, SC) , Inj.

1822 REGULAR, INSULIN (RECOMBINANT DNA, HUMAN), 100 IU/mL, 3 mL pre-filled syringe (IM, IV, SC) , Inj.

1823 RESERPINE, 125 mcg tablet, Oral

1824 RETINOL (VITAMIN A), 10,000 IU soft gel capsule (as palmitate), Oral

1825 RETINOL (VITAMIN A), 10,000 IU/mL, 15 mL bottle (oily solution) (as palmitate), Oral

1826 RETINOL (VITAMIN A), 10,000 IU/mL, 30 mL bottle (oily solution) (as palmitate), Oral

1827 RETINOL (VITAMIN A), 100,000 IU soft gel capsule with nipple (as palmitate), Oral

1828 RETINOL (VITAMIN A), 200,000 IU soft gel capsule with nipple (as palmitate), Oral

1829 RETINOL (VITAMIN A), 25,000 IU soft gel capsule (as palmitate), Oral

1830 RETINOL (VITAMIN A), 50,000 IU soft gel capsule (as palmitate), Oral

1831 RIBOFLAVIN (VITAMIN B2), 50 mg tablet, Oral

1832 RIFABUTIN, 150 mg capsule (restricted for HIV/AIDS patient on concomittant protease inhibitor therapy, in lieu of rifampicin), Oral

1833 RIFAMPICIN (B), 100 mg/5 mL suspension, 120 mL, Oral

1834 RIFAMPICIN (B), 100 mg/5 mL suspension, 30 mL, Oral

1835 RIFAMPICIN (B), 100 mg/5 mL suspension, 60 mL, Oral

1836 RIFAMPICIN (B), 150 mg tablet/capsule, Oral

1837 RIFAMPICIN (B), 200 mg/5 mL suspension, 120 mL, Oral

1838 RIFAMPICIN (B), 200 mg/5 mL suspension, 30 mL, Oral

1839 RIFAMPICIN (B), 200 mg/5 mL suspension, 60 mL , Oral

1840 RIFAMPICIN (B), 300 mg tablet/capsule, Oral

1841 RIFAMPICIN (B), 450 mg tablet/capsule, Oral

1842 RIFAMPICIN (B), 600 mg tablet/capsule, Oral

1843 RISPERIDONE, 1 mg tablet, Oral

1844 RISPERIDONE, 1 mg/mL oral solution, 100 mL, Oral

1845 RISPERIDONE, 2 mg tablet, Oral

1846 RISPERIDONE, 25 mg LA powder for suspension, vial + 2 mL diluent in pre-filled syringe (IM), Oral

1847 RISPERIDONE, 3 mg tablet, Oral

1848 RISPERIDONE, 37.5 mg LA powder for suspension, vial + 2 mL diluent in pre-filled syringe (IM), Oral

1849 RISPERIDONE, 4 mg tablet, Oral

1850 RITONAVIR, 100 mg capsule, Oral

1851 ROCURONIUM (1), 10 mg/mL, 10 mL ampul (IV) (as bromide), Inj.

1852 ROCURONIUM (1), 10 mg/mL, 2.5 mL vial (IV) (as bromide), Inj.

1853 ROCURONIUM (1), 10 mg/mL, 5 mL ampul/vial (IV) (as bromide), Inj.

1854 ROPIVACAINE, 10 mg/mL in 10 mL ampul (IV) (as hydrochloride), Inj.

1855 ROPIVACAINE, 2 mg/mL in 10 mL ampul (IV) (as hydrochloride), Inj.

1856 ROPIVACAINE, 7.5 mg/mL in 10 mL ampul (IV) (as hydrochloride), Inj.

1857 ROSE BENGAL , 1%, 0.5 mL bottle, Eye Drops Solution
 1858 ROSE BENGAL , 1.3 mg, Strips
 1859 ROSIGLITAZONE, 4 mg tablet (as maleate) , Oral
 1860 ROSIGLITAZONE, 8 mg tablet (as maleate) , Oral
 1861 SALBUTAMOL , 1 mg/mL, 2.5 mL (unit dose) (as sulfate), Resp. Soln.

 1876 SALBUTAMOL , 1 mg/mL, 30 mL bottle (as sulfate), Resp. Soln.
 1877 SALBUTAMOL , 2 mg tablet (as sulfate), Oral
 1870 SALBUTAMOL , 2 mg/5 mL syrup 120 mL (as sulfate), Oral
 1871 SALBUTAMOL , 2 mg/5 mL syrup, 30 mL(as sulfate), Oral
 1872 SALBUTAMOL , 2 mg/5 mL syrup, 60 mL (as sulfate), Oral
 1873 SALBUTAMOL , 2 mg/mL, 2.5 mL (unit dose) (as sulfate), Resp. Soln.

 1878 SALBUTAMOL , 5 mg/mL, 10 mL (multidose) (as sulfate), Resp. Soln.

 1874 SALBUTAMOL , 5 mg/mL, 20 mL (multidose) (as sulfate), Resp. Soln.

 1875 SALBUTAMOL , Breath Actuated MDI:100 mcg/dose x 200 doses (as sulfate), Inhalation
 1864 SALBUTAMOL , Breath Actuated MDI:100 mcg/dose x 400 doses (as sulfate) (for nebulization), Inhalation
 1865 SALBUTAMOL , Dry Powder Inhaler (DPI): 200 mcg/dose (as sulfate) with appropriate accompanying dispenser, Inhalation
 1866 SALBUTAMOL , Dry Powder Inhaler (DPI): 400 mcg/dose (as sulfate) with appropriate accompanying dispenser, Inhalation
 1867 SALBUTAMOL , Metered Dose Inhaler (MDI): 100 mcg/dose x 200 doses (as sulfate), Inhalation
 1868 SALBUTAMOL , Metered Dose Inhaler (MDI): 100 mcg/dose x 300 doses (as sulfate), Inhalation
 1869 SALBUTAMOL, 4 mg CR tablet (as sulfate), Oral
 1862 SALBUTAMOL, 8 mg CR tablet (as sulfate), Oral
 1863 SALICYLIC ACID , 10%, 120 mL bottle, Solution
 1881 SALICYLIC ACID , 10%, 15 mL bottle, Solution
 1882 SALICYLIC ACID , 10%, 30 mL bottle, Solution
 1883 SALICYLIC ACID , 17%, 13.3 mL bottle, Solution
 1884 SALICYLIC ACID , 5%, 30 mL bottle, Solution
 1885 SALICYLIC ACID , 5%, 60 mL bottle, Solution
 1886 SALMETEROL (B), DPI: 50 mcg/dose x 15 doses (as xinafoate) with appropriate accompanying dispenser, Inhalation
 1887 SALMETEROL (B), MDI: 25 mcg/dose x 60 doses (as xinafoate) (N.B.: to be used as add on controller in patients on inhaled corticosteroid), Inhalation
 1888 SAMBONG [BLUMEABALSAMIFERA, L. DC (FAM. COMPOSITAE)], 250 mg tablet, Oral
 1889 SAMBONG [BLUMEABALSAMIFERA, L. DC (FAM. COMPOSITAE)], 500 mg tablet, Oral
 1890 SAQUINAVIR, 200 mg capsule (as base or mesilate), Oral
 1891 SELEGILINE, 5 mg tablet (as hydrochloride), Oral
 1892 SELENIUM SULFIDE, 1%, 120 mL bottle, Shampoo
 1894 SELENIUM SULFIDE, 1%, 250 mL bottle, Shampoo
 1895 SELENIUM SULFIDE, 1%, 30 mL bottle, Shampoo
 1896 SELENIUM SULFIDE, 1%, 60 mL bottle, Shampoo

1897 SELENIUM SULFIDE, 2.5%, 100 mL bottle , Lotion

1893 SERTRALINE, 50 mg tablet (as hydrochloride) , Oral

1898 SEVOFLURANE (1), 250 mL bottle, Inhalation

1899 SILVER NITRATE, 0.005, Solution

1901 SILVER NITRATE, 0.95, Stick

1902 SILVER NITRATE, USP grade (for extemporaneous compounding to 5%, 10% and 30% solution), Crystals

1900 SILVER SULFADIAZINE, 1%, 10 g tube, Cream

1904 SILVER SULFADIAZINE, 1%, 15 g tube, Cream

1905 SILVER SULFADIAZINE, 1%, 20 g, tube, Cream

1906 SILVER SULFADIAZINE, 1%, 25 g, tube, Cream

1907 SILVER SULFADIAZINE, 1%, 30 g tube, Cream

1908 SILVER SULFADIAZINE, 1%, 5 g tube, Cream

1909 SILVER SULFADIAZINE, 1%, 50 g tube, Cream

1910 SILVER SULFADIAZINE, 400 g jar (micronized), Cream

1911 SILVER SULFADIAZINE, 450 g jar (micronized), Cream

1912 SILVER SULFADIAZINE, 500 g jar (micronized), Cream

1913 SIMVASTATIN (1), 10 mg tablet, Oral

1914 SIMVASTATIN (1), 20 mg tablet, Oral

1915 SIMVASTATIN (1), 40 mg tablet, Oral

1916 SIROLIMUS, 1 mg tablet, Oral

1917 SIROLIMUS, 1 mg/mL solution, 60 mL, Oral

1918 SODIUM BICARBONATE, 1 mEq/mL, 10 mL vial (pediatric) (IV Infusion) , Inj.

1919 SODIUM BICARBONATE, 1 mEq/mL, 50 mL ampul/vial (adult) (IV Infusion) , Inj.

1920 SODIUM CALCIUM EDETATE (1), 200 mg/mL, 5 mL ampul (IM), Inj.

1921 SODIUM CHLORIDE, 2.5 mEq/mL, 20 mL vial , Inj.

1922 SODIUM CHLORIDE, 2.5 mEq/mL, 50 mL vial , Inj.

1923 SODIUM DICHLORO ISOCYANURATE (TO BE USED FOR WATER PURIFICATION), 12.5 mg tablet (free available chlorine 8 mg), Solution

1924 SODIUM DICHLORO ISOCYANURATE (TO BE USED FOR WATER PURIFICATION), 17 mg tablet (free available chlorine 10 mg), Solution

1925 SODIUM DICHLORO ISOCYANURATE (TO BE USED FOR WATER PURIFICATION), 3.5 mg tablet (free available chlorine 2 mg), Solution

1926 SODIUM DICHLORO ISOCYANURATE (TO BE USED FOR WATER PURIFICATION), 67 mg tablet (free available chlorine 40 mg), Solution

1927 SODIUM DICHLORO ISOCYANURATE (TO BE USED FOR WATER PURIFICATION), 8.68 mg tablet (free available chlorine 5 mg), Solution

1928 SODIUM HYPOCHLORITE, 0.5% available chlorine for further dilution for skin and wound, Solution

1929 SODIUM IODIDE 131 I (1), capsule with radioactivity range of 1.0 to 250 mCi per capsule, Oral

1932 SODIUM IODIDE 131 I (1), solution with radioactivity range of 3.5 to 150 mCi per vial , Oral

1933 SODIUM IODIDE 131 I (1, 2), capsule with radioactivity range of 0.8 to 100 mCi per capsule, Oral

1930 SODIUM NITRITE, 30 mg/mL, 10 mL ampul/vial (IV), Inj.
 1934 SODIUM NITROPRUSSIDE (1, 2), 50 mg powder ampul (IV Infusion), Inj.

 1935 SODIUM SULFATE, powder, USP grade, Oral
 1936 SODIUM THIOSULFATE, 0.05, Solution
 1938 SODIUM THIOSULFATE, 250 mg/mL, 50 mL ampul (IV), Inj.
 1937 SOMATOSTATIN (1, 2), 250 mcg ampul/vial (IV, IV Infusion) , Inj.
 1939 SOMATOSTATIN (1, 2), 3 mg ampul/vial (IV, IV Infusion) , Inj.
 1940 SPECTINOMYCIN (2), 2 g vial (IM), Inj.
 1941 SPIRONOLACTONE (2) (K-SPARER), 100 mg tablet, Oral
 1942 SPIRONOLACTONE (2) (K-SPARER), 25 mg tablet, Oral
 1943 SPIRONOLACTONE (2) (K-SPARER), 50 mg tablet, Oral
 1944 STANDARD SENNA CONCENTRATE, 187 mg tablet , Oral
 1945 STANDARD SENNA CONCENTRATE, 337 mcg/3 g granules, 30 g bottle
 , Oral
 1946 STANDARD SENNA CONCENTRATE, 374 mg tablet , Oral
 1947 STAVUDINE, 20 mgcapsule, Oral
 1948 STAVUDINE, 30 mg capsule, Oral
 1949 STAVUDINE, 40 mg capsule, Oral
 1950 STREPTOKINASE (1, 2), 1,500,000 IU vial (IV Infusion), Inj.
 1953 STREPTOKINASE (1, 2), 750,000 IU vial (IV Infusion), Inj.
 1954 STREPTOMYCIN, 1 g vial (IM) (as sulfate), Inj.
 1955 SUCCIMER(DIMERCAPTO SUCCINIC ACID, DMSA), 100 mg capsule,
 Oral
 1956 SUCRALFATE, 1 g tablet , Oral
 1958 SUCRALFATE, 1 g/5 mL gel, sachet , Oral
 1957 SUCRALFATE, 500 mg tablet , Oral
 1959 SULFACETAMIDE + PREDNISOLONE, 10% sulfacetamide + 0.25%
 prednisolone (as acetate), 3.5 g tube, Eye Ointment
 1965 SULFACETAMIDE + PREDNISOLONE, 10% sulfacetamide + 0.25%
 prednisolone (as acetate), 5 mL bottle, Eye Drops Suspension
 1964 SULFACETAMIDE, 10%, 10 mL bottle (as sodium salt), Eye Drops
 Solution
 1961 SULFACETAMIDE, 10%, 15 mL bottle (as sodium salt), Eye Drops
 Solution
 1962 SULFACETAMIDE, 10%, 5 mL bottle (as sodium salt), Eye Drops
 Solution
 1963 SULFACETAMIDE, 15%, 15 mL bottle (as sodium salt), Eye Drops
 Solution
 1960 SULFADOXINE + PYRIMETHAMINE, 500 mg sulfadoxine + 25 mg
 pyrimethamine per tablet, Oral
 1966 SULFUR, 10%, 15 g tube, Cream or Ointment
 1967 SULFUR, 10%, 30 g tube, Cream or Ointment
 1968 SULFUR, 5%, 30 g tube, Cream or Ointment
 1969 SULFUR, 5%,15 g tube, Cream or Ointment
 1970 SUXAMETHONIUM (SUCCINYLCHOLINE) (1), 20 mg/mL, 10 mL vial
 (IV) (as chloride), Inj.
 1971 TACROLIMUS, 1 mg capsule, Oral
 1973 TACROLIMUS, 5 mg capsule, Oral
 1974 TACROLIMUS, 5 mg/mL, 1 mL ampul (concentrate) (IM, IV Infusion), Inj.

 1972 TAMOXIFEN (1, 2), 10 mg tablet (as citrate), Oral

1975 TAMOXIFEN (1, 2), 20 mg tablet (as citrate), Oral
 1976 TAMOXIFEN (1, 2), 30 mg tablet (as citrate), Oral
 1977 TAMOXIFEN (1, 2), 40 mg tablet (as citrate), Oral
 1978 TAMSULOSIN, 200 mcg capsule (as hydrochloride) , Oral
 1979 TEGAFUR + URACIL(1, 2) , 100 mg + 224 mg capsule, Oral
 1980 TEGAFUR + URACIL(1, 2) , 500 mg capsule, Oral
 1981 TERAZOSIN, 1 mg tablet (as hydrochloride), Oral
 1982 TERAZOSIN, 2 mg tablet (as hydrochloride), Oral
 1983 TERAZOSIN, 5 mg tablet (as hydrochloride), Oral
 1984 TERBINAFFINE, 1%, 10 g tube (as hydrochloride), Cream
 1985 TERBINAFFINE, 1%, 15 g tube (as hydrochloride), Cream
 1986 TERBINAFFINE, 1%, 3 g tube (as hydrochloride), Cream
 1987 TERBINAFFINE, 1%, 30 mL bottle, Solution
 1989 TERBINAFFINE, 1%, 5 g tube (as hydrochloride), Cream
 1988 TERBUTALINE , 1.5 mg/5 mL syrup, 120 mL (as sulfate), Oral
 2002 TERBUTALINE , 1.5 mg/5 mL syrup, 60 mL (as sulfate), Oral
 2003 TERBUTALINE , 2 mg tablet (as sulfate), Oral
 2004 TERBUTALINE , 2.5 mg tablet (as sulfate), Oral
 2005 TERBUTALINE , 500 mcg/mL, 1 mL ampul (IM, IV, SC) (as sulfate), Inj.

 2001 TERBUTALINE , DPI: 500 mcg/dose x 100 doses(as sulfate) with appropriate accompanying dispenser, Inhalation
 1995 TERBUTALINE , MDI: 2.5 mg/mL, 15 mL (multidose) (as sulfate), Inhalation
 1996 TERBUTALINE , MDI: 2.5 mg/mL, 2 mL (unit dose)(as sulfate), Inhalation

 1997 TERBUTALINE , MDI: 2.5 mg/mL, 30 mL (multidose) (as sulfate), Inhalation
 1998 TERBUTALINE , MDI: 250 mcg/dose x 200 doses (as sulfate), Inhalation
 1999 TERBUTALINE , MDI: 250 mcg/dose x 400 doses (as sulfate), Inhalation

 2000 TERBUTALINE, 2.5 mg tablet (as sulfate), Oral
 1991 TERBUTALINE, 5 mg ER tablet (as sulfate), Oral
 1992 TERBUTALINE, 5 mg tablet (as sulfate), Oral
 1994 TERBUTALINE, 500 mcg/mL, 1 mL ampul (IV Infusion) (as sulfate) , Inj.

 1990 TERIZODONE, 250 mg capsule, Oral
 2006 TESTOSTERONE (1), 40 mg capsule (as undecanoate) , Oral
 2007 TETANUS IMMUNOGLOBULIN (HUMAN), 1000 IU/mL, 1.5 mL vial (IM), Inj.
 2008 TETANUS IMMUNOGLOBULIN (HUMAN), 1500 IU/mL, 1 mL ampul (IM), Inj.
 2009 TETANUS IMMUNOGLOBULIN (HUMAN), 250 IU/mL, 1 mL ampul (IM), Inj.
 2010 TETANUS IMMUNOGLOBULIN (HUMAN), 250 IU/mL, 1 mL pre-filled syringe (IM), Inj.
 2011 TETANUS IMMUNOGLOBULIN (HUMAN), 250 IU/mL, 2 mL ampul (IM), Inj.
 2012 TETANUS IMMUNOGLOBULIN (HUMAN), 250 IU/mL, 4 mL ampul (IM), Inj.

2013 TETANUS IMMUNOGLOBULIN (HUMAN), 250 units/mL, 1 mL vial (IM), Inj.

2014 TETANUS IMMUNOGLOBULIN (HUMAN), 250 units/mL, 2 mL vial (IM), Inj.

2015 TETANUS TOXOID VACCINE, 0.5 mL ampul (IM), Inj.

2016 TETANUS TOXOID VACCINE, 10 mL vial (IM), Inj.

2017 TETANUS TOXOID VACCINE, 5 mL vial (IM), Inj.

2018 TETRACAINE, 20 mg ampul (sterile powder) (spinal) (as hydrochloride), Inj.

2019 TETRACOSACTIDE(COSYNTROPIN), 1 mg/mL, 1 mL ampul (IM) (as hexaacetate) , Inj.

2020 TETRACOSACTIDE(COSYNTROPIN), 250 mcg/mL, 1 mL ampul (IM) (as acetate) , Inj.

2021 TETRACYCLINE, 250 mg capsule, Oral

2022 TETRACYCLINE, 500 mg capsule, Oral

2023 THEOPHYLLINE (ANHYDROUS) (B), 125 mg SR tablet, Oral

2024 THEOPHYLLINE (ANHYDROUS) (B), 125 mg tablet, Oral

2025 THEOPHYLLINE (ANHYDROUS) (B), 150 mg tablet, Oral

2026 THEOPHYLLINE (ANHYDROUS) (B), 200 mg SR tablet, Oral

2027 THEOPHYLLINE (ANHYDROUS) (B), 200 mg tablet, Oral

2028 THEOPHYLLINE (ANHYDROUS) (B), 25 mg/5 mL (26.7 mg/5 mL) syrup, 120 mL, Oral

2029 THEOPHYLLINE (ANHYDROUS) (B), 25 mg/5 mL (26.7 mg/5 mL) syrup, 60 mL , Oral

2030 THEOPHYLLINE (ANHYDROUS) (B), 250 mg SR tablet, Oral

2031 THEOPHYLLINE (ANHYDROUS) (B), 300 mg SR tablet, Oral

2032 THEOPHYLLINE (ANHYDROUS) (B), 300 mg tablet, Oral

2033 THEOPHYLLINE (ANHYDROUS) (B), 400 mg SR tablet/capsule, Oral

2034 THIAACETAZONE, 150 mg tablet, Oral

2035 THIAMAZOLE (METHIMAZOLE), 10 mg tablet , Oral

2036 THIAMAZOLE (METHIMAZOLE), 5 mg tablet , Oral

2037 THIAMINE (VITAMIN B1), 10 mg tablet (as hydrochloride), Oral

2040 THIAMINE (VITAMIN B1), 100 mg tablet (as hydrochloride), Oral

2041 THIAMINE (VITAMIN B1), 100 mg/mL, 1 mL ampul/vial (IV), Inj

2039 THIAMINE (VITAMIN B1), 300 mg tablet (as hydrochloride), Oral

2042 THIAMINE (VITAMIN B1), 50 mg tablet (as hydrochloride), Oral

2043 THIAMINE, 100 mg/mL, 10 mL vial (as hydrochloride) (IM, IV), Inj.

2038 THIOPENTAL SODIUM (1, A1), 1 g vial + 50 mL diluent (IV), Inj.

2044 THIOPENTAL SODIUM (1, A1), 500 mg vial (IV), Inj.

2045 THIORIDAZINE (1), 100 mg tablet (as hydrochloride), Oral

2046 THIORIDAZINE (1), 25 mg tablet (as hydrochloride), Oral

2047 THIORIDAZINE (1), 50 mg tablet (as hydrochloride), Oral

2048 TIMOLOL, 0.25%, 5 mL bottle (as maleate), Eye Drops Solution

2049 TIMOLOL, 0.5%, 5 mL bottle (as maleate), Eye Drops Solution

2050 TIOTROPIUM, DPI:18 mcg/dose (as bromide) with appropriate accompanying dispenser, Inhalation

2051 TIROFIBAN (1, 2), 250 mcg/mL concentrated solutionfor dilution for IV Infusion, 50 mL (as hydrochloride), Inj.

2052 TOBRAMYCIN + DEXAMETHASONE, 0.3% tobramycin + 0.1% dexamethasone, 3.5 g tube, Eye Ointment

2056 TOBRAMYCIN + DEXAMETHASONE, 0.3% tobramycin + 0.1% dexamethasone, 5 mL bottle, Eye Drops Suspension

2055 TOBRAMYCIN, 0.3%, 3.5 g tube, Eye Ointment

2054 TOBRAMYCIN, 0.3%, 5 mL bottle, Eye Drops Solution

2053 TOPIRAMATE, 100 mg tablet, Oral

2057 TOPIRAMATE, 15 mg capsule, Oral

2058 TOPIRAMATE, 200 mg tablet, Oral

2059 TOPIRAMATE, 25 mg capsule, Oral

2060 TOPIRAMATE, 25 mg tablet, Oral

2061 TOPIRAMATE, 50 mg tablet, Oral

2062 TRAMADOL (A1), 100 mg retard tablet (as hydrochloride), Oral

2065 TRAMADOL (A1), 150 mg retard tablet (as hydrochloride), Oral

2066 TRAMADOL (A1), 200 mg retard tablet (as hydrochloride), Oral

2067 TRAMADOL (A1), 50 mg capsule(as hydrochloride), Oral

2068 TRAMADOL (A1), 50 mg/mL, 1 mL ampul (IM, IV, SC) (as hydrochloride), Inj.

2063 TRAMADOL (A1), 50 mg/mL, 2 mL ampul (IM, IV, SC) (as hydrochloride), Inj.

2064 TRANEXAMIC ACID, 100 mg/mL, 2.5 mL ampul (IM, IV), Inj.

2069 TRANEXAMIC ACID, 100 mg/mL, 5 mL ampul (IM, IV), Inj.

2070 TRANEXAMIC ACID, 250 mg capsule, Oral

2071 TRANEXAMIC ACID, 500 mg capsule, Oral

2072 TRANEXAMIC ACID, 500 mg tablet, Oral

2073 TRIAMCINOLONE, 10 mg/mL, 1 mL vial (as acetone) (Intraarticular, Intradermal) , Inj.

2074 TRIAMCINOLONE, 10 mg/mL, 5 mL vial (as acetone) (Intraarticular, Intradermal) , Inj.

2075 TRIAMCINOLONE, 40 mg/mL, 1 mL ampul (as acetone) (Intraarticular, Intralesional, Intradermal) , Inj.

2076 TRICHLOROACETIC ACID, USP grade (for extemporaneous compounding to 10% solution), Crystals

2077 TRIFLURIDINE, 1%, 5 mL bottle, Eye Drops

2078 TROPICAMIDE, 0.5%, 5 mL bottle, Eye Drops Solution

2079 TSAANG GUBAT [CARMONA RETUSA(VAHL) MASAM (FAM.BORAGINACEAE)], 250 mg tablet , Oral

2080 TUBERCULIN, PURIFIED PROTEIN DERIVATIVE (PPD), 2 TU RT 23 Tween 80 (ID), Inj.

2081 TUBERCULIN, PURIFIED PROTEIN DERIVATIVE (PPD), powder, 5 TU with 2 mL diluent (ID), Inj.

2082 TYPHOID VACCINE, live-attenuated S. typhi (not less than 10⁹) viable strain, enteric coated tablet (encapsulated), Oral

2084 TYPHOID VACCINE, Vi-capsular polysaccharide S. typhi 25 mcg in 0.5 mL pre-filled syringe (IM), Inj.

2083 UNFRACTIONATED HEPARIN (1, 2), 1,000 IU/mL, 5 mL vial (IV, SC) (as sodium salt), Inj.

2087 UNFRACTIONATED HEPARIN (1, 2), 5,000 IU/mL, 5 mL vial (IV, SC) (as sodium salt), Inj.

2088 URSODEOXYCHOLIC ACID, 100 mg tablet (N.B. for primary biliary cirrhosis), Oral

2089 URSODEOXYCHOLIC ACID, 200 mg tablet (N.B. for primary biliary cirrhosis), Oral

2090 URSODEOXYCHOLIC ACID, 250 mg capsule , Oral

2091 VALACICLOVIR, 500 mg tablet (as hydrochloride), Oral
 2092 VALPROATE DISODIUM/ VALPROIC ACID (B), 250 mg tablet (as disodium salt or as valproic acid), Oral
 2093 VALPROATE DISODIUM/ VALPROIC ACID (B), 250 mg/5 mL syrup, 120 mL (as valproic acid), Oral
 2094 VANCOMYCIN (3), 500 mg vial (IV) (as hydrochloride), Inj.
 2095 VARICELLA ZOSTER IMMUNOGLOBULIN (VZIG), 125 units/1.25 mL vial (IM), Inj.
 2096 VASOPRESSIN (2) (ANTIDIURETIC HORMONE, ADH), 20 pressor units/mL, 1 mL ampul (IM, IV) , Inj.
 2097 VECURONIUM (1), freeze-dried powder, 10 mg vial (IV) (as bromide), Inj.

 2098 VECURONIUM (1), freeze-dried powder, 4 mg/mL ampul + 1 mL solvent (IV) (as bromide), Inj.
 2099 VERAPAMIL (B), 2.5 mg/mL, 2 mL ampul (IV) (as hydrochloride) (1, 2), Inj.
 2106 VERAPAMIL, 120 mg CR capsule(as hydrochloride), Oral
 2100 VERAPAMIL, 180 mg SR tablet(as hydrochloride), Oral
 2101 VERAPAMIL, 240 mg CR capsule(as hydrochloride), Oral
 2102 VERAPAMIL, 240 mg SR tablet(as hydrochloride), Oral
 2103 VERAPAMIL, 40 mg tablet (as hydrochloride), Oral
 2104 VERAPAMIL, 80 mg tablet (as hydrochloride), Oral
 2105 VINBLASTINE (1, 2), 1 mg/mL, 10 mL vial (IV) (as sulfate), Inj.
 2107 VINBLASTINE (1, 2), powder, 10 mg vial for reconstitution (IV) (as sulfate), Inj.
 2108 VINCRISTINE (1, 2), 1 mg/mL, 1 mL vial (IV) (as sulfate), Inj.
 2109 VINCRISTINE (1, 2), 1 mg/mL, 2 mL vial (IV) (as sulfate), Inj.
 2110 VINCRISTINE (1, 2), 1 mg/mL, 5 mL vial (IV) (as sulfate), Inj.
 2111 VINCRISTINE (1, 2), powder, 1 mg vial + diluent (IV) (as sulfate), Inj.
 2112 VINCRISTINE (1, 2), powder, 2 mg vial + diluent (IV) (as sulfate), Inj.
 2113 VITAMIN B1 B6 B12, 10 mg + 5 mg + 5 mcg per 0.6 mL drops, 15 mL, Oral
 2115 VITAMIN B1 B6 B12, 100 mg + 100 mg + 1 mg per 3 mL ampul (IV), Inj
 2116 VITAMIN B1 B6 B12, 100 mg + 100 mg + 1 mg per mL, 10 mL vial (IV), Inj
 2117 VITAMIN B1 B6 B12, 100 mg + 5 mg + 50 mcg per tablet/capsule, Oral

 2114 VITAMIN D ALFACALCIDOL, 0.25 mcg capsule, Oral
 2118 VITAMIN D ALFACALCIDOL, 0.25 mcg tablet, Oral
 2119 VITAMIN D ALFACALCIDOL, 0.5 mcg tablet, Oral
 2120 VITAMIN D ALFACALCIDOL, 1 mcg tablet, Oral
 2121 VITAMINS INTRAVENOUS (IV) - FAT-SOLUBLE, contains vitamins A, D, E and K 10 mL ampul (IV) , Inj.
 2122 VITAMINS INTRAVENOUS (IV) - TRACE ELEMENTS, contains Zn, Cu, Mn, Mg, Mb etc. 10 mL ampul (IV nutrition) , Inj.
 2123 VITAMINS INTRAVENOUS (IV) - WATER-SOLUBLE, contains vitamin B complex and vitamin C, 1 mL vial (IV), Inj
 2581 VITAMINS INTRAVENOUS (IV) - WATER-SOLUBLE, contains vitamin B complex and vitamin C, 2 mL ampul (IV) , Inj.
 2124 WARFARIN (1, 2), 1 mg tablet, Oral
 2125 WARFARIN (1, 2), 2.5 mg tablet (as sodium salt), Oral

2127 WARFARIN (1, 2), 5 mg tablet, Oral
 2129 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 1 L bottle , Inj.

 2131 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 10 mL ampul ,
 Inj.
 2132 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 100 mL bottle ,
 Inj.
 2133 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 2 mL ampul ,
 Inj.
 2134 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 20 mL ampul ,
 Inj.
 2135 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 5 mL ampul ,
 Inj.
 2136 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 50 mL bottle ,
 Inj.
 2137 WATER FOR INJECTION (TRIPLE DISTILLED WATER), 500 mL bottle ,
 Inj.
 2138 YELLOW FEVER VACCINE, 1,000 DL 50 mouse min (attenuated) vial +
 0.5 mL solvent syringe (IM, SC) (For Bureau of Quarantine Use Only), Inj.

 2139 YERBA BUENA, 250 mg tablet, Oral
 2140 ZALCITABINE, 375 mcg tablet, Oral
 2141 ZIDOVUDINE, 100 mg capsule, Oral
 2142 ZINC, 132 mg tablet (equiv. to 30 mg elemental zinc) (as sulfate), Oral

 2143 ZINC, 220 mg tablet (equiv. to 50 mg elemental zinc) (as sulfate), Oral

 2144 ZINC, 27.5 mg/mL (equiv. to 10 mg elemental zinc) 15 mL drops, (as
 sulfate monohydrate), Oral
 2145 ZINC, 55 mg/5 mL (equiv. to 20 mg elemental zinc) 60 mL syrup, (as
 sulfate monohydrate), Oral
 2146 ZOLMITRIPTAN, 2.5 mg tablet, Oral
 2147 ZOLMITRIPTAN, 5 mg tablet, Oral
 2148 ZOLPIDEM (A1), 10 mg tablet, Oral