



Chikungunya Disease Surveillance Report




January 1 – May 20, 2017 Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division

Trend in the Philippines

A total **379** chikungunya cases were reported nationwide from January 1 to May 20, 2017. This is **51%** lower compared to the same time period last year (**773**).


Fig. 1 Reported Chikungunya Cases by Morbidity Week, Philippines, as of January 1 - May 20, 2017* (N=379)



Geographic Distribution

Most of the suspect cases were from the following regions: **Region IV-A (40.4%)**, **Region IV-B (21.1%)**, **Region III (20.8%)**, **Region X (6.1%)** and **CARAGA (4%)**.

Fig. 2 Reported Chikungunya Cases by Region Philippines, 2017* vs 2016 (N=379)



Profile of Suspect Cases

**NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*



Chikungunya Disease Surveillance Report



January 1 – May 20, 2017 Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division

Ages of cases ranged from less than 1 year to 88 years old (median = 27 years). Majority of cases were females (60.7%). Most (11.1%) of the cases belonged to the 25-29 years age group. There were 1 death (CFR=0.26%).

Fig. 3 Reported Chikungunya Cases by Age Group and Sex Philippines, as of January 1 - May 20, 2017 (N=379)





Fig. 4 Signs and Symptoms Experienced by Reported Chikungunya Cases, Philippines, as of May 20, 2017**



**multiple responses

*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



Chikungunya Disease Surveillance Report



January 1 – May 20, 2017 Philippine Integrated Disease Surveillance and Response
Public Health Surveillance Division

Table 1. Chikungunya Cases & Deaths by Region
Philippines, 2017* vs 2016

Region	Cases			Deaths			
	2017	2016	% Change	2017	CFR (%)	2016	CFR (%)
I	3	145	↓ -97.9	0	0.00	0	0.00
II	0	0	-	0	-	0	-
III	79	3	↑ 2533.3	0	0.00	0	0.00
IV-A	153	399	↓ -61.7	1	0.65	0	0.00
IV-B	80	30	↑ 166.7	0	0.00	0	0.00
V	6	10	↓ -40.0	0	0.00	0	0.00
VI	2	35	↓ -94.3	0	0.00	0	0.00
VII	4	12	↓ -66.7	0	0.00	0	0.00
VIII	0	31	↓ -100.0	0	-	0	0.00
IX	1	3	↓ -66.7	0	0.00	0	0.00
X	23	34	↓ -32.4	0	0.00	0	0.00
XI	6	12	↓ -50.0	0	0.00	0	0.00
XII	3	0	↑ 300.0	0	0.00	0	-
ARMM	0	0	-	0	-	0	-
CAR	0	3	↓ -100.0	0	-	1	33.33
CARAGA	15	55	↓ -72.7	0	0.00	0	0.00
NCR	4	1	↑ 300.0	0	0.00	0	-
Total	379	773	↓ -51.0	1	0.26	1	0.13

EDITORIAL BOARD


IRMA L. ASUNCION, MD, MHA, CESO IV
Director IV, Epidemiology Bureau


GENESIS MAY J. SAMONTE, MD, MSc, PHSAE
OIC-Division Chief, PHSD

MARIEL A. DEJESA, MD, MPM
Medical Officer IV, PHSD


Allan P. Ignacio
Statistician II


June Cantata B. Corpuz, RN
PIDSR Program Manager


Jezza Jonah D. Crucena, RN
VPD National Coordinator

*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.

