



Introduction


Leptospirosis is a bacterial disease affecting both humans and animals. The early stages of the disease may include high fever, muscle pain, chills, redness in the eyes, abdominal pain, hemorrhages in skin and mucous membranes (including pulmonary bleeding), vomiting, diarrhea and rashes. Some cases may have yellowish body discoloration, dark-colored urine and light stools, low urine output and severe headache.

Caused by pathogenic *Leptospira* species bacteria, human infection occurs through direct contact with urine of infected animals or by contact with a urine-contaminated environment. Leptospire can gain entry through cuts and abrasions in the skin and through mucous membranes of the eyes, nose and mouth.

Leptospirosis has low case fatality rate. However, it increases with advancing age and may reach 20% or more in patients with jaundice and kidney damage (Weil's disease) who have not been treated with renal dialysis. Incubation period of the disease is 7-10 days.

Suspect Leptospirosis Cases MW15

REGION	CASES
Region 1	= 9
Region 2	= 16
Region 3	= 28
Region 4A	= 6
Region 4B	= 8
Region 5	= 12
Region 6	= 24
Region 7	= 5
Region 8	= 4
Region 9	= 6
Region 10	= 20
Region 11	= 3
Region 12	= 1
ARMM	= 0
CAR	= 1
CARAGA	= 3
NCR	= 22
TOTAL	= 168



Legend - TOTAL	
0.00	Grey
1.00 - 5.00	Blue
5.01 - 10.00	Green
10.01 - 20.00	Yellow
20.01 +	Red




Morbidity Week 15 : January 1-April 16, 2016

Epidemiology Bureau
 Public Health Surveillance Division


Trend in the Philippines

A total of 168 suspect leptospirosis cases were reported nationwide from January 1 to April 16, 2016. This is **26.0%** lower compared to the same time period last year (**227**).

**Fig. 1 Suspected Leptospirosis Cases by Morbidity Week
 Philippines, as of April 16, 2016**



**Fig. 2 Suspect Leptospirosis Cases by Morbidity Week,
 Philippines, as of April 16, 2016**
 *2016 vs 2015 (N=168)



**NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*




Morbidity Week 15 : January 1-April 16, 2016

Epidemiology Bureau
 Public Health Surveillance Division

Geographic Distribution

Most of the cases were from the following regions: **REGION III** (16.7%), **REGION VI** (14.3%), **NCR** (13.1%), **REGION X** (11.9%) and **REGION II** (9.5%).


Fig. 3 Suspect Leptospirosis Cases by Region Philippines, 2016 vs 2015 (N=168)



Profile of Cases

Ages of cases ranged from 7 to 75 years old (median = 34.5 years). Majority (89.9%) of cases were male. Most (35.1%) of the cases belonged to the age group of 40 to 64 years old (Fig. 4).

Fig.4 Suspect Leptospirosis Cases by Agegroup and Sex Philippines, as of April 16, 2016 (N=168)



**NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*



Morbidity Week 15 : January 1-April 16, 2016

Epidemiology Bureau
 Public Health Surveillance Division

There were 18 deaths (CFR = 10.71%). The 65 years old and above age group has the highest CFR.

Fig. 5 Suspect Leptospirosis Case Fatality Rate (CFR) by Age Group, Philippines, as of April 16, 2016 (N=168)



Table 1. Leptospirosis Cases & Deaths by Region
 Philippines, *2016 vs 2015

Region	Cases			Deaths			
	*2016	2015	% Change	*2016	CFR (%)	2015	CFR (%)
I	9	13	-30.8	3	33.33	0	0.00
II	16	18	-11.1	0	0.00	2	11.11
III	28	30	-6.7	2	7.14	2	6.67
IV-A	6	5	20.0	1	16.67	1	20.00
IV-B	8	3	166.7	0	0.00	0	0.00
V	12	14	-14.3	1	8.33	2	14.29
VI	24	33	-27.3	4	16.67	3	9.09
VII	5	13	-61.5	3	60.00	0	0.00
VIII	4	29	-86.2	0	0.00	3	10.34
IX	6	7	-14.3	1	16.67	1	14.29
X	20	10	100.0	1	5.00	3	30.00
XI	3	12	-75.0	0	0.00	1	8.33
XII	1	1	0.0	0	0.00	0	0.00
ARMM	0	1	-100.0	0	0.00	0	0.00
CAR	1	3	-66.67	0	0.00	0	0.00
CARAGA	3	5	-40.0	0	0.00	0	0.00
NCR	22	30	-26.7	2	9.09	5	16.67
Total	168	227	-26.0	18	10.71	23	10.13

*NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.



Morbidity Week 15 : January 1-April 16, 2016 Epidemiology Bureau
Public Health Surveillance Division

Table 2. Weekly Leptospirosis Summary Report by Region
 Philippines, as of April 16, 2016

Region	Morbidity Week				15th Morbidity Week		Cumulative Total	
	11	12	13	14	2016	2015	2016	2015
I	0	1	0	0	0	0	9	13
II	0	1	0	0	0	2	16	18
III	1	1	1	0	0	1	28	30
IV-A	0	0	0	0	0	0	6	5
IV-B	0	0	0	0	0	0	8	3
V	0	3	1	0	0	0	12	14
VI	2	0	1	0	0	2	24	33
VII	0	0	0	0	0	0	5	13
VIII	1	0	0	0	0	0	4	29
IX	0	0	0	0	0	0	6	7
X	0	1	1	1	1	0	20	10
XI	1	0	0	0	0	0	3	12
XII	0	0	0	0	0	0	1	1
ARMM	0	0	0	0	0	0	0	1
CAR	0	0	0	0	0	1	1	3
CARAGA	0	0	0	0	0	0	3	5
NCR	1	1	0	0	0	2	22	30
Total	6	8	4	1	1	8	168	227

**NOTE: Case counts reported here do NOT represent the final number and are subject to change after inclusion of delayed reports and review of cases.*

EDITORIAL BOARD

Irma L. Asuncion
 IRMA L. ASUNCION, MD, MHA, CESO IV
 Director IV, Epidemiology Bureau

Vito G. Roque, Jr.
 VITO G. ROQUE, JR., RMT, MD, PHSAE
 Division Chief PHSD

Allan P. Ignacio
 Allan P. Ignacio
 Statistician II

June B. Corpuz
 June B. Corpuz, RN
 Nurse III

Jeza Jonah D. Crucena
 Jeza Jonah D. Crucena, RN
 Nurse III



Morbidity Week 15 : January 1-April 16, 2016

Epidemiology Bureau
Public Health Surveillance Division